



# **NGSI Data Configuration and Management**

## **Candidate Version 1.0 – 03 Aug 2010**

---

**Open Mobile Alliance**  
OMA-TS-NGSI\_Data\_Configuration\_and\_Management-V1\_0-  
20100803-C

Use of this document is subject to all of the terms and conditions of the Use Agreement located at <http://www.openmobilealliance.org/UseAgreement.html>.

Unless this document is clearly designated as an approved specification, this document is a work in process, is not an approved Open Mobile Alliance™ specification, and is subject to revision or removal without notice.

You may use this document or any part of the document for internal or educational purposes only, provided you do not modify, edit or take out of context the information in this document in any manner. Information contained in this document may be used, at your sole risk, for any purposes. You may not use this document in any other manner without the prior written permission of the Open Mobile Alliance. The Open Mobile Alliance authorizes you to copy this document, provided that you retain all copyright and other proprietary notices contained in the original materials on any copies of the materials and that you comply strictly with these terms. This copyright permission does not constitute an endorsement of the products or services. The Open Mobile Alliance assumes no responsibility for errors or omissions in this document.

Each Open Mobile Alliance member has agreed to use reasonable endeavors to inform the Open Mobile Alliance in a timely manner of Essential IPR as it becomes aware that the Essential IPR is related to the prepared or published specification. However, the members do not have an obligation to conduct IPR searches. The declared Essential IPR is publicly available to members and non-members of the Open Mobile Alliance and may be found on the “OMA IPR Declarations” list at <http://www.openmobilealliance.org/ipr.html>. The Open Mobile Alliance has not conducted an independent IPR review of this document and the information contained herein, and makes no representations or warranties regarding third party IPR, including without limitation patents, copyrights or trade secret rights. This document may contain inventions for which you must obtain licenses from third parties before making, using or selling the inventions. Defined terms above are set forth in the schedule to the Open Mobile Alliance Application Form.

NO REPRESENTATIONS OR WARRANTIES (WHETHER EXPRESS OR IMPLIED) ARE MADE BY THE OPEN MOBILE ALLIANCE OR ANY OPEN MOBILE ALLIANCE MEMBER OR ITS AFFILIATES REGARDING ANY OF THE IPR'S REPRESENTED ON THE “OMA IPR DECLARATIONS” LIST, INCLUDING, BUT NOT LIMITED TO THE ACCURACY, COMPLETENESS, VALIDITY OR RELEVANCE OF THE INFORMATION OR WHETHER OR NOT SUCH RIGHTS ARE ESSENTIAL OR NON-ESSENTIAL.

THE OPEN MOBILE ALLIANCE IS NOT LIABLE FOR AND HEREBY DISCLAIMS ANY DIRECT, INDIRECT, PUNITIVE, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES ARISING OUT OF OR IN CONNECTION WITH THE USE OF DOCUMENTS AND THE INFORMATION CONTAINED IN THE DOCUMENTS.

© 2010 Open Mobile Alliance Ltd. All Rights Reserved.

Used with the permission of the Open Mobile Alliance Ltd. under the terms set forth above.

# Contents

<b>1. SCOPE</b> .....	<b>4</b>
<b>2. REFERENCES</b> .....	<b>5</b>
<b>2.1 NORMATIVE REFERENCES</b> .....	<b>5</b>
<b>2.2 INFORMATIVE REFERENCES</b> .....	<b>5</b>
<b>3. TERMINOLOGY AND CONVENTIONS</b> .....	<b>6</b>
<b>3.1 CONVENTIONS</b> .....	<b>6</b>
<b>3.2 DEFINITIONS</b> .....	<b>6</b>
<b>3.3 ABBREVIATIONS</b> .....	<b>6</b>
<b>4. INTRODUCTION</b> .....	<b>7</b>
<b>4.1 VERSION 1.0</b> .....	<b>7</b>
4.1.1 Backward Compatibility to the Parlay Specifications.....	7
<b>5. NGSI-1 INTERFACE: TECHNICAL DETAILS</b> .....	<b>8</b>
<b>5.1 NGSI-1: GENERIC DATA MANAGEMENT</b> .....	<b>8</b>
5.1.1 Service Description .....	8
5.1.2 Interface definition.....	8
<b>6. NGSI-2 INTERFACE: TECHNICAL DETAILS</b> .....	<b>11</b>
<b>6.1 NGSI-2: GENERIC DATA CHANGE NOTIFICATION</b> .....	<b>11</b>
6.1.1 Service Description .....	11
6.1.2 Interface definition .....	11
6.1.2.1 Interface: DataChangeNotificationManager .....	11
6.1.2.2 Interface: DataChangeNotification .....	13
<b>7. NGSI-3 INTERFACE: TECHNICAL DETAILS</b> .....	<b>15</b>
<b>7.1 NGSI-3: GROUP CHANGE NOTIFICATION</b> .....	<b>15</b>
7.1.1 Service Description .....	15
7.1.2 Data Type Definition .....	15
7.1.3 Interface definition.....	15
<b>8. DATA STRUCTURE DEFINITIONS</b> .....	<b>20</b>
<b>8.1 CONTENTNEGOTIATION STRUCTURE</b> .....	<b>20</b>
<b>8.2 DOCUMENT STRUCTURE</b> .....	<b>20</b>
<b>8.3 DOCUMENTBODY TYPE</b> .....	<b>20</b>
<b>9. FAULT DEFINITIONS</b> .....	<b>21</b>
<b>9.1 FAULT: SERVICE EXCEPTION</b> .....	<b>21</b>
9.1.1 SVC0440: Old document version .....	21
<b>9.2 FAULT: POLICY EXCEPTION</b> .....	<b>21</b>
9.2.1 SVC0460: Unknown document type .....	21
<b>APPENDIX A. CHANGE HISTORY (INFORMATIVE)</b> .....	<b>22</b>
<b>A.1 APPROVED VERSION HISTORY</b> .....	<b>22</b>
<b>A.2 DRAFT/CANDIDATE VERSION 1.0 HISTORY</b> .....	<b>22</b>
<b>APPENDIX B. STATIC CONFORMANCE REQUIREMENTS (NORMATIVE)</b> .....	<b>25</b>
<b>B.1 SCR FOR XYZ CLIENT</b> .....	<b>25</b>
<b>B.2 SCR FOR XYZ SERVER</b> .....	<b>25</b>

# 1. Scope

This document is the Technical Specification for the interfaces for Data Configuration and Management. According to the NGSI AD [NGSI-AD] the Data Configuration and Management component exposes the interfaces NGSI-1, NGSI-2 and NGSI-3.

NGSI v1.0 defines abstract interfaces. This technical specification builds the basis for the definition of binding technologies based on the abstract interface definitions given in the TS.

The TS is not basis for testing without a respective binding.

## 2. References

### 2.1 Normative References

- [3GPP TS 29.199-1] “Open Service Access (OSA) Parlay X web services; Part 1”, URL:<http://www.3gpp.org/>
- [3GPP TS 29.199-13] “Open Service Access (OSA) Parlay X web services; Part 13”, URL:<http://www.3gpp.org/>
- [NGSI-AD] “NGSI Architecture Document”, Open Mobile Alliance™, OMA-AD-NGSI-V1\_0, URL:<http://www.openmobilealliance.org/>
- [NGSI-RD] “NGSI Requirements”, Open Mobile Alliance™, OMA-RD-NGSI-V1\_0, URL:<http://www.openmobilealliance.org/>
- [RFC2119] “Key words for use in RFCs to Indicate Requirement Levels”, S. Bradner, March 1997, URL:<http://www.ietf.org/rfc/rfc2119.txt>
- [RFC2616] “Hypertext Transfer Protocol -- HTTP/1.1”, R. Fielding, June 1999, URL:<http://www.ietf.org/rfc/rfc2616.txt>
- [RFC4234] “Augmented BNF for Syntax Specifications: ABNF”. D. Crocker, Ed., P. Overell. October 2005, URL:<http://www.ietf.org/rfc/rfc4234.txt>
- [SCRRULES] “SCR Rules and Procedures”, Open Mobile Alliance™, OMA-ORG-SCR\_Rules\_and\_Procedures, URL:<http://www.openmobilealliance.org/>

### 2.2 Informative References

- [OMADICT] “Dictionary for OMA Specifications”, Version 2.7, Open Mobile Alliance™, OMA-ORG-Dictionary-V2\_7, URL:<http://www.openmobilealliance.org/>

## 3. Terminology and Conventions

### 3.1 Conventions

The key words “MUST”, “MUST NOT”, “REQUIRED”, “SHALL”, “SHALL NOT”, “SHOULD”, “SHOULD NOT”, “RECOMMENDED”, “MAY”, and “OPTIONAL” in this document are to be interpreted as described in [RFC2119].

All sections and appendixes, except “Scope” and “Introduction”, are normative, unless they are explicitly indicated to be informative.

### 3.2 Definitions

The definitions of the OMA Dictionary [OMADICT] are valid for this document unless otherwise stated below. Additionally the definitions given in [3GPP TS 29.199-1] apply.

<b>Communication Service</b>	See [NGSI-RD]
<b>Converged Address Book</b>	See [NGSI-RD]
<b>Group Identifier</b>	See [NGSI-RD]
<b>Personal Contact Card</b>	See [NGSI-RD]
<b>Service Recommendation</b>	See [NGSI-RD]

### 3.3 Abbreviations

<b>NGSI</b>	Next Generation Service Interfaces
<b>OMA</b>	Open Mobile Alliance
<b>OSA</b>	Open Service Access
<b>URI</b>	Uniform Resource Identifier
<b>URL</b>	Uniform Resource Locator

## 4. Introduction

The Data Configuration and Management component supports the following functions:

- Management (i.e. create, read, update, delete) of data stored in a document;
- Subscription to receive notification of data change in the content of a document;
- Notification of data change in the content of a document.

These functions are exposed by the interfaces NGSI-1, NGSI-2 and NGSI-3 as defined in [NGSI-AD] and summarized in the subsection 4.1. This TS specification is part of the TS specifications for the NGSI enabler.

### 4.1 Version 1.0

The NGSI TS Data Configuration and Management document specifies the following interface functions [NGSI-AD]:

- NGSI-1, that supports the following function:
  - Management of data contained in a transparently handled document;
- NGSI-2, that supports the following functions:
  - Subscription to receive notification of data change in the content of a document;
  - Notification of data change in the content of a document in the form of:
    - Notification of change without data attached;
    - Notification of change with changed document attached;
- NGSI-3, that supports the following functions:
  - Subscription to receive notification of data change in group information;
  - Notification of data change in group information.

NGSI-1 and NGSI-2 interfaces handle documents transparently to their content. This means the management and subscription/notification handling is independent of the content, format and the application usage. The documents supported can be XML or non-XML documents. These are new NGSI interfaces which do not have a Parlay X counterpart.

The NGSI-3 interface extends Parlay X Part 13 ([3GPP TS 29.199-13]).

#### 4.1.1 Backward Compatibility to the Parlay Specifications

**NGSI-1: None.**

**NGSI-2: None**

**NGSI-3:**

The Group handling functions of the NGSI-3 interface provides an extension to the service API provided by OSA/Parlay [3GPP TS 29.199-13]. This interface uses the data types as defined in the respective [3GPP TS 29.199-13] and [3GPP TS 29.199-1]. The name space definition given in the [3GPP TS 29.199-13] specifications apply unchanged.

## 5. NGSI-1 Interface: Technical Details

### 5.1 NGSI-1: Generic Data Management

#### 5.1.1 Service Description

The Generic Data Management functions of the NGSI-1 provide a way to manage documents owned by the Service Provider, without the need of an application-usage specific API. The content of the document is opaque to the NGSI component. The Service Provider MAY allow the document to be represented in more than one content type (e.g.: application/xml, application/json, etc.).

#### 5.1.2 Interface definition

The Generic Data Management functions of the NGSI-1 are provided by the interface *DocumentManager*.

##### 5.1.2.1 Interface: DocumentManager

The *DocumentManager* interface controls the management of a document, through the operations of creation, retrieval, update and deletion.

###### 5.1.2.1.1 Operation: createDocument

The invocation of the createDocument operation requests to create a new document.

When the content type field or the content encoding field (if present), within the *Document* parameter are not supported for the requested document type, a fault (POL0011) SHALL be returned.

If the *DocumentType* parameter is specified and the server does not know the document type, a fault (POL0460) SHALL be returned.

If the *DocumentType* parameter is not specified, the kind of document to create MAY be inferred by the Service Provider. In case this is not possible, a fault (POL0460) SHALL be returned.

###### 5.1.2.1.1.1. Input message: createDocumentRequest

Part name	Part type	Optional	Description
DocumentType	xsd:string	Yes	The document type determines what kind of document to create, (e.g.: a buddy-list document, a policy rules document for a specific service, ...). This parameter is related to the semantics of the document, not to its format.
Document	Document	Yes	The document to be created. If this parameter is not specified, this operation creates an “empty” document (i.e.: it just reserves a DocumentId). It is also possible to create an “empty” document by providing an empty <i>DocumentBody</i> in the <i>Document</i> structure.

###### 5.1.2.1.1.2. Output message: createDocumentResponse

Part name	Part type	Optional	Description
DocumentId	xsd:anyURI	No	Identifier of the just created document.
DocumentVersion	xsd:string	No	Indicates the initial version of the document

###### 5.1.2.1.1.3. Referenced faults

ServiceException from [3GPP TS 29.199-1]:

- SVC0001: Service error.
- SVC0002: Invalid input value.

PolicyException from [3GPP TS 29.199-1]:

- POL0001: Policy error.



- POL0011: Media Type not supported.
- POL0460: Unknown document type.

### 5.1.2.1.2 Operation: `getDocument`

The invocation of the `getDocument` operation requests to retrieve a document.

The `ContentNegotiation` parameter in the `getDocumentRequest`:

- SHALL contain a list of the MIME content types supported by the client, in order of preference, with the intention to use one of them on the `Document` parameter in the response;
- MAY contain a list of the types of encoding (i.e. compression) supported by the client, with the intention to use one of them on the `Document` parameter in the response.

When none of the content types is supported for the requested document, a fault (POL0011) SHALL be returned.

When none of the content encodings (if requested by the client) is supported for the requested document, a fault (POL0011) SHALL be returned. If no content encoding was provided by the client, the server SHALL NOT encode the document.

#### 5.1.2.1.2.1. Input message: `getDocumentRequest`

Part name	Part type	Optional	Description
DocumentId	xsd:anyURI	No	Identifier of the document.
ContentNegotiation	ContentNegotiation	No	Used to negotiate the content type and possibly the content encoding (i.e. compression) of the <code>Document</code> parameter in the response.

#### 5.1.2.1.2.2. Output message: `getDocumentResponse`

Part name	Part type	Optional	Description
Document	Document	No	The retrieved document.
DocumentVersion	xsd:string	No	Indicates the version of the document. <b>Note:</b> in some bindings the document version could be mapped to ETag HTTP header [RFC2616].

#### 5.1.2.1.2.3. Referenced faults

ServiceException from [3GPP TS 29.199-1]:

- SVC0001: Service error.
- SVC0002: Invalid input value.

PolicyException from [3GPP TS 29.199-1]:

- POL0001: Policy error.
- POL0011: Media Type not supported.

### 5.1.2.1.3 Operation: `updateDocument`

The invocation of the `updateDocument` operation requests to update a document, replacing the whole document with a new one.

When the content type field or the content encoding field (if present), within the `Document` parameter are not supported for the requested document type, a fault (POL0011) SHALL be returned.

If the `DocumentVersion` parameter does not indicate the latest version of the document on the server, a fault (SVC0440) SHALL be returned.

**Note:** This operation does not include updating the document on the server back to the previously known version (i.e. reverting).

#### 5.1.2.1.3.1. Input message: updateDocumentRequest

Part name	Part type	Optional	Description
DocumentId	xsd:anyURI	No	Identifier of the document.
Document	Document	No	The new document.
DocumentVersion	xsd:string	No	The last version of the document known by the client. <b>Note:</b> in some bindings the document version could be mapped to ETag HTTP header [RFC2616].

#### 5.1.2.1.3.2. Output message: updateDocumentResponse

Part name	Part type	Optional	Description
DocumentVersion	xsd:string	No	Indicates the version of the document <i>after</i> the update.

#### 5.1.2.1.3.3. Referenced faults

ServiceException from [3GPP TS 29.199-1]:

- SVC0001: Service error.
- SVC0002: Invalid input value.
- SVC0440: Old document version.

PolicyException from [3GPP TS 29.199-1]:

- POL0001: Policy error.
- POL0011: Media Type not supported.

### 5.1.2.1.4 Operation: deleteDocument

The invocation of the *deleteDocument* operation requests to delete a document.

If the *DocumentVersion* parameter is specified and does not indicate the latest version of the document on the server, a fault (SVC0440) SHALL be returned.

#### 5.1.2.1.4.1. Input message: deleteDocumentRequest

Part name	Part type	Optional	Description
DocumentId	xsd:anyURI	No	Identifier of the document.
DocumentVersion	xsd:string	Yes	The last version of the document known by the client.

#### 5.1.2.1.4.2. Output message: deleteDocumentResponse

Part name	Part type	Optional	Description
None			

#### 5.1.2.1.4.3. Referenced faults

ServiceException from [3GPP TS 29.199-1]:

- SVC0001: Service error.
- SVC0002: Invalid input value.
- SVC0440: Old document version.

PolicyException from [3GPP TS 29.199-1]:

- POL0001: Policy error

## 6. NGSI-2 Interface: Technical Details

### 6.1 NGSI-2: Generic Data Change Notification

#### 6.1.1 Service Description

The Generic Data Change Notification functions of the NGSI-2 provide a way to receive notification about updates of documents owned by the Service Provider, without the need of an application-usage specific API. The content of the document is opaque to the NGSI component. The Service Provider MAY allow the document to be provided in more than one content type (e.g.: application/xml, application/json, etc.).

#### 6.1.2 Interface definition

The Generic Data Change Notification functions of the NGSI-2 are provided by the interfaces *DataChangeNotificationManager* and *DataChangeNotification*.

##### 6.1.2.1 Interface: DataChangeNotificationManager

The *DataChangeNotificationManager* interface controls the management of subscription to updates of a document.

###### 6.1.2.1.1 Operation: startDataChangeNotification

The invocation of the *startDataChangeNotification* operation allows creating a subscription, in order to receive asynchronous notifications regarding updates to a document.

The *Reference* parameter in the *startDataChangeNotificationRequest* contains:

- the URI of the endpoint where to receive the notifications;
- the interface name;
- a *Correlator* token, used to correlate notifications to the subscription and to issue the *endDataChangeNotificationRequest*.

The *Correlator* field provided in the parameter *Reference* must be unique at the time the subscription is created, otherwise a fault (SVC0005) SHALL be returned.

The subscription lifetime MAY be negotiated between the client and the server. The client MAY propose a duration in the request. The server SHALL include a duration in the response. If the client proposed a duration, the server SHALL assign to the subscription a duration less or equal to the proposed one. The client MAY propose a maximum number of notifications by including a count in the request. The subscription will expire at the end of its duration or after reaching the maximum number of notifications (if the OPTIONAL *Count* parameter is specified), whichever happens first.

The minimum interval between notifications MAY be negotiated between the client and the server. The client MAY propose a frequency in the request. This value specifies a minimum time between notifications. If the client proposed a frequency, the server SHALL assign to the subscription a frequency lower or equal to the proposed one, and include this value in the response. If a frequency is assigned to the subscription, the server SHALL wait the minimum time required before sending notifications. If multiple changes occur to the document during this waiting period, the server SHALL send the latest document version; and if no change occurs to the document during this waiting period, the server MAY send the latest document when it sends the next notification.

The *FullContentRequest* parameter in the *startDataChangeNotificationRequest*:

- SHALL contain a list of the MIME content types supported by the client, in order of preference, with the intention to use one of them on the *Document* parameter in the notifications;
- MAY contain a list of the types of encoding (i.e. compression) supported by the client, with the intention to use one of them on the *Document* parameter in the notifications.

If the *FullContentRequest* parameter is not present, the request asks the server to send notifications without the *Document* parameter. The client can retrieve the updated document with the *getDocumentRequest* operation. Otherwise if the *FullContentRequest* parameter is present, the request asks the server to append the whole updated document to the notification (within the *Document* parameter).

If the *FullContentRequest* parameter is present:

- when none of the content types is supported for the requested document, a fault (POL0011) SHALL be returned;
- when none of the content encodings (if requested by the client) is supported for the requested document, a fault (POL0011) SHALL be returned;
- if no content encoding was provided by the client, the server SHALL NOT encode the document.

#### 6.1.2.1.1.1. Input message: startDataChangeNotificationRequest

Part name	Part type	Optional	Description
DocumentId	xsd:anyURI	No	Identifier of the document.
Reference	common:SimpleReference	No	Notification endpoint definition.
Count	xsd:decimal	Yes	Number of maximum notification. If not specified there's no limit to the number of notifications.
Duration	common:TimeMetric	Yes	Proposed duration of the subscription.
Frequency	common:TimeMetric	Yes	Proposed maximum frequency of notifications (can also be considered minimum time between notifications).
FullContentRequest	ContentNegotiation	Yes	To request notifications containing the whole updated document, this element SHALL be present. It is used to negotiate the content type and possibly the content encoding (i.e. compression) of the <i>Document</i> parameter in the notifications. To request notifications without the updated document, this element SHALL NOT be present

#### 6.1.2.1.1.2. Output message: startDataChangeNotificationResponse

Part name	Part type	Optional	Description
Duration	common:TimeMetric	No	Duration of the subscription as assigned by the server.
Frequency	common:TimeMetric	Yes	Maximum frequency of notifications as assigned by the server. If a <i>Frequency</i> value were proposed into the <i>startDataChangeNotificationRequest</i> , this parameter SHALL be specified.

#### 6.1.2.1.1.3. Referenced faults

ServiceException from [3GPP TS 29.199-1]:

- SVC0001: Service error.
- SVC0002: Invalid input value.
- SVC0005: Duplicate correlator.

PolicyException from [3GPP TS 29.199-1]:

- POL0001: Policy error.
- POL0009: Invalid frequency requested.
- POL0011: Media Type not supported.

#### 6.1.2.1.2 Operation: endDataChangeNotification

The invocation of the *endDataChangeNotification* operation allows to cancel a subscription created with the *startDataChangeNotification* operation.

Notifications will continue to be received until a response is received from this operation, or until the subscription expires (see duration and count explanations in Section 6.1.2.1.1).

#### 6.1.2.1.2.1. Input message: endDataChangeNotificationRequest

Part name	Part type	Optional	Description
Correlator	xsd:string	No	Correlator of the subscription to cancel.

#### 6.1.2.1.2.2. Output message: endDataChangeNotificationResponse

Part name	Part type	Optional	Description
None			

#### 6.1.2.1.2.3. Referenced faults

ServiceException from [3GPP TS 29.199-1]:

- SVC0001: Service error.
- SVC0002: Invalid input value.

PolicyException from [3GPP TS 29.199-1]:

- POL0001: Policy error.

## 6.1.2.2 Interface: DataChangeNotification

The *DataChangeNotification* interface allows receiving notifications about the update of a document.

### 6.1.2.2.1 Operation: dataChangeNotification

This operation allows receiving the notifications about the update of a document on the interface specified by the client in the *startDataChangeNotificationRequest*. The server SHALL send a request for this operation when the document has been modified or deleted. The request is sent to all clients with an active subscription for data change notifications related to the document, depending on count and frequency attributes (see section 6.1.2.1.1).

If the *FullContentRequest* parameter was not present in the *startDataChangeNotificationRequest*, the *Document* parameter SHALL NOT be specified.

If the *FullContentRequest* parameter was present in the *startDataChangeNotificationRequest*, the *Document* parameter SHALL be included. The *DocumentBody* parameter SHALL contain the whole updated document.

#### 6.1.2.2.1.1. Input message: dataChangeNotificationRequest

Part name	Part type	Optional	Description
Correlator	xsd:string	No	Correlator provided in request to set up this subscription.
Document	Document	Yes	The updated document.
DocumentOldVersion	xsd:string	No	The version of the document <i>before</i> the update.
DocumentVersion	xsd:string	No	The version of the document <i>after</i> the update.

#### 6.1.2.2.1.2. Output message: dataChangeNotificationResponse

Part name	Part type	Optional	Description
None			

#### 6.1.2.2.1.3. Referenced faults

None.

### 6.1.2.2.2 Operation: dataChangeNotificationError

This operation is used to indicate that a subscription has been cancelled by the server.

**6.1.2.2.2.1. Input message: dataChangeNotificationErrorRequest**

Part name	Part type	Optional	Description
Correlator	xsd:string	No	Correlator provided in request to set up this subscription.
Reason	common:ServiceError	No	Reason the subscription has been cancelled.

**6.1.2.2.2.2. Output message: dataChangeNotificationErrorResponse**

Part name	Part type	Optional	Description
None			

**6.1.2.2.2.3. Referenced faults**

None.

## 7. NGSI-3 Interface: Technical Details

### 7.1 NGSI-3: Group Change Notification

#### 7.1.1 Service Description

The group handling functions of the NGSI-3 interface provides an extension to the service API related to group handling interface descriptions and operations is described in [3GPP TS 29.199-13].

The additional functions provided in NGSI-3 extend the functionality by extending the access permission data and by adding the additional interfaces *GroupNotificationManager* and *GroupNotification* to [3GPP TS 29.199-13].

#### 7.1.2 Data Type Definition

The group handling functions of the NGSI-3 interface uses the data type definition for group handling as defined in [3GPP TS 29.199-13] and [3GPP TS 29.199-1], and defines the additional parameter *NotifyPermission* for *AccessPermissions* structure in 3GPP TS 29.199-13].

##### 7.1.2.1 AccessPermissions structure

Name	Type	Optional	Description	New parameter
AdminPermission	xsd:boolean	No	Requester has admin permission for the group	
AddPermission	xsd:boolean	No	Requester can add members to a group	
DeletePermission	xsd:boolean	No	Requester can delete members from a group	
QueryPermission	xsd:boolean	No	Requester can query members in a group	
NotifyPermission	xsd:boolean	Yes	Requester can start and stop the notification of addition/deletion of the members in a group, and also the notification of group deletion.	NGSI-3: Group Handling

#### 7.1.3 Interface definition

The group handling functions of the NGSI-3 provide the additional interfaces *GroupNotificationManager* and *GroupNotification* to [3GPP TS 29.199-13].

##### 7.1.3.1 Interface: GroupNotificationManager

The *GroupNotificationManager* interface controls notification of a group membership change.

###### 7.1.3.1.1 Operation: startMembersAddedNotification

This operation issues the notification to the requester (e.g. application) to inform about adding of new members to a group.

The *Group* parameter specifies the URI of a group.

The *Correlator* field provided in the *Reference* parameter must be unique for the requestor at the time the notification is initiated, otherwise a fault (SVC0005) SHALL be returned.

**7.1.3.1.1.1. Input message: startMembersAddedNotificationRequest**

Part name	Part type	Optional	Description	New Parameter
Reference	common:Simple Reference	No	Notification endpoint definition	NGSI-3: Group Handling
Group	xsd:anyURI	No	URI of Group	NGSI-3: Group Handling
Requester	xsd:anyURI	No	User wishing to start the notification. Normally this is the group / list owner.	NGSI-3: Group Handling

**7.1.3.1.1.2. Output message: startMembersAddedNotificationResponse**

Part Name	Part Type	Optional	Description	New Parameter
None				NGSI-3: Group Handling

**7.1.3.1.1.3. Referenced faults**

ServiceException from [3GPP TS 29.199-1]:

- SVC0001: Service error.
- SVC0002: Invalid input value.
- SVC0005: Duplicate correlator

PolicyException from [3GPP TS 29.199-1]:

- POL0001: Policy error.

**7.1.3.1.2 Operation: stopMembersAddedListNotification**

The application may stop the notifications about adding new members using this operation.

**7.1.3.1.2.1. Input message: stopMembersAddedNotificationRequest**

Part name	Part type	Optional	Description	New Parameter
Correlator	xsd:string	No	Correlator of request to stop	NGSI-3: Group Handling
Requester	xsd:anyURI	No	User wishing to stop the notification. Normally this is the group / list owner.	NGSI-3: Group Handling

**7.1.3.1.2.2. Output message: stopMembersAddedNotificationResponse**

Part Name	Part Type	Optional	Description	New Parameter
None				NGSI-3: Group Handling

**7.1.3.1.2.3. Referenced faults**

ServiceException from [3GPP TS 29.199-1]:

- SVC0001: Service error.
- SVC0002: Invalid input value.

PolicyException from 3GPP TS 29.199-1 [6]:

- POL0001: Policy error.

**7.1.3.1.3 Operation: startMembersDeletedNotification**

This operation issues the notification about the deletion of members to the requester.

The parameter *Group* specifies the URI of a group.

The *Correlator* field provided in the parameter *Reference* must be unique at the time the notification is initiated, otherwise a fault (SVC0005) SHALL be returned.



**7.1.3.1.3.1. Input message: startMembersDeletedNotificationRequest**

Part name	Part type	Optional	Description	New Parameter
Reference	common:Simple Reference	No	Notification endpoint definition	NGSI-3: Group Handling
Group	xsd:anyURI	No	URI of Group	NGSI-3: Group Handling
Requester	xsd:anyURI	No	User wishing to start the notification. Normally this is the group / list owner.	NGSI-3: Group Handling

**7.1.3.1.3.2. Output message: startMembersDeletedNotificationResponse**

Part Name	Part Type	Optional	Description	New Parameter
None				NGSI-3: Group Handling

**7.1.3.1.3.3. Referenced faults**

ServiceException from [3GPP TS 29.199-1]:

- SVC0001: Service error.
- SVC0002: Invalid input value.
- SVC0005: Duplicate correlator

PolicyException from [3GPP TS 29.199-1]:

- POL0001: Policy error.

**7.1.3.1.4 Operation: stopMembersDeletedListNotification**

The requestor may stop the notification about deleted members using this operation.

**7.1.3.1.4.1. Input message: stopMembersDeletedNotificationRequest**

Part name	Part type	Optional	Description	New Parameter
Correlator	xsd:string	No	Correlator of request to stop	NGSI-3: Group Handling
Requester	xsd:anyURI	No	User wishing to stop the notification. Normally this is the group / list owner.	NGSI-3: Group Handling

**7.1.3.1.4.2. Output message: stopMembersDeletedNotificationResponse**

Part Name	Part Type	Optional	Description	New Parameter
None				NGSI-3: Group Handling

**7.1.3.1.4.3. Referenced faults**

ServiceException from [3GPP TS 29.199-1]:

- SVC0001: Service error.
- SVC0002: Invalid input value.

PolicyException from [3GPP TS 29.199-1]:

- POL0001: Policy error.

**7.1.3.1.5 Operation: startGroupDeletedNotification**

This operation issues the notification to the requester to inform about the deletion of the group.

The parameter *Group* specifies the URI of a group.

The *Correlator* field provided in the parameter *Reference* must be unique at the time the notification is initiated, otherwise a fault (SVC0005) SHALL be returned.

**7.1.3.1.5.1. Input message: startGroupDeletedNotificationRequest**

Part name	Part type	Optional	Description	New Parameter
Reference	common:Simple Reference	No	Notification endpoint definition	NGSI-3: Group Handling
Group	xsd:anyURI	No	URI of Group	NGSI-3: Group Handling
Requester	xsd:anyURI	No	User wishing to start the notification. Normally this is the group / list owner.	NGSI-3: Group Handling

**7.1.3.1.5.2. Output message: startGroupDeletedNotificationResponse**

Part Name	Part Type	Optional	Description	New Parameter
None				NGSI-3: Group Handling

**7.1.3.1.5.3. Referenced faults**

ServiceException from [3GPP TS 29.199-1]:

- SVC0001: Service error.
- SVC0002: Invalid input value.
- SVC0005: Duplicate correlator

PolicyException from [3GPP TS 29.199-1]:

- POL0001: Policy error.

**7.1.3.1.6 Operation: stopGroupDeletedListNotification**

The requestor may stop the notification about deletion of the group using this operation.

**7.1.3.1.6.1. Input message: stopGroupDeletedNotificationRequest**

Part name	Part type	Optional	Description	New Parameter
Correlator	xsd:string	No	Correlator of request to stop	NGSI-3: Group Handling
Requester	xsd:anyURI	No	User wishing to stop the notification. Normally this is the group / list owner.	NGSI-3: Group Handling

**7.1.3.1.6.2. Output message: stopGroupDeletedNotificationResponse**

Part Name	Part Type	Optional	Description	New Parameter
None				NGSI-3: Group Handling

**7.1.3.1.6.3. Referenced faults**

ServiceException from [3GPP TS 29.199-1]:

- SVC0001: Service error.
- SVC0002: Invalid input value.

PolicyException from [3GPP TS 29.199-1]:

- POL0001: Policy error.

**7.1.3.2 Interface: GroupNotification**

The *GroupNotification* allows a requester to receive a group member change notification. Three operations are defined:

- The operation *notifyMembersAddedReception* enables to receive a group member addition notification.
- The operation *notifyMembersDeletedReception* enables to receive a group member deletion notification.
  - The operation *notifyGroupDeletedReception* enables to receive a group deletion notification.

### 7.1.3.2.1 Operation notifyMembersAddedReception

A group member addition notification issued by the operation *startMembersAddedNotification* of the *GroupNotificationManager* interface is received by the *notifyMembersAddedReception*.

If nested group support is provided, a member URI may be a reference to the list.

#### 7.1.3.2.1.1. Input message: notifyMembersAddedReceptionRequest

Part name	Part type	Optional	Description	New Parameter
Correlator	xsd:string	No	Correlator provided in request to set up this notification.	NGSI-3: Group Handling
Members	xsd:anyURI [1...unbounded]	No	Added group members	NGSI-3: Group Handling

#### 7.1.3.2.1.2. Output message: notifyMembersAddedReceptionResponse

Part Name	Part Type	Optional	Description	New Parameter
None				NGSI-3: Group Handling

#### 7.1.3.2.1.3. Referenced faults

None.

### 7.1.3.2.2 Operation notifyMembersDeletedReception

A group member deletion notification started by *startMembersDeletedNotification* of the *GroupNotificationManager* interface is received by the operation *notifyMembersDeletedReception*.

If nested group support is provided, a member URI may be a reference to the list.

#### 7.1.3.2.2.1. Input message: notifyMembersDeletedReceptionRequest

Part name	Part type	Optional	Description	New Parameter
Correlator	xsd:string	No	Correlator provided in request to set up this notification.	NGSI-3: Group Handling
Members	xsd:anyURI [1...unbounded]	No	Deleted group members	NGSI-3: Group Handling

#### 7.1.3.2.2.2. Output message: notifyMembersDeletedReceptionResponse

Part Name	Part Type	Optional	Description	New Parameter
None				NGSI-3: Group Handling

#### 7.1.3.2.2.3. Referenced faults

None.

### 7.1.3.2.3 Operation notifyGroupDeletedReception

A group deletion notification started by *startGroupDeletedNotification* of the *GroupNotificationManager* interface is received by the operation *notifyGroupDeletedReception*.

#### 7.1.3.2.3.1. Input message: notifyGroupDeletedReceptionRequest

Part name	Part type	Optional	Description	New Parameter
Correlator	xsd:string	No	Correlator provided in request to set up this notification.	NGSI-3: Group Handling

#### 7.1.3.2.3.2. Output message: notifyGroupDeletedReceptionResponse

Part Name	Part Type	Optional	Description	New Parameter
None				NGSI-3: Group Handling

#### 7.1.3.2.3.3. Referenced faults

None.

## 8. Data Structure definitions

This section describes the data structures for the NGSI Data Configuration and Management part.

### 8.1 ContentNegotiation structure

For operations that may need a negotiation of the requested content, in terms of content type and content encoding, the information required by the negotiation is provided in this data structure.

Part name	Part type	Optional	Description
ContentType	xsd:string [1...unbounded]	No	This parameter indicates the MIME content types supported by the client, in order of preference, for the DocumentBody.
ContentEncoding	xsd:string [0...unbounded]	Yes	This parameter indicates the types of encoding supported by the client that could be used on the DocumentBody.

### 8.2 Document structure

Part name	Part type	Optional	Description
ContentType	xsd:string	No	The MIME content type of the DocumentBody.
ContentEncoding	xsd:string	Yes	The type of encoding used on the DocumentBody. If the DocumentBody is encoded (i.e. compressed), this parameter SHALL be specified.
ContentTransferEncoding	xsd:string	Yes	Signals the OPTIONAL content transfer encoding (e.g. base64) applied to the DocumentBody. <b>Note 1:</b> Note that this parameter is only relevant in those bindings that are not capable of transmitting arbitrary byte sequences. <b>Note 2:</b> In those bindings, the type of the used transfer encoding needs to be normatively specified.
DocumentBody	DocumentBody	No	Document representation according to the ContentType parameter, OPTIONALLY encoded according to the ContentEncoding and ContentTransferEncoding parameters, if present.

### 8.3 DocumentBody type

The data type “DocumentBody” denotes a sequence of bytes that represents the result of serializing a document in accordance with a particular MIME content type type which MAY have OPTIONALLY undergone additional encoding steps.

## 9. Fault definitions

New fault definitions for NGSI-1 and NGSI-2.

### 9.1 Fault: Service Exception

#### 9.1.1 SVC0440: Old document version

Name	Description
Message Id	SVC0440
Text	Requested version does not indicate the latest version of the document on the server, current version is %1.
Variables	%1 – current document version on the server.

### 9.2 Fault: Policy Exception

#### 9.2.1 SVC0460: Unknown document type

Name	Description
Message Id	SVC0460
Text	The server cannot infer the DocumentType.
Variables	None.

## Appendix A. Change History

(Informative)

### A.1 Approved Version History

Reference	Date	Description
n/a	n/a	No prior version –or- No previous version within OMA

### A.2 Draft/Candidate Version 1.0 History

Document Identifier	Date	Sections	Description
Draft Versions: OMA-TS- NGSI_Data_Configuration_and_Management-V1_0	13 Oct 2009	none	Creation of baseline document.
	04 Nov 2009	1, 2, 2.1, 2.2, 3, 3.1, 3.2, 3.3, 4, 4.1, 4.1.1	OMA-ARC-NGSI-2009-0056R01- INP_CR_TS_DCM_section_1_to_4
		5, 5.1, 5.2, 5.4, 6, 6.1, 6.1.1, 6.1.2, 6.1.3	OMA-ARC-NGSI-2009-0057R02- INP_CR_TS_DCM_NGSI_2_Group_Notifications
	05 Feb 2010	1, 4, 5, 6	OMA-ARC-NGSI-2010-0031R02- CR_TS_DCM_Revision_based_on_ADRR, Editorial changes, Updated to 2010 TS Template.
	18 Mar 2010	5.1.1, 5.1.2, 5.1.2.1, 5.1.2.1.1, 5.1.2.1.1.1, 5.1.2.1.1.2	OMA-ARC-NGSI-2010-0032R04- CR_TS_DCM_Generic_Data_Management_and_Change_Notification_Interface, Editorial changes.
	26 Mar 2010	5.1.2, 5.1.2.1	OMA-ARC-NGSI-2010-0056R01- CR_TS_DCM_DocumentType_and_ContentTransferEncoding, Editorial changes.
	01 Apr 2010	5.1.3.1.1.1, 5.1.3.1.1.3	OMA-ARC-NGSI-2010-0056R01- CR_TS_DCM_DocumentType_and_ContentTransferEncoding, Fixed section 5.1.3.1.1.3 that was incorrectly not added from OMA- ARC-NGSI-2010-0032R04- CR_TS_DCM_Generic_Data_Management_and_Change_Notification_Interface, Editorial changes.
	20 Apr 2010	4.1, 5.1.2.1, 5.1.3.1.1.1, 5.1.3.1.1.2, 5.1.3.1.2, 5.1.3.1.2.1, 5.1.3.1.2.2, 5.1.3.1.2.3, 5.1.3.1.3, 5.1.3.1.3.1, 5.1.3.1.3.2, 5.1.3.1.3.3, 5.1.3.1.4, 5.1.3.1.4.1, 5.1.3.1.4.2, 5.1.3.1.4.3	OMA-ARC-NGSI-2010-0072R01- CR_TS_DCM_NGSI_1_and_NGSI_2, Editorial changes.

Document Identifier	Date	Sections	Description
	10 May 2010	4.1, 5.1.3.1.2.2, 5.1.3.1.3.1, 6.1.1, 6.1.2, 6.1.2.1, 6.1.3, 6.1.3.1, 6.1.3.1.1, 6.1.3.1.1.1, 6.1.3.1.1.2, 6.1.3.1.1.3, 6.1.3.1.2, 6.1.3.1.2.1, 6.1.3.1.2.2, 6.1.3.1.2.3, 6.1.3.2, 6.1.3.2.1, 6.1.3.2.1.1, 6.1.3.2.1.2, 6.1.3.2.1.3, 6.1.3.2.2, 6.1.3.2.2.1, 6.1.3.2.2.2, 6.1.3.2.2.3	OMA-ARC-NGSI-2010-0064R01- CR_TS_DCM_ContentTransferEncoding, OMA-ARC-NGSI-2010-0085R01- CR_TS_DCM_Remaining_parts_of_CR72_after_Bangkok_decision, Editorial changes.
	24 May 2010	5.1.2, 5.1.3.1.1, 5.1.3.1.1.1, 5.1.3.1.1.3, 5.1.3.1.2, 5.1.3.1.2.1, 5.1.3.1.2.2, 5.1.3.1.2.3, 5.1.3.1.3, 5.1.3.1.3.1, 5.1.3.1.3.3, 5.1.3.1.4.1, 5.1.3.1.4.3, 6.1.2, 6.1.3.1.1, 6.1.3.1.1.1, 6.1.3.1.1.2, 6.1.3.1.1.3, 6.1.3.2.1, 6.1.3.2.1.1, 7.2, 7.2.1, 8, 8.1, 8.1.1, 8.2, 8.2.1	OMA-ARC-NGSI-2010-0099R01-CR_Content_Negotiation_Structure, OMA-ARC-NGSI-2010-0104R01-CR_TS_DCM_Error_codes, OMA-ARC-NGSI-2010-0105-CR_TS_DCM_Document_structure, Editorial changes.
	31 May 2010	5.1.2.1.2, 5.1.2.1.3, 6.1.2.1.1, 8.1, 8.2, 8.3	OMA-ARC-NGSI-2010-0108- CR_TS_DCM_Dropping_default_Content_Type, OMA-ARC-NGSI-2010-0111-CR_DocumentBody, Editorial changes.

Document Identifier	Date	Sections	Description
	08 Jun 2010	2.1, 3.3, 5.1.2.1.1, 5.1.2.1.1.1, 5.1.2.1.2, 5.1.2.1.2.1, 5.1.2.1.3, 5.1.2.1.3.1, 5.1.2.1.4, 5.1.2.1.4.1, 6.1.2.1.1, 6.1.2.1.1.1, 6.1.2.1.1.2, 6.1.2.1.2, 6.1.2.2.1, 7.1.2.1, 7.1.3.1.1, 7.1.3.1.1.1, 7.1.3.1.1.3, 7.1.3.1.2.1, 7.1.3.1.3, 7.1.3.1.3.1, 7.1.3.1.3.3, 7.1.3.1.4.1, 7.1.3.1.5, 7.1.3.1.5.1, 7.1.3.1.5.3, 7.1.3.1.6.1, 7.1.3.2.1.1, 7.1.3.2.2.1, 7.1.3.2.3.1, Appendix A, Appendix B, Appendix C.	OMA-ARC-NGSI-2010-0119-CR_TS_DCM_cleanup, Editorial changes.
		1, App B.	OMA-ARC-NGSI-2010-0135-CR_TS_ALL_Removal_of_SCR_tables.
	06 Jul 2010	6.1.2.1.1, 6.1.2.1.2, 6.1.2.2.1, 7.1.2, 7.1.2.1	OMA-ARC-NGSI-2010-0142R01- CR_NGSI_SS_Data_Configuration_Management_Cleanup
Candidate Version: OMA-TS- NGSI_Data_Configuration_and_Manage- ment-V1_0	03 Aug 2010	All	Editorial fixes: references sorted, History table Status changed to Candidate by TP: OMA-TP-2010-0324- INP_NGSI_V1_0_ERP_for_Candidate_Approval



## Appendix B. Static Conformance Requirements (Normative)

As NGSI v1.0 specifies the level of abstract interfaces, no testing of those is applicable. Therefore, the Static Conformance Requirements (SCR) tables are not defined. Those are subject for definitions in the related technical specification defining the bindings.

The notation used in this appendix is specified in [SCRRULES].

### B.1 SCR for XYZ Client

None.

### B.2 SCR for XYZ Server

None.