



Enabler Release Definition for Browsing

Approved Version 2.2 – 20 Oct 2006

Open Mobile Alliance
OMA-ERELD-Browsing-V2_2-20061020-A

Use of this document is subject to all of the terms and conditions of the Use Agreement located at <http://www.openmobilealliance.org/UseAgreement.html>.

Unless this document is clearly designated as an approved specification, this document is a work in process, is not an approved Open Mobile Alliance™ specification, and is subject to revision or removal without notice.

You may use this document or any part of the document for internal or educational purposes only, provided you do not modify, edit or take out of context the information in this document in any manner. Information contained in this document may be used, at your sole risk, for any purposes. You may not use this document in any other manner without the prior written permission of the Open Mobile Alliance. The Open Mobile Alliance authorizes you to copy this document, provided that you retain all copyright and other proprietary notices contained in the original materials on any copies of the materials and that you comply strictly with these terms. This copyright permission does not constitute an endorsement of the products or services. The Open Mobile Alliance assumes no responsibility for errors or omissions in this document.

Each Open Mobile Alliance member has agreed to use reasonable endeavors to inform the Open Mobile Alliance in a timely manner of Essential IPR as it becomes aware that the Essential IPR is related to the prepared or published specification. However, the members do not have an obligation to conduct IPR searches. The declared Essential IPR is publicly available to members and non-members of the Open Mobile Alliance and may be found on the “OMA IPR Declarations” list at <http://www.openmobilealliance.org/ipr.html>. The Open Mobile Alliance has not conducted an independent IPR review of this document and the information contained herein, and makes no representations or warranties regarding third party IPR, including without limitation patents, copyrights or trade secret rights. This document may contain inventions for which you must obtain licenses from third parties before making, using or selling the inventions. Defined terms above are set forth in the schedule to the Open Mobile Alliance Application Form.

NO REPRESENTATIONS OR WARRANTIES (WHETHER EXPRESS OR IMPLIED) ARE MADE BY THE OPEN MOBILE ALLIANCE OR ANY OPEN MOBILE ALLIANCE MEMBER OR ITS AFFILIATES REGARDING ANY OF THE IPR'S REPRESENTED ON THE “OMA IPR DECLARATIONS” LIST, INCLUDING, BUT NOT LIMITED TO THE ACCURACY, COMPLETENESS, VALIDITY OR RELEVANCE OF THE INFORMATION OR WHETHER OR NOT SUCH RIGHTS ARE ESSENTIAL OR NON-ESSENTIAL.

THE OPEN MOBILE ALLIANCE IS NOT LIABLE FOR AND HEREBY DISCLAIMS ANY DIRECT, INDIRECT, PUNITIVE, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES ARISING OUT OF OR IN CONNECTION WITH THE USE OF DOCUMENTS AND THE INFORMATION CONTAINED IN THE DOCUMENTS.

© 2006 Open Mobile Alliance Ltd. All Rights Reserved.

Used with the permission of the Open Mobile Alliance Ltd. under the terms set forth above.

Contents

- 1. SCOPE4
- 2. REFERENCES5
 - 2.1 NORMATIVE REFERENCES.....5
 - 2.2 INFORMATIVE REFERENCES.....6
- 3. TERMINOLOGY AND CONVENTIONS8
 - 3.1 CONVENTIONS8
 - 3.2 DEFINITIONS.....8
 - 3.3 ABBREVIATIONS9
- 4. INTRODUCTION11
- 5. DOCUMENT LISTING FOR BROWSING 2.214
- 6. MINIMUM FUNCTIONALITY DESCRIPTION FOR BROWSING V2.217
- 7. CONFORMANCE REQUIREMENTS NOTATION DETAILS18
- 8. ERDEF FOR BROWSING V2.2 - CLIENT REQUIREMENTS19
- 9. ERDEF FOR BROWSING V2.2 - SERVER REQUIREMENTS20
- APPENDIX A. CHANGE HISTORY (INFORMATIVE).....21
 - A.1 APPROVED VERSION HISTORY21

Tables

- Table 1 ERDEF for Browsing V2_2 Client-side Requirements19
- Table 2 ERDEF for Browsing V2_2 Server-side Requirements20

1. Scope

The scope of this document is limited to the Enabler Release Definition (ERELD) of Browsing V2.2 according to OMA Release process and the Enabler Release specification baseline listed in section 5.

The Browsing enabler defines application-level protocols, semantics, syntax and user agent behaviours to provide a browsing capability suitable for mobile and wireless handheld devices.

2. References

2.1 Normative References

- [CSS11RD] “Wireless CSS Specification Requirements Requirements V1.1”, Open Mobile Alliance™, OMA-RD_CSS-V1_1, [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [CacheMod] “WAP Caching Model”, WAP Forum™. WAP-120-UACach. [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [CacheOp] “WAP Cache Operation”, WAP Forum™. WAP-175-CacheOp. [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [CryptoLib] “WMLScript Crypto Library Specification”, WAP Forum™. WAP-161-WMLScriptCrypto. [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [DL-ERELED] “Enabler Release Definition for Download Version 1.0”, Open Mobile Alliance™. OMA-ERELED-DL-V1_0. [URL:http://www.openmobilealliance.org](http://www.openmobilealliance.org/)
- [DRM-ERELED] “Enabler Release Definition for DRM Version 1.0”, Open Mobile Alliance™. OMA-ERELED-DRM-V1_0. [URL:http://www.openmobilealliance.org](http://www.openmobilealliance.org/)
- [EFI-ERELED] “Enabler Release Definition for EFI V1.1”, Open Mobile Alliance™. OMA-ERELED-EFI-V1_1. [URL:http://www.openmobilealliance.org.](http://www.openmobilealliance.org/)
- [ESMP] “ECMAScript Mobile Profile”, Open Mobile Alliance™. OMA-WAP-ESMP-V1_0. [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [ESMPCrypto] “ECMAScript Crypto”, Open Mobile Alliance™. OMA-WAP-ECMACR-V1.0. [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [HTTPSM] “HTTP State Management Specification”, WAP Forum™. WAP-223-HTTPSM. [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [IOPProc] “OMA Interoperability Policy and Process”. Open Mobile Alliance™. OMA-IOP-Process-v1_1. [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [MMS-ERELED] “Enabler Release Definition for MMS Version 1.2”, Open Mobile Alliance™. OMA-ERELED-MMS-V1_2. [URL:http://www.openmobilealliance.org](http://www.openmobilealliance.org/)
- [PAP] “Push Access Protocol”, WAP Forum™. WAP-247-PAP. [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [PICT] “WAP Pictogram, V1.1”, Open Mobile Alliance™. OMA-WAP-TS-Pictogram-V1_1 [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [PPGService] “Push Proxy Gateway Service”, WAP Forum™. WAP-249-PPGService. [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [PSTOR] “WAP WAG Persistent Storage Interface”, WAP Forum™. WAP-301-PSTOR. [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [PushArch] “Push Architecture Overview”, WAP Forum™. WAP-250-PushArchOverview. [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [PushMessage] “WAP Push Message”, WAP Forum™. WAP-251-PushMessage. [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [PushOTA] “WAP Push OTA Protocol”, WAP Forum™. WAP-235-PushOTA. [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [RFC2119] “Key words for use in RFCs to Indicate Requirement Levels”. S. Bradner, March 1997. [URL:http://www.ietf.org/rfc/rfc2119.txt](http://www.ietf.org/rfc/rfc2119.txt)

| | |
|---------------|--|
| [ServiceInd] | “Service Indication”, WAP Forum™. WAP-167-ServiceInd. URL:http://www.openmobilealliance.org/ |
| [ServiceLoad] | “Service Loading”, WAP Forum™. WAP-168-ServiceLoad. URL:http://www.openmobilealliance.org/ |
| [Sync] | “Enabler Release Definition for Data Sync, Version 1.1.2”, Open Mobile Alliance™. OMA-ERELD-SyncML-DS-V1_1_2. URL:http://www.openmobilealliance.org/ |
| [VCAL] | "vCalendar - the Electronic Calendaring and Scheduling Format", version 1.0, The Internet Mail Consortium (IMC), September 18, 1996, URL:http://www.imc.org/pdi/vcal-10.doc |
| [VCARD] | “vCard - The Electronic Business Card”, version 2.1, The Internet Mail Consortium (IMC), September 18, 1996, URL:http://www.imc.org/pdi/vcard-21.doc |
| [WAE] | “Wireless Application Environment Specification, version 2.2”, Open Mobile Alliance™. OMA-WAP-WAESpec-V2_2. URL:http://www.openmobilealliance.org/ |
| [WAEMedia] | “WAE Defined Media Type”, WAP Forum™. WAP-237-WAEMT. URL:http://www.openmobilealliance.org/ |
| [WBXML] | “WAP Binary XML Content Format”, WAP Forum™. WAP-192-WBXML. URL:http://www.openmobilealliance.org/ |
| [WCSS] | “Wireless CSS V1.1”, Open Mobile Alliance™. OMA-WAP-WCSS-V1_1. URL:http://www.openmobilealliance.org/ |
| [WML1] | “Wireless Markup Language Version 1.3”, WAP Forum™. WAP-191-WML. URL:http://www.openmobilealliance.org/ |
| [WML2] | “Wireless Markup Language”, WAP Forum™. WAP-238-WML. URL:http://www.openmobilealliance.org/ |
| [WMLScript] | “WMLScript Language Specification”, WAP Forum™. WAP-193-WMLS. URL:http://www.openmobilealliance.org/ |
| [WMLStdLib] | “WMLScript Standard Libraries Specification”, WAP Forum™. WAP-194-WMLSL. URL:http://www.openmobilealliance.org/ |
| [WTAI] | “Wireless Telephony Application Interface Specification”, WAP Forum™. WAP-268-WTAI. URL:http://www.openmobilealliance.org/ |
| [XHTMLMP] | “XHTML Mobile Profile 1.1”, Open Mobile Alliance™. OMA-WAP-XHTMLMP-V1_1. URL:http://www.openmobilealliance.org/ |

2.2 Informative References

| | |
|--------------|---|
| [Browsing21] | “Enabler Release Definition for Browsing V2.1”, Open Mobile Alliance™. OMA-ERELD-Browsing-V2_1. URL:http://www.openmobilealliance.org/ |
| [CSS2] | “Cascading Style Sheets, level 2 (CSS2) Specification”, W3C Recommendation, Bert Bos et al., 12 May 1998. URL:http://www.w3.org/TR/1998/REC-CSS2-19980512 |
| [CSSMP] | “CSS Mobile Profile 1.0”, W3C Candidate Recommendation, Ted Wugofski. Doug Dominiak, Peter Stark, 24 October 2001. URL:http://www.w3.org/TR/2001/CR-css-mobile-20011024 . |
| [ECMA327] | Standard ECMA-327, “ECMAScript 3 rd Edition Compact Profile”, ECMA, June 2001, URL: ftp://ftp.ecma.ch/ecma-st/Ecma-327.pdf |
| [ECMAScript] | Standard ECMA-262: “ECMAScript Language Specification – Edition 3”, ECMA, December |

1999. URL: <ftp://ftp.ecma.ch/ecma-st/Ecma-262.pdf>
- [HTTP/1.1] “Hypertext Transfer Protocol -- HTTP/1.1”, RFC2616, R. Fielding et al., June 1999.
URL:<http://www.ietf.org/rfc/rfc2616.txt>
- [ProvArch] “WAP Provisioning Architecture Overview”, WAP Forum™. WAP-182-ProvArch.
URL:<http://www.openmobilealliance.org/>
- [ProvCont] “WAP Provisioning Content Specification”, WAP Forum™. WAP-183-ProvCont.
URL:<http://www.openmobilealliance.org/>
- [ProvUAB] “WAP Provisioning User Agent Behaviour Specification”, WAP Forum™. WAP-185-ProvUAB.
URL:<http://www.openmobilealliance.org/>
- [UAPROF] “WAG UAProf”, WAP Forum™. WAP-248-UAPROF.
URL:<http://www.openmobilealliance.org/>
- [WAE20] “Wireless Application Environment Specification – version 2.0”, WAP Forum™. WAP-236-WAESpec. URL:<http://www.openmobilealliance.org/>
- [WAPArch] “WAP Architecture Specification”, WAP Forum™. WAP-210-WAPArch.
URL:<http://www.openmobilealliance.org/>
- [WCSS10] “WAP CSS”, WAP Forum™. WAP-239-WCSS. URL:<http://www.openmobilealliance.org/>
- [W-HTTP] “WAP Wireless Profiled HTTP”, WAP Forum™. WAP-229-HTTP.
URL:<http://www.openmobilealliance.org/>
- [WSP] “Wireless Session Protocol”, WAP Forum™. WAP-230-WSP.
URL:<http://www.openmobilealliance.org/>
- [WTP] “Wireless Transaction Protocol Specification”, WAP Forum™. WAP-224-WTP.
URL:<http://www.openmobilealliance.org/>
- [XHTMLMP10] “XHTML Mobile Profile”, WAP Forum™. WAP-277-XHTMLMP.
URL:<http://www.openmobilealliance.org/>

3. Terminology and Conventions

3.1 Conventions

The key words “MUST”, “MUST NOT”, “REQUIRED”, “SHALL”, “SHALL NOT”, “SHOULD”, “SHOULD NOT”, “RECOMMENDED”, “MAY”, and “OPTIONAL” in this document are to be interpreted as described in [RFC2119].

All sections and appendixes, except “Scope” and “Introduction”, are normative, unless they are explicitly indicated to be informative.

The formal notation convention used in sections 8 and 9 to formally express the structure and internal dependencies between specifications in the Enabler Release specification baseline is detailed in [IOPP].

3.2 Definitions

| | |
|--|---|
| Client | A device (or application) that initiates a request for connection with a server. |
| Content | Synonym for data objects. |
| Content Format (or Format) | Actual representation of content. |
| Deprecated | A deprecated feature (e.g. specification, element or attribute) is one that has been outdated by a newer feature. Deprecated features are defined in the specification and are clearly marked as deprecated. Deprecated features may become obsolete in a future version. |
| Device | A network entity that is capable of sending and receiving packets of information and has a unique device address. A device can act as both a client and a server within a given context or across multiple contexts. For example, a device can service a number of clients (as a server) while being a client to another server. |
| ECMAScript | A scripting language produced and managed by the European Computer Manufacturers Association (ECMA) that provides a common scripting language for the computer industry. |
| Enabler Release | A collection of specifications that combined together form an enabler for a service area, e.g. a download enabler, a browsing enabler, a messaging enabler, a location enabler, etc. The specifications that are forming an enabler should combined fulfil a number of related market requirements. |
| Gateway (or WAP Gateway) | A server which acts as an intermediary for some other server. A gateway performs protocol transformation as well as encoding/decoding content. |
| Host Object | ECMAScript objects provided by the user agent for the purpose of interaction with the loaded document. |
| Hypermedia Transfer | The hypermedia transfer services provides for the transfer of self-describing hypermedia resources. The combination of WSP (Wireless Session Protocol) [WSP] and WTP (Wireless Transaction Protocol) [WTP] provide the hypermedia transfer service over secure and non-secure datagram transports over datagram-based protocol stack. The W-HTTP (Wireless Profiled Hypertext Transfer Protocol) [W-HTTP], a profile of HTTP/1.1 [HTTP/1.1] provides the hypermedia transfer service over secure and non-secure connection-oriented transports over connection-oriented protocol stack. |
| Origin Server | The server on which a given resource resides or is to be created. Often referred to as a web server or an HTTP server. |
| Media type | A MIME media type or an identifier for a given data type. |
| Minimum Functionality Description | Description of the guaranteed features and functionality that will be enabled by implementing the minimum mandatory part of the Enabler Release. |
| PC Browser | An existing Web browser that already supports text/html. |

| | |
|---------------------------------------|--|
| Resource | A network data object or service that can be identified by a URL. Resources may be available in multiple representations (e.g., multiple languages, data formats, size, and resolutions) or vary in other ways. |
| Server | A device (or application) that passively waits for connection requests from one or more clients. A server may accept or reject a connection request from a client. Also Origin Server. |
| Terminal | A device typically used by a user to request and receive information. Also called a mobile terminal or mobile station. |
| User | A user is a person who interacts with a User Agent to access a resource. |
| WAE User Agent (or User Agent) | A User Agent is any software or device that interprets markup and scripting languages or other content. This may include textual browsers, voice browsers, search engines, etc. |
| WAE version | The version of the WAE User Agent. The version of the WAE User Agent may be uniquely identifiable by the WAP version, e.g. WAP version 1.1 contains WAE version 1.1, or it may be a feature of the WAP version in which case the WAE versioning mechanisms are used to determine the WAE User Agent version. |
| WAP1 | WAP Version 1, nominally the latest point release, e.g. WAP V1.2.1, unless otherwise noted. |
| WAP2 | WAP Version 2. When used as a prefix, it indicates that something is compliant to the WAP Version 2 conformance requirements, e.g., a WAP2 client is a client that fulfils all the requirements for a user agent of WAP Version 2. WAP2 content is content with a media type specified in WAP Version 2. |
| WAP Proxy | An intermediary program which acts as both a server and a client for the purpose of making requests on behalf of other clients. Requests are serviced internally or by passing them on, with possible translation, to other servers. It may provide functions of protocol enhancement, transcoding or any number of other optimisation or transformation functions and may be associated with any gateways, proxies or servers being used in the deployment architecture. WAP gateway is one of the optional functionalities of WAP proxy. |
| WML | The Wireless Markup Language is a hypertext markup language used to represent information for delivery to a narrowband device, e.g., a phone. |
| WMLScript | A scripting language used to program the mobile device. WMLScript is an extended subset of the ECMAScript scripting language. |
| XHTML | The W3Cs codification of HTML version 4.01 in an XML. |
| XML | The Extensible Markup Language is a World Wide Web Consortium (W3C) standard for Internet markup languages, of which WML is one such language. XML is a restricted subset of SGML. |
| vCalendar | Internet Mail Consortium (IMC) electronic calendar record. |
| vCard | Internet Mail Consortium (IMC) electronic business card. |

3.3 Abbreviations

| | |
|--------------|--|
| CSS | Cascading Style Sheets |
| DRM | Digital Rights Management |
| ECMA | European Computer Manufacturer Association |
| EFI | External Functionality Interface |
| ERDEF | Enabler Requirement Definition |
| ERELD | Enabler Release Definition |
| ESMP | ECMAScript Mobile Profile |
| HTML | HyperText Markup Language |
| HTTP | HyperText Transfer Protocol [HTTP/1.1] |

| | |
|---------------|--|
| OMA | Open Mobile Alliance |
| UAProf | User Agent Profile |
| W3C | World Wide Web Consortium |
| W-HTTP | Wireless Profiled HTTP |
| WML | Wireless Markup Language (WML1 or WML2) |
| WML1 | Wireless Markup Language Version 1.3 |
| WML2 | Wireless Markup Language Version 2.0 |
| WWW | World Wide Web |
| WSP | Wireless Session Protocol |
| WAP | Wireless Application Protocol |
| WAE | Wireless Application Environment. Unless otherwise stated it refers to this version. |
| WAE20 | Wireless Application Environment version 2.0 [WAE20] |
| WCSS | Wireless Cascading Style Sheets (also previously know as WAP CSS) |
| WTA | Wireless Telephony Application |
| WTAI | Wireless Telephony Application Interface (an API defined in WTA) |
| WBMP | Wireless BitMaP |
| XHTML | Extensible HyperText Markup Language |

4. Introduction

This document outlines the Enabler Release Definition for Browsing V2.2 and the respective conformance requirements for clients and servers implementing claiming compliance to it as defined by Open Mobile Alliance across the specification baseline.

Browsing V2.2 provides OMA browsing capability for mobile and wireless handheld devices and the any necessary or optional supporting network services which may be provided on a gateway or proxy. Browsing V2.2 uses much of the internet technology used in today's PC Browsers to access content on the WorldWide Web (WWW) but limits the specified profiles of this technology to that appropriate to the constrained resources and user interface of mobile and wireless handheld devices, e.g. reduced memory, processing power, communications bandwidth, display and user input capabilities, including some extensions to improve the user experience.

Browsing V2.2 builds on the browsing feature defined in Browsing 2.1 [Browsing21] by providing a significant minimum level of support for presentational control when the Wireless Cascading Style Sheets specification V1.1 [WCSS] is supported. The intent is that devices will support style, and in particular [WCSS], unless it is impractical for that class of device, e.g. it has insufficient user interface capabilities to utilise it. This will provide content providers and service providers with better and consistent control over the presentation of their content to users of devices supporting [WCSS] without having to tailor content to the capabilities of individual devices.

As with the Browsing V2.1 particular attention has been placed on enabling backwards compatibility, thereby allowing new devices conforming to the Browser enabler V2.2 to access legacy content and services where the specified set of features to facilitate such access are provided by the devices or supporting network based features. Devices conformant to [Browsing 2.1] will also be able to access content intended for Browsing V2.2 devices but the presentational control will depend on the devices' level of support for WCSS V1.0 [WCSS10].

The suite of specifications defining Browsing V2.2 defines the application-level protocols, semantics, syntax, content formats, user agent behaviour, and the use of hypermedia transfer protocols required to achieve consistent function and interoperability of services.

The Browsing V2.2 enabler maintains the approach of using the Wireless Application Environment [WAE] specification to define which markup languages, and script languages, content types and formats and other features of the browser are supported, the use of the hypermedia feature in the WAP 2.0 architecture [WAPArch], and whether they are mandatory or optional. Further it enables extensibility to a number of other features.

Browsing 2.2, or the WAE User Agent, supports the following features directly through the WAE Specification [WAE], which is updated in this enabler release:

- Markup language based content to be rendered to the user of the device;
 - WML V1.3 [WML1], WML V2.0 [WML2] and XHTMLMP1.1[XHTMLMP] are specified. Content using XHTMLMP V1.0[XHTMLMP10] is supported through XHTMLMP 1.1 compatibility. The XHTMLMP specification also provides HTML rendering capability within the limit of the device's capabilities.
- Scripting language augmentation of the markup content to allow extended functionality and user experience;
 - WMLScript [WMLScript], with its associated WMLScript Library [WMLStdLib], and
 - ECMAScript Mobile Profile [ESMP] along with a well-known set of host objects.
- Style capabilities to enhance the presentation of markup on devices supporting it.
 - The style is provided by the Wireless Cascading Style Sheets [WCSS] V1.1 specification, one of the updated specifications in this enabler release. [WCSS] is a profile of the W3C's CSS2 [CSS2] and being inspired by the CSS2 mobile profile [CSSMP] extended with some other desirable features not available in [CSS2] to suite the needs of the mobile Browsing environment. [WCSS] provides significantly more content styling capabilities in devices providing only minimum support for [WCSS] compared to that available in [Browsing 2.1] or the browsing feature of WAP 2.0 [WAE20].

- Image and other content support;
 - WBMP is a unique, efficient, monochrome format for Browsing V2.2 devices and predecessor devices but other types are supported, the types dependent on the device. WBMP is defined in the WAE Media Types specification [WAEMedia].
 - Vcard[VCARD] and Vcalendar[VCAL] are supported formats for the exchange of electronic business cards and calendar information
- Local caching of content to improve user experience and reduce network usage.[CacheMod];
- HTTP State Management [HTTPSM], or cookies in common terminology, to provide the means to convey state and state information between user and application server, e.g. session identifiers, time and date information of last access, recent enquiries to that application, to aid the user's access to that application;
- Pictograms [PICT] to provide an enhanced user experience through the use of small images to augment or even replace textural information, e.g. the use of common weather symbols to illustrate the current weather;

and in which combinations and whether they are mandatory or optional.

The Browsing V2.2 enabler also supports optional extensions to this basic browsing environment, namely

- Download and DRM ERELD ([DL-ERELD] & [DRM-ERELD])
 - Download and DRM provide a common means to download content over the air and manage the lifecycle of the content using Digital Rights Management with the rights expressed in a Rights Expression Language.
- External Functionality Interface ERELD [EFI-ERELD]
 - EFI extends the browser to include other hardware or software elements through the use of markup and script interfaces. The discovery of these elements is enabled thereby allowing them to be used, e.g. start or stop another application, retrieve a digital photograph from a camera, etc. EFI support is updated to version 1.1 in this enabler release.
- Push ([PushArch], [CacheOp], [PushMessage], [PushOTA], [PAP], [PPGService], [ServiceInd], [ServiceLoad])
 - PUSH provides an alert mechanism with the ability to have the alert provide a link to content which is subsequently pulled using the browser
- MMS ERELD [MMS-ERELD]
 - The Multimedia Messaging Service (MMS) provides the means to send and receive rich media messages and uses Push for the alert mechanism.
- Synchronisation [Sync]
- Application level signing of content
 - This is provided through the use of scripting extensions of the basic scripting environment by the ECMA Script Crypto Object [ESMPCrypto] and WMLScript Crypto Library [CryptoLib] features
- WBXML [WBXML]
 - WBXML is a compact format used for WAP Version 1.x browsers and still supported for other features though not required for the Browser per se.
- Wireless Telephony Application Interface [WTAI]
 - The Public Wireless Telephony Application Interface (WTAI) [WTAI] support allows applications to utilise a basic set of telephony features, e.g. make a call.

- Persistent Storage [PSTOR]
 - This provides a means to store data objects locally, personal details, applications, etc., within a device for use by applications and allows improved user experience

Features such as Provisioning, [ProvArch], [ProvCont] and [ProvUAB], and UAPROF [UAPROF] are not specifically called out but are related and presented in the [WAE].

5. Document Listing for Browsing 2.2

This section is normative.

The following list of specifications form the total core Browsing V2.2 Enabler Release, though a given device or proxy or server may support a valid subset of these specifications and the features contained within those specifications. The actual minimum profile for a device is defined in section 8 “ERDEF for Browsing V2.2 – Client Requirements”. The minimum profile for the proxy in section 9 “ERDEF for Browsing V2.2 – Server Requirements”. A description of the minimum browsing service being in section 6 “Minimum Functionality Description for Browsing V2.2”.

| Doc Ref | Permanent Document Reference | Description |
|---------------------------------|---|---|
| Requirement Document | | |
| [CSS11RD] | OMA-RD-CSS-V1_1-20061020-A | Wireless CSS Specification Requirements Requirements, V1.1 |
| Architecture Document | | |
| [WAPArch] | WAP-210-WAPArch-20010712-a | Wireless Application Protocol Architecture Specification |
| Technical Specifications | | |
| [WAE] | OMA-WAP-WAESpec-V2_2-20061020-A | “Wireless Application Environment Specification, Version 2.2” |
| [ESMP] | OMA-WAP-ESMP-V1_0-20061020-A | ECMA Script Mobile Profile |
| [CacheMod] | WAP-120-WAPCachingMod-20010413-a | “User Agent Caching Model” |
| [WML1] | WAP-191-WML-20000219-a | WAP Wireless Markup Language Version 1.3 |
| | WAP-191_102-WML-20001213-a. | WML Specification Information Note 102 |
| | WAP-191_104-WML-20010718-a | WAP Specification Information Note 104 |
| | WAP-191_105-WML-20020212-a. | WML Specification Information Note 105 |
| [WMLScript] | WAP-193-WMLScript-20001025-a | Wireless Markup Language Script Specification |
| | WAP-193_101-WMLScript-20010928-a. | WML Script Specification Information Note 101 |
| [WMLStdLib] | WAP-194-WMLScriptLibraries-20000925-a | Wireless Markup Language Script Standard Libraries Specification |
| | WAP-194_103-WMLScriptLibraries-20020318-a | Wireless Markup Language Script Standard Libraries Specification Information Note 103 |
| [HTTPSM] | WAP-223-HTTPSM-20001213-a | HTTP State Management Specification |
| | WAP-223_101-HTTPSM-20010928-a | HTTP State Management Specification Note 101 |
| [WAEMedia] | WAP-237-WAEMT-20010515-a | Wireless Application Environment Defined Media Type Specification |
| [WML2] | WAP-238-WML-20010911-a | Wireless Mark up Language version 2.0 |
| [WCSS] | OMA-WAP-WCSS-V1_1-20061020-A | WAP CSS Specification |
| [XHTMLMP] | OMA-WAP-XHTMLMP-V1_1-20061020-A | ”XHTML Mobile Profile Version 1.1” |
| [PICT] | OMA-WAP-TS_Pictogram-V1_1-20061020-A | WAP Pictogram Specification, Version 1.1 |
| [WBXML] | WAP-192-WBXML-20010725-a | “Wireless Binary eXtended Markup Language” |
| [CryptoLib] | WAP-161-WMLScriptCrypto-20010620-a | ”WMLScript Crypto Library” |
| Supporting Files | | |
| | OMA-SUP-DTD_wml13-V1_3-20061020-A | DTD for WAP Wireless Markup Language Version 1.3 |

| | | |
|--|--|---|
| | | Working file in DTD directory: file: wml13.dtd path: http://www.wapforum.org/DTD/ and path: http://www.openmobilealliance.org/tech/dtd/ |
| | OMA-SUP-DTD_wml20-V2_0-20061020-A | DTD for Wireless Markup Language version 2.0 Working file in DTD directory: file: wml20.dtd path: http://www.wapforum.org/DTD/ and path: http://www.openmobilealliance.org/tech/dtd/ |
| | OMA-SUP-DTD_wml20-flat-V2_0-20061020-A | DTD for Wireless Markup Language version 2.0 Working file in DTD directory: file: wml20-flat.dtd path: http://www.wapforum.org/DTD/ and path: http://www.openmobilealliance.org/tech/dtd/ |
| | OMA-SUP-MOD_wml-deprecated-1-V2_0-20061020-A | MOD for Wireless Markup Language version 2.0 Working file in DTD directory: file: wml-deprecated-1.mod path: http://www.wapforum.org/DTD/ and path: http://www.openmobilealliance.org/tech/dtd/ |
| | OMA-SUP-MOD_wml-framework-1-V2_0-20061020-A | MOD for Wireless Markup Language version 2.0 Working file in DTD directory: file: wml-framework-1.mod path: http://www.wapforum.org/DTD/ and path: http://www.openmobilealliance.org/tech/dtd/ |
| | OMA-SUP-MOD_wml-special-1-V2_0-20061020-A | MOD for Wireless Markup Language version 2.0 Working file in DTD directory: file: wml-special-1.mod path: http://www.wapforum.org/DTD/ and path: http://www.openmobilealliance.org/tech/dtd/ |
| | OMA-SUP-MOD_wml-qname-1-V2_0-20061020-A | MOD for Wireless Markup Language version 2.0 Working file in DTD directory: file: wml-qname-1.mod path: http://www.wapforum.org/DTD/ and path: http://www.openmobilealliance.org/tech/dtd/ |
| | OMA-SUP-DTD_xhtml-mobile11-V1_1-20061020-A | DTD for "XHTML Mobile Profile V1.1" Working file in DTD directory: file: xhtml-mobile11.dtd path: http://www.wapforum.org/DTD/ and path: http://www.openmobilealliance.org/tech/dtd/ |
| | OMA-SUP-MOD_xhtml-mobile11-model-1-V1_1-20061020-A | MOD for "XHTML Mobile Profile V1.1" DTD module Working file in DTD directory: file: xhtml-mobile11-model-1.mod path: http://www.wapforum.org/DTD/ |

| | | |
|--|--|--|
| | | and path: http://www.openmobilealliance.org/tech/dtd/ |
|--|--|--|

The following enablers and specifications form non-core extensions to the core Browsing V2.1 Enabler Release or optional additional enablers or features which have some dependency on the Browsing V2, 1 Enabler Release.

- “Cypto Object for the ECMAScript Mobile Profile” [ESMPCrypto]
- “Enabler Release Definition for Download Version 1.0” [DL-ERELD]
- “Enabler Release Definition for DRM Version 1.0” [DRM-ERELD]
- “Enabler Definition for EFI V1.1 [EFI-ERELD]
- ”Enabler Release Definition for MMS Version 1.1” [MMS-ERELD]
- ”Persistent Storage”, [PSTOR]
- ”Synchronisation”, [Sync]
- ”Wireless Telephony Application Interface”, [WTAI]
- Push
 - ”Push Architecture Overview”, [PushArch]
 - ”Push OTA Protocol”, [PushOTA]
 - ”Push Access Protocol” [PAP]
 - ”Push Proxy Gateway Service”, [PPGService]
 - ”Push Message”, [PushMessage]
 - ”WAP Service Indication”, [ServiceInd]
 - ”WAP Service Loading”, [ServiceLoad]
 - ”WAP Cache Operation”, [CacheOp]

6. Minimum Functionality Description for Browsing V2.2

This section is informative

The minimum functionality description for the Browsing Version 2.2 enabler release is the support for the minimum requirements of the “Wireless Application Environment, Version 2.2” [WAE], and the HTTP State Management specification [HTTPSM]. This provides a minimum browser experience without any of the optional extra features, i.e. no Style, images, Vcard, or Vcalendar from the core browser features and no optional enablers or specifications as listed in section 5.

The minimum functionality is the minimum set of requirements from:

- XHTML Mobile Profile V1.1 for renderable content
- ECMAScript Mobile Profile
- User Agent Caching Model
- Behaviour of the user agent during navigation between displayable pages of content
- Content retrieval using HTTP semantics and where HTTPS semantics are used via a secure session. The HTTP semantics are used via the Hypermedia Transfer service as defined in [WAPArch].
- General behaviour of the Browser in its use of protocols, supported media types etc.
- WBMP Images support if the device supports graphics
- HTTP State Management (mandated through this document)

WCSS should be supported in the minimum requirements for a Browsing Version 2.2 conformant implementation unless it is impractical to do so for a class of device, i.e. the device has insufficient user interface capabilities which prevents its meaningful use.

7. Conformance Requirements Notation Details

This section is informative

The tables in following chapters use the following notation:

Item:

Entry in this column MUST be a valid ScrItem according to [IOPProc].

Feature/Application:

Entry in this column SHOULD be a short descriptive label to the **Item** in question.

Status:

Entry in this column MUST accurately reflect the architectural status of the **Item** in question.

- M means the **Item** is mandatory for the class
- O means the **Item** is optional for the class
- NA means the **Item** is not applicable for the class

Requirement:

Expression in the column MUST be a valid TerminalExpression according to [10PProc] and it MUST accurately reflect the architectural requirement of the **Item** in question.

8. ERDEF for Browsing V2.2 - Client Requirements

This section is normative.

Table 1 ERDEF for Browsing V2_2 Client-side Requirements

| Item | Feature / Application | Status | Requirement |
|--------------------------|------------------------------|---------------|----------------------------|
| OMA-ERDEF-BROWSING-C-001 | Browsing V2.2 Client | M | WAESpec:MCF AND HTTPSM:MCF |

9. ERDEF for Browsing V2.2 - Server Requirements

This section is normative.

Table 2 ERDEF for Browsing V2_2 Server-side Requirements

| Item | Feature / Application | Status | Requirement |
|--------------------------|-----------------------|--------|----------------------------|
| OMA-ERDEF-BROWSING-S-001 | Browsing V2.2 Server | M | WAESpec:MCF AND HTTPSM:MCF |

Appendix A. Change History

(Informative)

A.1 Approved Version History

| Reference | Date | Description |
|--------------------------|-------------|---|
| OMA-ERELED-Browsing-V2_2 | 20 Oct 2006 | Approved by TP OMA Ref# OMA-TP-2006-0370R01-INP_Browsing_V2_2_for_Final_Approval.doc |