



OMA DCD Charging

Approved Version 1.0 – 05 Jul 2011

Open Mobile Alliance
OMA-TS-DCD_Charging-V1_0-20110705-A

Use of this document is subject to all of the terms and conditions of the Use Agreement located at <http://www.openmobilealliance.org/UseAgreement.html>.

Unless this document is clearly designated as an approved specification, this document is a work in process, is not an approved Open Mobile Alliance™ specification, and is subject to revision or removal without notice.

You may use this document or any part of the document for internal or educational purposes only, provided you do not modify, edit or take out of context the information in this document in any manner. Information contained in this document may be used, at your sole risk, for any purposes. You may not use this document in any other manner without the prior written permission of the Open Mobile Alliance. The Open Mobile Alliance authorizes you to copy this document, provided that you retain all copyright and other proprietary notices contained in the original materials on any copies of the materials and that you comply strictly with these terms. This copyright permission does not constitute an endorsement of the products or services. The Open Mobile Alliance assumes no responsibility for errors or omissions in this document.

Each Open Mobile Alliance member has agreed to use reasonable endeavors to inform the Open Mobile Alliance in a timely manner of Essential IPR as it becomes aware that the Essential IPR is related to the prepared or published specification. However, the members do not have an obligation to conduct IPR searches. The declared Essential IPR is publicly available to members and non-members of the Open Mobile Alliance and may be found on the “OMA IPR Declarations” list at <http://www.openmobilealliance.org/ipr.html>. The Open Mobile Alliance has not conducted an independent IPR review of this document and the information contained herein, and makes no representations or warranties regarding third party IPR, including without limitation patents, copyrights or trade secret rights. This document may contain inventions for which you must obtain licenses from third parties before making, using or selling the inventions. Defined terms above are set forth in the schedule to the Open Mobile Alliance Application Form.

NO REPRESENTATIONS OR WARRANTIES (WHETHER EXPRESS OR IMPLIED) ARE MADE BY THE OPEN MOBILE ALLIANCE OR ANY OPEN MOBILE ALLIANCE MEMBER OR ITS AFFILIATES REGARDING ANY OF THE IPR'S REPRESENTED ON THE “OMA IPR DECLARATIONS” LIST, INCLUDING, BUT NOT LIMITED TO THE ACCURACY, COMPLETENESS, VALIDITY OR RELEVANCE OF THE INFORMATION OR WHETHER OR NOT SUCH RIGHTS ARE ESSENTIAL OR NON-ESSENTIAL.

THE OPEN MOBILE ALLIANCE IS NOT LIABLE FOR AND HEREBY DISCLAIMS ANY DIRECT, INDIRECT, PUNITIVE, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES ARISING OUT OF OR IN CONNECTION WITH THE USE OF DOCUMENTS AND THE INFORMATION CONTAINED IN THE DOCUMENTS.

© 2011 Open Mobile Alliance Ltd. All Rights Reserved.

Used with the permission of the Open Mobile Alliance Ltd. under the terms set forth above.

Contents

1.	SCOPE.....	5
2.	REFERENCES	6
2.1	NORMATIVE REFERENCES	6
2.2	INFORMATIVE REFERENCES	6
3.	TERMINOLOGY AND CONVENTIONS.....	7
3.1	CONVENTIONS	7
3.2	DEFINITIONS.....	7
3.3	ABBREVIATIONS	7
4.	INTRODUCTION	8
4.1	VERSION 1.0	8
5.	DCD CHARGING ARCHITECTURE.....	9
6.	DCD CHARGING PRINCIPLES AND SCENARIOS.....	10
6.1	DCD CHARGING PRINCIPLES	10
6.1.1	Event Based Charging.....	10
6.1.2	Session Based Charging.....	11
6.2	DCD OFFLINE CHARGING SCENARIOS	11
6.2.1	Basic principles.....	11
6.2.2	Offline Event Charging for DCD.....	12
6.2.3	Offline Session Charging for DCD.....	21
6.3	DCD ONLINE CHARGING SCENARIOS.....	21
6.3.1	Basic Principles.....	21
6.3.2	Online Event Charging for DCD	22
6.3.3	Online Session Charging for DCD.....	30
7.	DCD CHARGING INFORMATION.....	31
APPENDIX A.	CHANGE HISTORY (INFORMATIVE).....	33
A.1	APPROVED VERSION HISTORY	33
APPENDIX B.	STATIC CONFORMANCE REQUIREMENTS (NORMATIVE).....	34
B.1	SCR FOR CHARGING ENABLER USER (DCD SERVER)	34
B.2	SCR FOR CHARGING ENABLER (CHARGING SERVER)	34

Figures

Figure 1:	Charging architecture for DCD charging.....	9
Figure 2:	Offline Charging of DCD Internal Subscription	12
Figure 3:	Offline Charging of DCD External Subscription to a Registered Channel.....	13
Figure 4:	Offline Charging of DCD Subscription to an Unregistered Channel	14
Figure 5:	Offline Charging of DCD Unsubscription initiated by the DCD Client	15
Figure 6:	Offline Charging of DCD Unsubscription initiated by the CP with confirmation	16
Figure 7:	Offline Charging of DCD Unsubscription initiated by the CP without confirmation.....	16
Figure 8:	Offline Charging for Pull Content Delivery without Confirmation.....	17
Figure 9:	Offline Charging for Pull Content Delivery with Confirmation	17
Figure 10:	Offline Charging for Content Push without Delivery Confirmation	18

Figure 11: Offline Charging for Content Push with Delivery Confirmation..... 19

Figure 12: Offline Charging for Content Submission 19

Figure 13: Offline Charging for Usage Tracking Report..... 20

Figure 14: Offline Charging of an error notification..... 21

Figure 15: Online Charging of DCD Internal Subscription..... 22

Figure 16: Online Charging of DCD External Subscription to a Registered Channel 23

Figure 17: Online Charging of DCD External Subscription to an Unregistered Channel 24

Figure 18: Online Charging of DCD Unsubscription initiated by the DCD Client..... 25

Figure 19: Online Charging of DCD Unsubscription initiated by the CP 25

Figure 20: Online Charging for Pull Content Delivery without Confirmation 26

Figure 21: Online Charging for Pull Content Delivery with Confirmation..... 27

Figure 22: Online Charging for Content Push without Delivery Confirmation 28

Figure 23: Online Charging for Content Push with Delivery Confirmation 28

Figure 24: Online Charging for Content Submission 29

Figure 25: Online Charging of an error notification 30

Tables

Table 1: Event Based Charging 11

Table 2: Charging Request Message Triggered by Methods or Messages 12

Table 3: The Charging Request Messages Triggered by Methods for DCD 22

Table 4: DCD Charging Information..... 32

1. Scope

This document specifies the use of OMA Charging Enabler to realise the offline and online charging requirements of OMA DCD Enabler. The OMA Charging Enabler defines a set of interfaces that are utilised by the other Enablers to fulfil their charging requirements. The interfaces are specified in [OMA-AD-Charging-V1_0]. This document defines how, when and by which entities charging is triggered and which function invokes charging over the OMA Charging Enabler interfaces. This document also defines the data that will be exchanged during the process.

This document specifies in detail:

- The charging models for the OMA DCD enabler,
- The logical messages and message types used on CH-1 and CH-2 interfaces,
- The flow of messages between the Charging Enabler User and the Charging Enabler with regard to the DCD Service and applicable DCD scenarios,
- Mapping of the DCD parameters to the OMA Charging Data Elements

2. References

2.1 Normative References

- [DCD-AD] “Dynamic Content Delivery Architecture”, Open Mobile Alliance™, OMA-AD-DCD -V1_0, URL: <http://www.openmobilealliance.org/>
- [DCD-Semantics] “Dynamic Content Delivery Technical Specification – Session and Transactions ”, Open Mobile Alliance™, OMA-TS-DCD_Semantics -V1_0, URL: <http://www.openmobilealliance.org/>
- [OMA-AD-Charging-V1_0] “Charging Architecture”, Open Mobile Alliance™. OMA-AD-Charging-V1_0, URL: <http://www.openmobilealliance.org/>
- [OMA-Charging-Offline] “OMA Offline Charging Interface”, Open Mobile Alliance™. OMA-TS-Charging_Offline-V1_0, URL: <http://www.openmobilealliance.org/>
- [OMA-Charging-Online] “OMA Online Charging Interface”, Open Mobile Alliance™. OMA-TS-Charging_Online-V1_0, URL: <http://www.openmobilealliance.org/>
- [RFC2119] “Key words for use in RFCs to Indicate Requirement Levels”, S. Bradner, March 1997, URL:<http://www.ietf.org/rfc/rfc2119.txt>
- [RFC4234] “Augmented BNF for Syntax Specifications: ABNF”. D. Crocker, Ed., P. Overell. October 2005, URL:<http://www.ietf.org/rfc/rfc4234.txt>
- [SCRRULES] “SCR Rules and Procedures”, Open Mobile Alliance™, OMA-ORG-SCR_Rules_and_Procedures, URL:<http://www.openmobilealliance.org/>

2.2 Informative References

- [OMADICT] “Dictionary for OMA Specifications”, Version x.y, Open Mobile Alliance™, OMA-ORG-Dictionary-Vx_y, URL:<http://www.openmobilealliance.org/>

3. Terminology and Conventions

3.1 Conventions

The key words “MUST”, “MUST NOT”, “REQUIRED”, “SHALL”, “SHALL NOT”, “SHOULD”, “SHOULD NOT”, “RECOMMENDED”, “MAY”, and “OPTIONAL” in this document are to be interpreted as described in [RFC2119].

All sections and appendixes, except “Scope” and “Introduction”, are normative, unless they are explicitly indicated to be informative.

3.2 Definitions

CH-1 EventRequest	Refers to the EventRequest defined in [OMA-Charging-Offline]
CH-1 StartRequest	Refers to the StartRequest defined in [OMA-Charging-Offline]
CH-1 InterimRequest	Refers to the InterimRequest defined in [OMA-Charging-Offline]
CH-1 StopRequest	Refers to the StopRequest defined in [OMA-Charging-Offline]
CH-1 Response	Refers to the Charging Response Message defined in [OMA-Charging-Offline]
CH-2 Initial Request	Refers to the Initial Request defined in [OMA-Charging-Online]
CH-2 Update Request	Refers to the Update Request defined in [OMA-Charging-Online]
CH-2 Termination Request	Refers to the Termination Request defined in [OMA-Charging-Online]
CH-2 Response	Refers to the Charging Response Message defined in [OMA-Charging-Online]
CH-2 Balance Check Request	Refers to the Balance Check Request defined in [OMA-Charging-Online]
CH-2 Direct Debit Request	Refers to the Direct Debit Request defined in [OMA-Charging-Online]

3.3 Abbreviations

AD	Architecture Document
DCD	Dynamic Content Delivery
DECA	DCD-Enabled Client Application
IMSI	International Mobile Subscriber Identity
ISDN	Integrated Services Digital Network
ISO	International Organisation for Standardisation
MSISDN	Mobile Subscriber ISDN Number
OMA	Open Mobile Alliance
RFC	Request For Comments
SCR	Static Compliance Requirement
SIP	Session Initiation Protocol
TS	Technical Specification
URI	Uniform Resource Identifier

4. Introduction

The OMA Charging Enabler provides offline and online charging specifications for OMA enablers. This document is part of the Dynamic Content Delivery (DCD) Enabler and specifies charging for the periodic delivery of personalised or customized content for the DCD Enabler.

4.1 Version 1.0

Support for DCD 1.0

5. DCD Charging Architecture

The OMA DCD service architecture is described in [DCD-AD]. Figure 1 depicts the high-level OMA DCD charging architecture.




Figure 1: Charging architecture for DCD charging

In this figure:

- CH-1 is Offline charging reference point between DCD Server and the Offline Function of the Charging Enabler.
- CH-2 is Online charging reference point between DCD Server and the Online Function of the Charging Enabler.

The OMA DCD Server MAY comprise the DCD Charging Enabler User, a function that monitors and generates the charging events, sends the charging requests to the Charging Enabler and receives the responses from the Charging Enabler, over CH-1, CH-2 or both interfaces. The interface between other OMA DCD Server functions and the DCD Charging Enabler User is outside the scope of this TS.

The OMA DCD Server SHALL generate charging requests for all subscribed users to channels for which charging is not handled by the Content Provider.

6. DCD Charging Principles and Scenarios

The scope of this specification covers charging for service usage related to the OMA Dynamic Content Delivery Enabler, i.e. events related to channel subscriptions and content consumption. Charging for the use of distribution mechanisms or other underlying facilities is outside of the scope of this specification.

This document specifies support for two different charging mechanisms: offline charging (Section 6.2) and online charging (Section 6.3). Support for online charging is mandatory and support for offline charging is optional. For more details related to conformance requirements, please see Appendix B.

The specifications of the OMA Charging Enabler as well as this specification cover the usage of the OMA charging interfaces, and the behaviour of the Charging Enabler to the extent that it directly relates to the charging mechanisms and logical functions specified in [OMA-AD-Charging-V1_0], e.g. quota management and account balance management. Although the charging interfaces can also be used to exchange information related to other purposes (e.g. usage tracking and reporting), and Data Element usage for such purposes may be specified in this document, it is important to note that any underlying functionality related to processing such information is deployment specific and outside the scope of the OMA Charging Enabler.

This chapter covers the principles on which the generation and processing of DCD-related charging events are based, and the charging scenarios (event flows) that are to be supported. All definitions of chargeable events and charging scenarios in this chapter are based on the principles that each entity generating charging information produces charging events only for parties which this particular entity is serving.

6.1 DCD Charging Principles

The served parties may be any of the roles in the service delivery, depending on the scenario. These roles are:

- Client, content receiver.
- Content provider

OMA DCD charging may be based on:

- Subscription
- Content consumption
- Or a combination of the above.

This specification specifies the charging only for DCD service level, the charging for bearer level is out of the scope of the present document.

Online and offline specific charging details are given in the subsequent chapters.

6.1.1 Event Based Charging

The OMA Charging Enabler User SHALL use Event-based charging to enable charging for the following DCD procedures.

Chargeable Event	Specified in	Recordable event occurs at
<i>Subscription-Based Charging</i>		
Subscribe to a channel, internal subscription The DCD-Enabled Client Application sends a channel subscription request to the DCD Server.	[DCD-AD] 5.6.3 [DCD-Semantics] 7.1.3.7	DCD Server
Subscribe to a channel, external subscription The DCD Server receives a channel subscription notification from the DCD Content Provider.	[DCD-AD] 5.6.4 [DCD-Semantics] 7.2.1.3	DCD Server
Subscription update, notification from the DCD Content Provider The DCD Content Provider sends a subscription update notification to the DCD Server	[DCD-Semantics] 7.2.1.4	DCD Server
Unsubscribe from a channel The DCD Service Provider or DCD Enabled Client Application unsubscribes the user from some of the DCD Channels.	[DCD-AD] 5.6.7 [DCD-Semantics] 7.1.3.8, 7.2.1.2	DCD Server
<i>Content Consumption Charging</i>		
Content Delivery The DCD server delivers a content to DCD client	[DCD-AD] 5.6.5 [DCD-Semantics] 7.1.1.1, 7.1.2.1, 7.1.2.2	DCD Server
Pull method content delivery without confirmation The DCD Client requests for content update from the DCD Server. The DCD Client does not provide a delivery confirmation.	[DCD-AD] 5.6.5.1 [DCD-Semantics] 7.1.1.1	DCD Server
Pull method content delivery with confirmation The DCD Client requests for content update from the DCD Server. The DCD Client provides a delivery confirmation.	[DCD-AD] 5.6.5.1 [DCD-Semantics] 7.1.1.1	DCD Server
Push method content delivery without confirmation The DCD Server sends a content update to the DCD Client. The DCD Client does not provide a delivery confirmation.	[DCD-AD] 5.6.5.2 [DCD-Semantics] 7.1.2.1	DCD Server
Push method content delivery with confirmation The DCD Server sends a content update to the DCD Client. The DCD Client provides a delivery confirmation.	[DCD-AD] 5.6.5.2 [DCD-Semantics] 7.1.2.1	DCD Server
Content Submission The DCD Client sends content to the DCD Server for a particular channel	[DCD-Semantics] 7.1.1.2	DCD Server
Error Handling	[DCD-Semantics] 13	DCD Server
Usage Tracking The DCD Client tracks and report to the DCD Server the content consumption	[DCD-Semantics] 7.1.3.6	DCD-Server

Table 1: Event Based Charging

6.1.2 Session Based Charging

Not applicable.

6.2 DCD Offline Charging Scenarios

6.2.1 Basic principles

The charging models as given in chapter 6.1 SHALL be supported for offline charging.

These charging requests SHALL contain distinct service usage data for any of the described sub-services.

The charging request messages sent from an *DCD Server* are described in the following table. The table summarises the methods or events which may trigger the charging messages.

OMA Charging Message	Trigger
StartRequest	Not applicable
InterimRequest	Not applicable
StopRequest	Not applicable
EventRequest	A positive ChannelSubscriptionResponse() is sent
	A ContentUpdateResponse() is sent and the distribution mechanism does not support delivery confirmations
	A ContentUpdatePush() is sent and the distribution mechanism does not support delivery confirmations
	A ContentDeliveryConfirmation() is received (when delivery confirmations are supported)
	A ContentUpdateResponse() is received from a Content Provider
	An ErrorNotification() related to content delivery is received from a DCD Client

Table 2: Charging Request Message Triggered by Methods or Messages

6.2.2 Offline Event Charging for DCD

6.2.2.1 DCD Internal Subscription

Figure 2 shows the interaction between the DCD Server and the Charging Enabler within a DCD internal subscription flow where the subscription validation and the charging are handled by the DCD Server. The cases where the subscription and the charging are supported by the Content Provider are out of scope of this specification




Figure 2: Offline Charging of DCD Internal Subscription

1. The DCD Client initiates a subscription, e.g. after having received a subscription request from the Enabled Client Application sends a subscription request to the DCD Client
2. The DCD Client sends a ChannelSubscriptionRequest() message to the DCD Server
3. The DCD Server sends a ChannelSubscriptionResponse to the DCD Client with the subscription status
4. **If the subscription is accepted by the DCD Server, the DCD Server SHALL send a CH-1 EventRequest to the Charging Enabler**

5. The Charging Enabler acknowledges with a CH-1 Response message

6.2.2.2 DCD External Subscription to a Registered Channel

In the *external subscription*, the channel subscription is triggered externally to DCD Enabler (e.g. web browser).

Figure 3 shows the interaction between the DCD Server and the Charging Enabler within a DCD external subscription flow where the charging is handled by the DCD Server. The case where the charging is supported by the Content Provider is out of scope of this specification




Figure 3: Offline Charging of DCD External Subscription to a Registered Channel

1. The DCD Server has received a subscription request from the Content Provider to inform him that a customer has requested a subscription
2. The DCD Server sends a ChannelSubscriptionNotification message to verify that the customer has requested for this subscription
3. The DCD Client validates the subscription
4. The DCD Client validates the subscription to the DCD Server containing the status of the validation
5. **If the subscription has been validated, the DCD Server SHALL send a CH-1 EventRequest to the Charging Enabler**
6. **The Charging Enabler acknowledges with a CH-1 Response message**

6.2.2.3 DCD Subscription to an Unregistered Channel

In this case, the DCD Enabled Client Application requests subscription to a channel not yet registered with the DCD Service Provider (i.e. the channel doesn't have channel-ID assigned).

Figure 4 shows the interaction between the DCD Server and the Charging Enabler within a DCD subscription flow to an unregistered channel, where charging is handled by the DCD Server. The case where the charging is supported by the Content Provider is out of scope of this specification.




Figure 4: Offline Charging of DCD Subscription to an Unregistered Channel

1. The DCD Client initiates a subscription containing the channel reference, e.g. after having received a subscription request from the DCD Enabled Client Application
2. The DCD Client sends a ChannelSubscriptionRequest() message to the DCD Server
3. The new channel registered (DCD Server or Content Provider initiated)
4. The DCD Server sends a ChannelSubscriptionResponse to the DCD Client
5. **If the subscription is accepted by the DCD Server, the DCD Server SHALL send a CH-1 EventRequest to the Charging Enabler**
6. **The Charging Enabler acknowledges with a CH-1 Response message**

6.2.2.4 DCD Unsubscription requested by the DCD Client

Figure 5 shows the interaction between the DCD Server and the Charging Enabler within a DCD unsubscription flow where the subscription management and the charging are handled by the DCD Server. The cases where the subscription and the charging are supported by the Content Provider are out of scope of this specification




Figure 5: Offline Charging of DCD Unsubscription initiated by the DCD Client

1. The DCD Client initiates an unsubscription, e.g. after having received an unsubscription request from the DCD Enabled Client Application
2. The DCD Client sends a ChannelUnsubscriptionRequest() message to the DCD Server
3. The DCD Server processes the unsubscription request
4. The DCD Server sends a ChannelSubscriptionResponse to the DCD Client
5. **If the unsubscription is accepted by the DCD Server, the DCD Server SHALL send a CH-1 EventRequest to the Charging Enabler**
6. **The Charging Enabler acknowledges with a CH-1 Response message**

6.2.2.5 DCD Unsubscription requested by the Content Provider with confirmation

Figure 6 shows the interaction between the DCD Server and the Charging Enabler within a DCD unsubscription flow where the subscription management and the charging are handled by the DCD Server. The cases where the subscription and the charging are supported by the Content Provider are out of scope of this specification




Figure 6: Offline Charging of DCD Unsubscription initiated by the CP with confirmation

1. The DCD Server has received a deregistration request from the Content Provider for a subscribed channel
2. The DCD Server sends a ChannelUnsubscriptionNotification() message to the DCD Client
3. The DCD Client acknowledges with a ChannelUnsubscriptionConfirmation() message
4. **If the unsubscription is confirmed, the DCD Server SHALL send a CH-1 EventRequest to the Charging Enabler**
5. The Charging Enabler acknowledges with a CH-1 Response message

6.2.2.6 DCD Unsubscription requested by the Content Provider without confirmation

Figure 7 shows the interaction between the DCD Server and the Charging Enabler within a DCD unsubscription flow where the subscription management and the charging are handled by the DCD Server. The cases where the subscription and the charging are supported by the Content Provider are out of scope of this specification




Figure 7: Offline Charging of DCD Unsubscription initiated by the CP without confirmation

1. The DCD Server has received a deregistration request from the Content Provider for a subscribed channel
2. The DCD Server sends a ChannelUnsubscriptionNotification() message to the DCD Client
3. **The DCD Server SHALL send a CH-1 EventRequest to the Charging Enabler**
4. **The Charging Enabler acknowledges with a CH-1 Response message**

6.2.2.7 Pull Content Delivery Method

DCD Pull Content Delivery can be initiated by the DCD Enable Client Application (e.g. upon user request) or by the DCD Client (e.g. based on delivery scheduled). In all cases the DCD Client requests content update to the DCD Server that can forward the request to the Content Provider or may already have received updated content.

6.2.2.7.1 Pull Content Delivery Method without Confirmation

Figure 8 shows the interaction between the DCD Server and the Charging Enabler for the Pull Content Delivery use case




Figure 8: Offline Charging for Pull Content Delivery without Confirmation

1. The DCD Server sends a ContentUpdateResponse() message to the DCD Client that may have been triggered by a ContentUpdateRequest() message received from the DCD Client or the Content Provider
2. **Immediately after having sent the ContentUpdateResponse() message, the DCD Server SHALL send a CH-1 EventRequest to the Charging Enabler**
3. **The Charging Enabler acknowledges with a CH-1 Response message**

6.2.2.7.2 Pull Content Delivery Method with Confirmation

Figure 9 shows the interaction between the DCD Server and the Charging Enabler for the Pull Content Delivery use case




Figure 9: Offline Charging for Pull Content Delivery with Confirmation

1. The DCD Server sends a ContentUpdateResponse() message to the DCD Client that may have been triggered by a ContentUpdateRequest() message received from the DCD Client or the Content Provider
2. The DCD Client sends a ContentDeliveryConfirmation() message to the DCD Server to inform it of the content delivery status
3. **If the delivery was successful, the DCD Server SHALL send a CH-1 EventRequest to the Charging Enabler**
4. **The Charging Enabler acknowledges with a CH-1 Response message**

6.2.2.8 Push Content Delivery method

When the user has subscribed to a channel that supports the Push Method, and a new content becomes available, the DCD Server automatically sends the content or a link to it (i.e. without requiring the Client to request it)

6.2.2.8.1 Content Push without delivery confirmation

Figure 10 shows the interaction between the DCD Server and the Charging Enabler when the DCD Server pushes an updated content




Figure 10: Offline Charging for Content Push without Delivery Confirmation

1. The DCD Server has received a new content (e.g. a DCD Content Provider sent a ContentUpdate() message)
2. The DCD Server sends the content to the DCD Client
3. **The DCD Server SHALL send a CH-1 EventRequest to the Charging Enabler**
4. **The Charging Enabler acknowledges with a CH-1 Response message**

6.2.2.8.2 Content Push with delivery confirmation

Figure 11 shows the interaction between the DCD Server and the Charging Enabler when the DCD Server pushes an updated content




Figure 11: Offline Charging for Content Push with Delivery Confirmation

1. The DCD Server has received a new content (e.g. a DCD Content Provider sent a ContentUpdate() message)
2. The DCD Server sends the content to the DCD Client
3. The DCD Client sends a ContentDeliveryConfirmation() message to the DCD Server
4. **If the delivery was successful, the DCD Server SHALL send a CH-1 EventRequest to the Charging Enabler**
5. **The Charging Enabler acknowledges with a CH-1 Response message**

6.2.2.9 Content Submission




Figure 12: Offline Charging for Content Submission

1. The DCD Client submits content (e.g. the DECA has sent a ContentSubmitRequest())
2. The DCD Client forwards this request to the DCD Server
3. The DCD server sends ContentUpdateRequest which include parameters from ContentSubmitRequest message to the Content Provider
4. The DCD server receives ContentUpdateResponse from Content Provider
5. DCD Server send SHALL send a CH-1 EventRequest to the Charging Enabler
6. The Charging Enabler acknowledges with a CH-1 Response Message

6.2.2.10 Usage Tracking Report




Figure 13: Offline Charging for Usage Tracking Report

1. The DCD Client has received a RequestForUsageTrackingReport() message from the DCD Server (Optional condition)
2. The DCD Client sends a UsageTrackingReport() message (scheduled or upon an event) to the DCD Server
3. The DCD Server process the UsageTrackingReport()
4. The DCD Server MAY send a CH-1 EventRequest to Charging Enabler
5. The Charging Enabler acknowledges with a CH-1 Response message

6.2.2.11 Error Handling

Figure 14 shows the interaction between the DCD Server and the Charging Enabler for the error handling when the charging is handled by the DCD Server. The case where the charging is supported by the Content Provider is out of scope of this specification




Figure 14: Offline Charging of an error notification

1. The DCD Server has received an ErrorNotification() message from the DCD Client for a content delivered
2. The DCD Server sends an Event request to the Charging Enabler to report the issue
3. The Charging Enabler acknowledges with a CH-1 Response message

6.2.3 Offline Session Charging for DCD

Not applicable.

6.3 DCD Online Charging Scenarios

6.3.1 Basic Principles

The charging models as given in chapter 6.1 SHALL be supported for online charging.

These charging requests SHALL contain distinct service usage data for any of the described sub-services.

The Charging Request messages to be sent from a DCD Server are described in the following table.

OMA Charging message	Trigger
CH-2 Initial Request	A subscription notification (for an externally triggered channel subscription) from a Content Provider is received
	Immediately prior to sending a ContentUpdateResponse() if delivery confirmation is supported
	Immediately prior to sending a ContentUpdatePush() if delivery confirmation is supported
	A ContentSubmitRequest() is received
CH-2 Update Request	Not applicable
CH-2 Termination Request	A ChannelSubscriptionResponse() is sent (for an externally triggered channel subscription)
	A ContentDeliveryConfirmation() is received
	A ContentUpdateResponse() is received from a Content Provider
CH-2 Balance Check Request	Usage not specified
CH-2 Price Enquiry Request	Usage not specified
CH-2 Direct Debit Request	A ChannelSubscriptionRequest() for a DCD Internal Subscription is received and successfully processed
	A ChannelSubscriptionRequest() for an unregistered is received and the channel is successfully registered
	Immediately prior to sending a ContentUpdateResponse() if delivery confirmation is not supported
	Immediately prior to sending a ContentUpdatePush() if delivery confirmation is not supported
CH-2 Refund Request or Direct Debit Request (TBC)	An ErrorNotification() related to content delivery is received

Table 3: The Charging Request Messages Triggered by Methods for DCD

6.3.2 Online Event Charging for DCD

6.3.2.1 DCD Internal Subscription

Figure 15 shows the interaction between the DCD Server and the Charging Enabler within a DCD internal subscription flow where the subscription validation and the charging are handled by the DCD Server. The cases where the subscription and the charging are supported by the Content Provider are out of scope of this specification




Figure 15: Online Charging of DCD Internal Subscription

1. The DCD Client has received a subscription request for a content channel (e.g. The DCD Enabled Client Application sends a SubscriptionRequest() message to the DCD Client)

2. The DCD Client sends a ChannelSubscriptionRequest() message to the DCD Server
3. **If the subscription is accepted by the DCD Server, the DCD Server SHALL send a CH-2 Direct Debit Request to the Charging Enabler**
4. **The Charging Enabler acknowledges with a CH-2 Response message**
5. In case of successful debit operation, the DCD Server sends a Channel subscription response to the DCD Client

6.3.2.2 DCD External Subscription to a Registered Channel

In the *external subscription*, the channel subscription is triggered externally to DCD Enabler (e.g. web browser).

Figure 16 shows the interaction between the DCD Server and the Charging Enabler within a DCD external subscription flow where the charging is handled by the DCD Server. The case where the charging is supported by the Content Provider is out of scope of this specification




Figure 16: Online Charging of DCD External Subscription to a Registered Channel

1. The DCD Server has received a subscription notification from the Content Provider to inform him that a customer has requested a subscription (e.g. the Content Provider has sent a SubscriptionNotification() message to the DCD Server).
2. **The DCD Server checks with the Charging Enabler that the user has sufficient units and reserves the requested units for the content.**
3. **The Charging Enabler acknowledges with a CH-2 Response message including the result of the credit reservation.**
4. If the credit reservation was successful, the DCD Server sends a ChannelSubscriptionNotification() message to verify that the customer has requested for this subscription
5. The subscription request is confirmed or denied (e.g. The DCD Client verify the subscription with the DECA using the SubscriptionStatusUpdate() message)
6. The DCD Client sends the ChannelSubscriptionResponse() message to the DCD Server with the subscription status
7.
 - 7a. **If the subscription has been confirmed, the DCD Server SHALL send a CH-2 Termination Request to the Charging Enabler to debit the used units**

7b. If the subscription has not been confirmed, the DCD Server SHALL send a CH-2 Termination Request to the Charging Enabler to release the reserved units

8. The Charging Enabler acknowledges with a CH-2 Response message

6.3.2.3 DCD External Subscription to an Unregistered Channel

In this case, The DCD Client receives a subscription to a channel not yet registered with the DCD Service Provider (i.e. the channel doesn't have channel-ID assigned).

Figure 17 shows the interaction between the DCD Server and the Charging Enabler within a DCD external subscription flow to an unregistered channel, where charging is handled by the DCD Server. The case where the charging is supported by the Content Provider is out of scope of this specification




Figure 17: Online Charging of DCD External Subscription to an Unregistered Channel

1. The DCD Client has received a subscription request to an unregistered channel (e.g. The DECA has sent a SubscriptionRequest() message to the DCD Client)
2. The DCD Client sends a ChannelSubscriptionRequest() message to the unregistered channel to the DCD Server
3. The requested channel is registered. This registration could have been initiated by the DCD Server or by the Content Provider.
4. **The DCD Server SHALL send a CH-2 Direct Debit Request message towards the Charging Enabler**
5. **The Charging Enabler acknowledges with a CH-2 Response message**
6. If the debit has been successful, the subscription is validated
7. The DCD Server sends a subscription confirmation to the DCD Client

6.3.2.4 DCD Unsubscription requested by the DCD Client

Figure 18 shows the interaction between the DCD Server and the Charging Enabler within a DCD unsubscription flow where the subscription management and the charging are handled by the DCD Server. The cases where the subscription and the charging are supported by the Content Provider are out of scope of this specification




Figure 18: Online Charging of DCD Unsubscription initiated by the DCD Client

1. The DCD Client has received an unsubscription request for a content channel (e.g. The DCD Enabled Client Application has sent an UnsubscriptionRequest() message to the DCD Client)
2. The DCD Client sends a ChannelUnsubscriptionRequest() message to the DCD Server
3. **When the unsubscription is handled by the DCD Server, the DCD Server SHALL send a CH-2 Event Request to the Charging Enabler**
4. **The Charging Enabler acknowledges with a CH-2 Response message**
5. The DCD Server sends a ChannelUnsubscriptionResponse() message to the DCD Client

6.3.2.5 DCD Unsubscription requested by the Content Provider

Figure 19 shows the interaction between the DCD Server and the Charging Enabler within a DCD unsubscription flow where the subscription management and the charging are handled by the DCD Server. The cases where the subscription and the charging are supported by the Content Provider are out of scope of this specification




Figure 19: Online Charging of DCD Unsubscription initiated by the CP

1. The DCD Server has received a deregistration request from the Content Provider for a subscribed channel
2. The DCD Server sends a ChannelUnsubscriptionNotification() message to the DCD Client
3. **The DCD Server SHALL send a CH-2 EventRequest to the Charging Enabler**
4. **The Charging Enabler acknowledges with a CH-2 Response message**

6.3.2.6 Pull Content Delivery Method

DCD Pull Content Delivery can be initiated by the DCD Enable Client Application (e.g. upon user request), by the DCD Client (e.g. based on delivery scheduled) or by the DCD Server (e.g. based on a content notification). In all cases the DCD Client requests content update to the DCD Server that can forward the request to the Content Provider or may already have available updated content.

6.3.2.6.1 Pull Content Delivery Method without Confirmation

Figure 20 shows the interaction between the DCD Server and the Charging Enabler for the Pull Content Delivery use case




Figure 20: Online Charging for Pull Content Delivery without Confirmation

1. **Immediately prior to sending a ContentUpdateResponse to the DCD Client, the DCD Server sends a CH-2 Direct Debit Request to the Charging Enabler**
2. **The Charging Enabler acknowledges with a CH-2 Response message**
3. In case of successful debit operation, the DCD Server sends the new content to the DCD Client

6.3.2.6.2 Pull Content Delivery Method with Confirmation

Figure 21 shows the interaction between the DCD Server and the Charging Enabler for the Pull Content Delivery use case




Figure 21: Online Charging for Pull Content Delivery with Confirmation

1. Immediately prior to sending a `ContentUpdateResponse` to the DCD Client, the DCD Server checks with the Charging Enabler that the user has sufficient units and reserves the requested units for the content
2. The Charging Enabler acknowledges with a `CH-2 Response` message including the result of the credit reservation.
3. In case of successful credit reservation, the DCD Server sends the new content to the DCD Client
4. The DCD Client informs the DCD Server of the successful content delivery
5. The DCD Server sends a `CH-2 Termination Request` message to the Charging Enabler to debit the used units.
6. The Charging Enabler acknowledges the debit with a `CH-2 Response` message

6.3.2.7 Push Content Delivery method

When the user has subscribed to a channel that supports the Push Method, and a new content becomes available, the DCD Server automatically sends the content or a link to it (i.e. without requiring the Client to request it)

6.3.2.7.1 Content Push without delivery confirmation

Figure 22 shows the interaction between the DCD Server and the Charging Enabler when the DCD Server pushes an updated content




Figure 22: Online Charging for Content Push without Delivery Confirmation

1. The DCD Server has received a new content (e.g. a DCD Content Provider sent a ContentUpdate() message)
2. **The DCD Server sends a CH-2 Direct Debit Request to the Charging Enabler**
3. **The Charging Enabler acknowledges with a CH-2 Response message**
4. If the direct debit operation was successful, the DCD Server sends the content to the DCD Client

6.3.2.7.2 Content Push with delivery confirmation

Figure 23 shows the interaction between the DCD Server and the Charging Enabler when the DCD Server pushes an updated content




Figure 23: Online Charging for Content Push with Delivery Confirmation

1. The DCD Server has received a new content (e.g. a DCD Content Provider sent a ContentUpdate() message)
2. **The DCD Server checks with the Charging Enabler that the user has sufficient units and reserves the requested units for the content**
3. **The Charging Enabler acknowledges with a CH-2 Response message**
4. In case of successful credit reservation, the DCD Server sends the content to the DCD Client
5. The DCD Client sends a ContentDeliveryConfirmation() message to the DCD Server
6. **The DCD Server sends a CH-2 Termination Request message to the Charging Enabler to debit the used units**
7. **The Charging Enabler acknowledges the debit with a CH-2 Response message**

6.3.2.8 Content Submission




Figure 24: Online Charging for Content Submission

1. The DCD Client submits content (e.g. the DECA has sent a ContentSubmitRequest())
2. The DCD Client forwards this request to the DCD Server
3. The DCD Server checks with the Charging Enabler that the user has sufficient units and reserves the requested units for the content
4. The Charging Enabler acknowledges with a CH-2 Response message including the result of the Credit Reservation
5. If Credit Reservation was successful, DCD server sends ContentUpdateRequest which include parameters from ContentSubmitRequest message to the Content Provider
6. The DCD server receives ContentUpdateResponse from Content Provider
7. DCD Server shall send a CH-2 Termination Request to the Charging Enabler to debit the used units
8. The Charging Enabler acknowledges with a CH-2 Response message

6.3.2.9 Error Handling

Figure 25 shows the interaction between the DCD Server and the Charging Enabler for the error handling when the charging is handled by the DCD Server. The case where the charging is supported by the Content Provider is out of scope of this specification.




Figure 25: Online Charging of an error notification

1. The DCD Server has received an ErrorNotification() message from the DCD Client for a content delivered
2. **The DCD Server sends an Event request to the Charging Enabler to report the issue with the Termination Cause [SERVICE_NOT_PROVIDED]**
3. The Charging Enabler acknowledges with a CH-2 Response message

6.3.3 Online Session Charging for DCD

Not applicable.

7. DCD Charging Information

The following tables identify the DCD parameters used for the purposes of subscription, content delivery, usage report and error handling charging. The last column provides the mapping to the corresponding OMA Charging Data Element(s), which carry charging related information pertinent to a specific charging event.

DCD Parameter Name	Category	Type	Description	OMA Charging Data Element	Usage
Value: DCD@openmobilealliance.org	O _M	String	Fixed value to identify the service specification in the context of which the charging events must be interpreted.	Service Context Id	
Message-type	O _M	Enumerated	Identifies more precisely the type of service within the context defined by the Service Context Id, SUBSCRIBE*) UNSUBSCRIPTION*) CONTENT_SUBMIT**) CONTENT_PUSH_DELIVERY**) CONTENT_PULL_DELIVERY**) USAGE_TRACKING_REPORT**)		*)Used for Subscription Charging only **)Used for Content Delivery Charging only
User ID	O _M	String	Holds the identity of the party that the charging information relates to.	Subscription Id	
Content provider ID	O _C	String	The globally unique identity of the content provider within the DCD Server Domain		
Channel-ID	O _C	String	ID to uniquely identify a channel inside the DCD Server Domain	Service Key	
Content-ID	O _C	String	Identifier sets by the Content Provider, and unique within the DCD Service Provider's domain		Used for Content Delivery Charging only
Content Price	O _C	Group	Amount to be reserved/debited from the end-user's account. In case of reservation, the listed data elements must be included in the requested service units data element. In case of reporting units to be debited, the used service units data element must be used in the charging interface.	Money	Used for Content Delivery Charging only
Channel Subscription Price	O _C	Group	Amount to be reserved/debited from the end-user's account. In case of reservation, the listed data elements must be included in the requested service units data element. In case of reporting units to be debited, the used service units data element must be used in the charging interface.	Money	Used for Subscription Charging only
cost information	O _C	String	Information for presentation purpose that may contain the price and pricing conditions		
Usage-Count	O _C	String	Number of times policy-related content items were accessed.		Used for Content Delivery Charging only

Table 4: DCD Charging Information

Appendix A. Change History (Informative)

A.1 Approved Version History

Reference	Date	Description
OMA-TS-DCD_Charging-V1_0-20110705-A	05 Jul 2011	Status changed to Approved by TP: OMA-TP-2011-0224-INP_DCD_V1_0_ERP_for_Final_Approval

Appendix B. Static Conformance Requirements (Normative)

The notation used in this appendix is specified in [SCRRULES].

B.1 SCR for Charging Enabler User (DCD Server)

Item	Function	Reference	Requirement
CEU-C-001-O	Online charging	Section 5	
CEU-C-002-O	Offline charging	Section 5	
CEU-C-003-O	Subscription Based charging	Section 6.1.1	
CEU-C-004-O	Consumption Based charging	Section 6.1.1	

B.2 SCR for Charging Enabler (Charging Server)

Item	Function	Reference	Requirement
CE-S-001-O	Online charging	Section 5	
CE-S-002-O	Offline charging	Section 5	
CE-S-003-O	Subscription Based charging	Section 6.1.1	
CE-S-004-O	Consumption Based charging	Section 6.1.1	