

Enabler Release Definition for User Agent Provile Version 1.1

Version 4-Nov-2002

Open Mobile Alliance OMA-ERELD-UAProf-v1_1-20021104-C

A list of errata and updates to this document is available from the Open Mobile AllianceTM Web site, http://www.openmobilealliance.org/, in the form of SIN documents, which are subject to revision or removal without notice.

© 2002, Open Mobile Alliance, Ltd. All rights reserved.

Terms and conditions of use are available from the Open Mobile Alliance™ Web site at http://www.openmobilealliance.org/documents/copyright.htm).

You may use this document or any part of the document for internal or educational purposes only, provided you do not modify, edit or take out of context the information in this document in any manner. You may not use this document in any other manner without the prior written permission of the Open Mobile AllianceTM. The Open Mobile Alliance authorises you to copy this document, provided that you retain all copyright and other proprietary notices contained in the original materials on any copies of the materials and that you comply strictly with these terms. This copyright permission does not constitute an endorsement of the products or services offered by you.

The Open Mobile AllianceTM assumes no responsibility for errors or omissions in this document. In no event shall the Open Mobile Alliance be liable for any special, indirect or consequential damages or any damages whatsoever arising out of or in connection with the use of this information.

Open Mobile AllianceTM members have agreed to use reasonable endeavors to disclose in a timely manner to the Open Mobile Alliance the existence of all intellectual property rights (IPR's) essential to the present document. However, the members do not have an obligation to conduct IPR searches. The information received by the members is publicly available to members and non-members of the Open Mobile Alliance and may be found on the "WAP IPR Declarations" list at http://www.wapforum.org/what/ipr.htm Essential IPR is available for license on the basis set out in the schedule to the Open Mobile Alliance Application Form.

No representations or warranties (whether express or implied) are made by the Open Mobile AllianceTM or any Open Mobile Alliance member or its affiliates regarding any of the IPR's represented on this "WAP IPR Declarations" list, including, but not limited to the accuracy, completeness, validity or relevance of the information or whether or not such rights are essential or non-essential.

This document is available online in PDF format at http://www.openmobilealliance.org/.

Known problems associated with this document are published at http://www.openmobilealliance.org/.

Comments regarding this document can be submitted to the Open Mobile Alliance TM in the manner published at $\underline{\text{http://www.openmobilealliance.org/documents.html}}$

Document History	
OMA-ERELD-UAProf-v1_1-20021104-C	Draft
OMA-ERELD-UAProf-v1_1-20021104-C	Current

Contents

1. SCOPE	4
2. REFERENCES	5
2.1. NORMATIVE REFERENCES	5
2.2. INFORMATIVE REFERENCES	5
3. TERMINOLOGY AND CONVENTIONS	6
3.1. CONVENTIONS	6
3.2. DEFINITIONS	6
3.3. ABBREVIATIONS	6
4. INTRODUCTION	
5. ENABLER RELEASE SPECIFICATION BASELINE	8
6. MINIMUM FUNCTIONALITY DESCRIPTION	9
7. ERDEF FOR UAPROF - CLIENT REQUIREMENTS	11
8. ERDEF FOR UAPROF - SERVER REQUIREMENTS	12
APPENDIX A CHANGE HISTORY (INFORMATIVE)	13

1. Scope

The scope of this document is limited to the Enabler Release Definition of User Agent Profile (UAProf) according to OMA Release process and the Enabler Release specification baseline listed in section 5.

OMA's *User Agent Profile* specification is concerned with capturing classes of device capabilities and preference information. These classes include (but are not restricted to) the hardware and software characteristics of the device as well as information about the network to which the device is connected. The user agent profile contains information used for *content formatting purposes*. A user agent profile is distinct from a *user preference profile* that would contain application-specific information about the user for content *selection* purposes.

2. References

2.1. Normative References

CCPP "Composite Capability/Preference Profiles (CC/PP): Structure and Vocabularies", G. Klyne, F.

Reynolds, C. Woodrow, H. Ohto.

URL: http://www.w3.org/TR/CCPP-struct-vocab

CREQ "Specification of WAP Conformance Requirements". WAP ForumTM. WAP-221-CREQ.

URL: http://www.openmobilealliance.org/

OMA-UAPROF "User Agent Profile", Open Mobile Alliance™. OMA-WAP-UAProf-v1_1.

URL: http://www.openmobilealliance.org/

RDF "Resource Description Framework (RDF) Model and Syntax Specification", World Wide Web

Consortium Recommendation, O. Lassila, R. Swick, February 1999.

URL: http://www.w3.org/TR/REC-rdf-syntax/

RDF-Schema "RDF Schema Specification", World Wide Web Consortium, D. Brickley, R. V. Guha, March

1999.

URL: http://www.w3.org/TR/PR-rdf-schema

RFC2119 "Key words for use in RFCs to Indicate Requirement Levels", RFC2119, S. Bradner, March

1997.

URL: http://www.ietf.org/rfc/rfc2119.txt

2.2. Informative References

W-HTTP "WAP Wireless Profiled HTTP", WAP ForumTM. WAP-229-HTTP.

URL: http://www.openmobilealliance.org/

WSP "Wireless Session Protocol Specification", WAP Forum™, WAP-230-WSP.

URL: http://www.openmobilealliance.org/

3. Terminology and Conventions

3.1. Conventions

The key words "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "MAY", and "OPTIONAL" in this document are to be interpreted as described in [RFC2119].

All sections and appendixes, except "Scope" and "Introduction", are normative, unless they are explicitly indicated to be informative.

The formal notation convention used in sections 8 and 9 to formally express the structure and internal dependencies between specifications in the Enabler Release specification baseline is detailed in [CREQ].

3.2. Definitions

Enabler Release

Collection of specifications that combined together form an enabler for a service area, e.g. a download enabler, a browsing enabler, a messaging enabler, a location enabler, etc. The specifications that are forming an enabler should combined fulfil a number of related market requirements.

Minimum Functionality Description

Description of the guaranteed features and functionality that will be enabled by implementing the minimum mandatory part of the Enabler Release.

3.3. Abbreviations

CCPP Composite Capability Preference Profile
CPI Capability Preference Information
ERDEF Enabler Requirement Definition
ERELD Enabler Release Definition
OMA Open Mobile Alliance
UAPROF User Agent Profile

4. Introduction

This document outlines the Enabler Release Definition for the User Agent Profile (UAProf) and the respective conformance requirements for clients and servers implementing claiming compliance to it as defined by Open Mobile Alliance across the specification baseline.

The UAProf specification defines an architecture to enable the end-to-end flow of a User Agent Profile, also referred to as *Capability and Preference Information* (CPI), between a client, the intermediate network points (proxies and gateways), and the origin server. It interoperates with the emerging standard for Composite Capability/Preference Profile (CC/PP) [CCPP]. UAprof uses the CC/PP model to define a robust, extensible framework for describing and transmitting CPI about the client, user, and network.

UAProf is based on the following technogies:

- Resource Description Framework [RDF]. Used to define the data model for a User Agent Profile.
- **Resource Description Framework Schema** [RDF-Schema]. Used to define the User Agent Profile vocabulary as defined in [OMA-UAPROF].
- Composite Capability/Preference Profile [CCPP]. Defines a high-level structured framework for describing a CPI using the Resource Description Framework (RDF) [RDF].

5. Enabler Release Specification Baseline

This section is normative.

The following specifications comprises the UAProf enabler release:

"User Agent Profile Version 1.1"

[OMA-UAPROF]

6. Minimum Functionality Description

This section is informative.

The minimum functionality for the UAProf [OMA-UAPROF] specification includes:

- Profile transport (using [WSP] or [W-HTTP])
- Profiles conform to rules defined in [OMA-UAPROF]
- Schemas conform to rules defined in [OMA-UAPROF]

The UAProf specification also defines the following optional functionality:

- Client and server support profile differences
- Profiles use defaults as defined in [CCPP]

7. Conformance Requirements Notation Details

This section is informative

The tables in following chapters use the following notation:

Item:

Entry in this column MUST be a valid ScrItem according to [CREQ].

Feature/Application:

Entry in this column SHOULD be a short descriptive label to the **Item** in question.

Status:

Entry in this column MUST accurately reflect the architectural status of the **Item** in question.

- M means the **Item** is mandatory for the class
- O means the **Item** is optional for the class
- NA means the **Item** is not applicable for the class

Requirement:

Expression in the column MUST be a valid TerminalExpression according to [CREQ] and it MUST accurately reflect the architectural requirement of the **Item** in question.

8. ERDEF for UAProf - Client Requirements

Table 1 ERDEF for UAProf Client-side Requirements

Item	Feature / Application	Status	Requirement
OMA-ERDEF-UAProf-C-001	UAProf Client	M	UAProf:MCF

9. ERDEF for UAProf - Server Requirements

Table 2 ERDEF for UAProf Server-side Requirements

Item	Feature / Application	Status	Requirement
OMA-ERDEF-UAProf-S-001	UAProf Server	M	UAProf:MCF

Appendix A. Change History

(Informative)

Type of Change	Date	Section	Description
Class 0	4-Nov-2002		The initial version of this document.