



**Enabler Test Specification (Conformance) for  
XHTML Mobile Profile**  
Candidate Version 1.2 – 30 Nov 2006

---

**Open Mobile Alliance**  
OMA-ETS-XHTMLMP\_CON-V1\_2-20061130-C

Use of this document is subject to all of the terms and conditions of the Use Agreement located at <http://www.openmobilealliance.org/UseAgreement.html>.

Unless this document is clearly designated as an approved specification, this document is a work in process, is not an approved Open Mobile Alliance™ specification, and is subject to revision or removal without notice.

You may use this document or any part of the document for internal or educational purposes only, provided you do not modify, edit or take out of context the information in this document in any manner. Information contained in this document may be used, at your sole risk, for any purposes. You may not use this document in any other manner without the prior written permission of the Open Mobile Alliance. The Open Mobile Alliance authorizes you to copy this document, provided that you retain all copyright and other proprietary notices contained in the original materials on any copies of the materials and that you comply strictly with these terms. This copyright permission does not constitute an endorsement of the products or services. The Open Mobile Alliance assumes no responsibility for errors or omissions in this document.

Each Open Mobile Alliance member has agreed to use reasonable endeavors to inform the Open Mobile Alliance in a timely manner of Essential IPR as it becomes aware that the Essential IPR is related to the prepared or published specification. However, the members do not have an obligation to conduct IPR searches. The declared Essential IPR is publicly available to members and non-members of the Open Mobile Alliance and may be found on the “OMA IPR Declarations” list at <http://www.openmobilealliance.org/ipr.html>. The Open Mobile Alliance has not conducted an independent IPR review of this document and the information contained herein, and makes no representations or warranties regarding third party IPR, including without limitation patents, copyrights or trade secret rights. This document may contain inventions for which you must obtain licenses from third parties before making, using or selling the inventions. Defined terms above are set forth in the schedule to the Open Mobile Alliance Application Form.

NO REPRESENTATIONS OR WARRANTIES (WHETHER EXPRESS OR IMPLIED) ARE MADE BY THE OPEN MOBILE ALLIANCE OR ANY OPEN MOBILE ALLIANCE MEMBER OR ITS AFFILIATES REGARDING ANY OF THE IPR'S REPRESENTED ON THE “OMA IPR DECLARATIONS” LIST, INCLUDING, BUT NOT LIMITED TO THE ACCURACY, COMPLETENESS, VALIDITY OR RELEVANCE OF THE INFORMATION OR WHETHER OR NOT SUCH RIGHTS ARE ESSENTIAL OR NON-ESSENTIAL.

THE OPEN MOBILE ALLIANCE IS NOT LIABLE FOR AND HEREBY DISCLAIMS ANY DIRECT, INDIRECT, PUNITIVE, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES ARISING OUT OF OR IN CONNECTION WITH THE USE OF DOCUMENTS AND THE INFORMATION CONTAINED IN THE DOCUMENTS.

© 2006 Open Mobile Alliance Ltd. All Rights Reserved.

Used with the permission of the Open Mobile Alliance Ltd. under the terms set forth above.

# Contents

<b>1. SCOPE</b> .....	<b>5</b>
<b>2. REFERENCES</b> .....	<b>6</b>
<b>2.1. NORMATIVE REFERENCES</b> .....	<b>6</b>
<b>2.2. INFORMATIVE REFERENCES</b> .....	<b>6</b>
<b>3. TERMINOLOGY AND CONVENTIONS</b> .....	<b>7</b>
<b>3.1. CONVENTIONS</b> .....	<b>7</b>
<b>3.2. DEFINITIONS</b> .....	<b>7</b>
<b>3.3. ABBREVIATIONS</b> .....	<b>7</b>
<b>4. INTRODUCTION</b> .....	<b>8</b>
<b>5. CONFORMANCE TEST CASES</b> .....	<b>9</b>
<b>5.1. XHTML BASIC MODULES</b> .....	<b>9</b>
5.1.1. Structure Module .....	9
5.1.2. Text Module.....	10
5.1.3. Hypertext Module .....	11
5.1.4. List Module.....	12
5.1.5. Basic Forms .....	13
5.1.6. Basic Tables.....	14
5.1.7. Image Module .....	15
5.1.8. Object Module .....	16
5.1.9. Metainformation Module .....	17
5.1.10. Link Module .....	18
5.1.11. WML Interaction, Back .....	18
5.1.12. WML Interaction, Links .....	19
5.1.13. Base Module .....	20
<b>5.2. OTHER XHTML MODULES</b> .....	<b>21</b>
5.2.1. <i>Style Sheet Module</i> .....	21
5.2.2. <i>Style Attribute Module</i> .....	22
5.2.3. <i>Scripting Module</i> .....	23
<b>5.3. OTHER XHTML ELEMENTS AND ATTRIBUTES</b> .....	<b>24</b>
5.3.1. <i>fieldset</i> element .....	24
5.3.2. <i>optgroup</i> element .....	25
5.3.3. <i>start</i> attribute .....	26
5.3.4. <i>value</i> attribute .....	27
5.3.5. <i>b</i> element.....	28
5.3.6. <i>big</i> element.....	29
5.3.7. <i>hr</i> element .....	30
5.3.8. <i>i</i> element.....	31
5.3.9. <i>small</i> element .....	32
<b>5.4. XHTML DOCUMENT CONFORMANCE</b> .....	<b>33</b>
5.4.1. Document conformant to XHTMLMP 1.2.....	33
<b>5.5. XHTML USER AGENT CONFORMANCE</b> .....	<b>34</b>
5.5.1. Unrecognised elements .....	34
5.5.2. Misc tests .....	35
5.5.3. Unrecognised attribute and default attribute value .....	36
<b>5.6. DOCUMENT TYPES</b> .....	<b>37</b>
5.6.1. None terminated tags .....	37
5.6.2. Tags terminated in wrong order.....	37
<b>5.7. EVENTS</b> .....	<b>38</b>
5.7.1. Support for Load Event .....	38
5.7.2. Support for Unload Event .....	38
5.7.3. Support for Click Event.....	39
5.7.4. Support for Double Click Event .....	39

5.7.5. Support for Focus Event..... 40

5.7.6. Support for Blur Event..... 40

5.7.7. Support for Key Press Event..... 41

5.7.8. Support for Key Down Event..... 41

5.7.9. Support for Key Up Event..... 42

5.7.10. Support for Submit Event..... 42

5.7.11. Support for Reset Event..... 43

5.7.12. Support for Select Event..... 43

5.7.13. Support for Change Event..... 44

**5.8. MEDIA OBJECT INCLUSION .....45**

5.8.1. Data..... 45

5.8.2. ClassId..... 46

5.8.3. ClassId Priority over Data..... 47

5.8.4. Parameters..... 48

5.8.5. PUSH\_Application\_ID..... 49

5.8.6. Declare..... 50

**5.9. NAVIGATION OPTIMIZATIONS .....51**

5.9.1. Access Keys..... 51

5.9.2. Links..... 52

5.9.3. Navigation Menu..... 53

**5.10. TEXT INPUT MODES .....54**

5.10.1. Digits..... 54

5.10.2. lowerCase..... 54

5.10.3. inputmode attribute on textarea element..... 55

**APPENDIX A. CHANGE HISTORY (INFORMATIVE).....56**

**A.1 APPROVED VERSION HISTORY .....56**

**A.2 DRAFT VERSION XHTML MP 1.2 ETS HISTORY .....56**

# 1. Scope

This document describes in detail available test cases for OMA XHTML-MP version 1.2.

## 2. References

### 2.1. Normative References

[IOPPROC]	“OMA Interoperability Policy and Process”, Version 1.3, Open Mobile Alliance™, OMA-ORG-IOP_Process-V1_3, <a href="http://www.openmobilealliance.org/">URL:http://www.openmobilealliance.org/</a>
[RFC2119]	“Key words for use in RFCs to Indicate Requirement Levels”. S. Bradner. March 1997. <a href="http://www.ietf.org/rfc/rfc2119.txt">URL:http://www.ietf.org/rfc/rfc2119.txt</a>
[XHTML_TestCode]	“OMA-ETS-XHTMLMP_Test_Code-V1_2-20061010-D”, Version 1.2, Open Mobile Alliance™, URL: <a href="http://www.openmobilealliance.org/">http://www.openmobilealliance.org/</a>
[xHTML_Suite_1]	“3a. XHTML TS 1” <a href="http://testfest.openmobilealliance.org">http://testfest.openmobilealliance.org</a> Suite 1 of [XHTML_TestCode]
[xHTML_Suite_2]	“3b. XHTML TS 2” <a href="http://testfest.openmobilealliance.org">http://testfest.openmobilealliance.org</a> Suite 2 of [XHTML_TestCode]
[xHTML_Suite_3]	“3c. XHTML TS 3” <a href="http://testfest.openmobilealliance.org">http://testfest.openmobilealliance.org</a> Suite 2 of [XHTML_TestCode]
[XHTMLMP]	“XHTML Mobile Profile 1.2”. OMA-TS-XHTMLMP-V1_2-20050118-C, Open Mobile Alliance™, URL: <a href="http://www.openmobilealliance.org/">http://www.openmobilealliance.org/</a>
[TestEnv]	Browsing 2.3 Enabler Test Guideline (ETG) , OMA-ETG-Browsing-V2_3-20060223.doc, Open Mobile Alliance™, URL: <a href="http://www.openmobilealliance.org/">http://www.openmobilealliance.org/</a>

### 2.2. Informative References

None.

## 3. Terminology and Conventions

### 3.1. Conventions

The key words “MUST”, “MUST NOT”, “REQUIRED”, “SHALL”, “SHALL NOT”, “SHOULD”, “SHOULD NOT”, “RECOMMENDED”, “MAY”, and “OPTIONAL” in this document are to be interpreted as described in [RFC2119].

All sections and appendixes, except “Scope” and “Introduction”, are normative, unless they are explicitly indicated to be informative.

The following numbering scheme is used:

xxx-y.z-con-number where:

xxx	Name of enabler, e.g. MMS or Browsing
y.z	Version of enabler release, e.g. 1.2 or 1.2.1
con	Indicating this test is a conformance test case
number	Leap number for the test case

Or

xxx-y.z-int-number where:

xxx	Name of enabler, e.g. MMS or Browsing
y.z	Version of enabler release, e.g. 1.2 or 1.2.1
int	Indicating this test is a interoperability test case
number	Leapnumber for the test case

### 3.2. Definitions

None.

### 3.3. Abbreviations

<b>ETR</b>	Enabler Test Requirements
<b>ETS</b>	Enabler Test Specification
<b>XHTML</b>	Extensible HyperText Markup Language

## 4. Introduction

The purpose of this document is to provide test cases for OMA [XHTMLMP] Version 1.2.

Any issues related to this specification or [XHTMLMP] found during testing SHOULD be reported to OMA using the OMA Problem Reporting system (<http://www.opengroup.org:8000/OMA-PR/>).



## 5. Conformance Test Cases

### 5.1. XHTML Basic Modules

#### 5.1.1. Structure Module

Test Case ID	xHTML-1.2-con-1
Test Object	Client device
Test Case Description	To test Structure Module.
Specification Reference	[xHTMLMP] Section 5.
SCR Reference	XHTMLMP-XHTMLMOD-C-001
Tool	[xHTML_Suite_1] Section 5.1.
Test Code	See test procedure.
Preconditions	Test environment is set up and Client device configured according to [TestEnv]
Test Procedure	<p>Run the following assertions in the [xHTML_Suite_1]:</p> <ul style="list-style-type: none"> <li>• 45.03.01</li> <li>• 45.03.02</li> <li>• 45.03.03</li> <li>• 45.03.04</li> <li>• 45.03.05</li> <li>• 45.03.06</li> <li>• 45.03.07</li> <li>• 45.03.08</li> <li>• 45.03.09</li> <li>• 45.03.10</li> </ul>
Pass-Criteria	The verification criterias in the test suite are met.

## 5.1.2. Text Module

Test Case ID	xHTML-1.2-con-2		
Test Object	Client device		
Test Case Description	To test Text Module.		
Specification Reference	[xHTMLMP] Section 5.		
SCR Reference	XHTMLMP-XHTMLMOD-C-002		
Tool	[xHTML_Suite_1] Section 5.2.		
Test Code	See test procedure.		
Preconditions	Test environment is set up and Client device configured according to [TestEnv]		
Test Procedure	Run the following assertions in the [xHTML_Suite_1]:		
	<ul style="list-style-type: none"> <li>• 45.04.01</li> <li>• 45.04.02</li> <li>• 45.04.03</li> <li>• 45.04.04</li> <li>• 45.04.05</li> <li>• 45.04.06</li> <li>• 45.04.07</li> <li>• 45.04.08</li> <li>• 45.04.09</li> <li>• 45.04.10</li> </ul>	<ul style="list-style-type: none"> <li>• 45.04.11</li> <li>• 45.04.12</li> <li>• 45.04.13</li> <li>• 45.04.14</li> <li>• 45.04.15</li> <li>• 45.04.16</li> <li>• 45.04.17</li> <li>• 45.04.18</li> <li>• 45.04.19</li> <li>• 45.04.20</li> </ul>	<ul style="list-style-type: none"> <li>• 45.04.21</li> <li>• 45.04.22</li> <li>• 45.04.23</li> <li>• 45.04.24</li> <li>• 45.04.25</li> <li>• 45.04.26</li> <li>• 45.04.27</li> <li>• 45.04.28</li> <li>• 45.04.29</li> </ul>
Pass-Criteria	The verification criterias in the test suite are met.		

### 5.1.3. Hypertext Module

Test Case ID	xHTML-1.2-con-3
Test Object	Client device
Test Case Description	To test Hypertext Module.
Specification Reference	[xHTMLMP] Section 5.
SCR Reference	XHTMLMP-XHTMLMOD-C-003
Tool	[xHTML_Suite_1] Section 5.3.
Test Code	See test procedure.
Preconditions	Test environment is set up and Client device configured according to [TestEnv]
Test Procedure	<p>Run the following assertions in the [xHTML_Suite_1]:</p> <ul style="list-style-type: none"> <li>• 45.05.01</li> <li>• 45.05.02</li> <li>• 45.05.03</li> <li>• 45.05.04</li> <li>• 45.05.05</li> <li>• 45.05.06</li> <li>• 45.05.07</li> <li>• 45.05.08</li> <li>• 45.05.09</li> <li>• 45.05.10</li> <li>• 45.05.11</li> </ul>
Pass-Criteria	The verification criterias in the test suite are met.

## 5.1.4. List Module

Test Case ID	xHTML-1.2-con-4
Test Object	Client device
Test Case Description	To test List Module.
Specification Reference	[xHTMLMP] Section 5.
SCR Reference	XHTMLMP-XHTMLMOD-C-004
Tool	[xHTML_Suite_1] Section 5.4.
Test Code	See test procedure.
Preconditions	Test environment is set up and Client device configured according to [TestEnv]
Test Procedure	Run the following assertions in the [xHTML_Suite_1]: <ul style="list-style-type: none"><li>• 45.06.01</li><li>• 45.06.02</li><li>• 45.06.03</li><li>• 45.06.04</li><li>• 45.06.05</li></ul>
Pass-Criteria	The verification criterias in the test suite are met.

### 5.1.5. Basic Forms

Test Case ID	xHTML-1.2-con-5		
Test Object	Client device		
Test Case Description	To test Basic Forms.		
Specification Reference	[xHTMLMP] Section 5.		
SCR Reference	XHTMLMP-XHTMLMOD-C-005		
Tool	[xHTML_Suite_1] Section 5.5 [xHTML_Suite_2], Section “Basic Form Module”		
Test Code	See test procedure.		
Preconditions	Test environment is set up and Client device configured according to [TestEnv]		
Test Procedure	Run the following assertions in the [xHTML_Suite_1]:		
	<ul style="list-style-type: none"> <li>• 45.07.01</li> <li>• 45.07.02</li> <li>• 45.07.03</li> <li>• 45.07.04</li> <li>• 45.07.05</li> <li>• 45.07.06</li> <li>• 45.07.07</li> <li>• 45.07.08</li> <li>• 45.07.09</li> <li>• 45.07.10</li> <li>• 45.07.11</li> <li>• 45.07.12</li> <li>• 45.07.13</li> </ul>	<ul style="list-style-type: none"> <li>• 45.07.14</li> <li>• 45.07.15</li> <li>• 45.07.16</li> <li>• 45.07.17</li> <li>• 45.07.18</li> <li>• 45.07.19</li> <li>• 45.07.20</li> <li>• 45.07.21</li> <li>• 45.07.22</li> <li>• 45.07.23</li> <li>• 45.07.24</li> <li>• 45.07.25</li> <li>• 45.07.26</li> </ul>	<ul style="list-style-type: none"> <li>• 45.07.27</li> <li>• 45.07.28</li> <li>• 45.07.29</li> <li>• 45.07.30</li> <li>• 45.07.31</li> <li>• 45.07.32</li> <li>• 45.07.33</li> <li>• 45.07.34</li> <li>• 45.07.35</li> <li>• 45.07.36</li> <li>• 45.07.37</li> <li>• 45.07.38</li> <li>• 45.07.39</li> <li>• 45.07.40</li> </ul>
	Run the following assertions in the [xHTML_Suite_2]:		
<ul style="list-style-type: none"> <li>• t148</li> </ul>			
Pass-Criteria	The verification criterias in the test suite are met.		

### 5.1.6. Basic Tables

Test Case ID	xHTML-1.2-con-6		
Test Object	Client device		
Test Case Description	To test Basic Tables.		
Specification Reference	[xHTMLMP] Section 5.		
SCR Reference	XHTMLMP-XHTMLMOD-C-006		
Tool	[xHTML_Suite_1] Section 5.6		
Test Code	See test procedure.		
Preconditions	Test environment is set up and Client device configured according to [TestEnv]		
Test Procedure	Run the following assertions in the [xHTML_Suite_1]:		
	<ul style="list-style-type: none"> <li>• 45.08.01</li> <li>• 45.08.02</li> <li>• 45.08.03</li> <li>• 45.08.04</li> <li>• 45.08.05</li> <li>• 45.08.06</li> <li>• 45.08.07</li> <li>• 45.08.08</li> <li>• 45.08.09</li> </ul>	<ul style="list-style-type: none"> <li>• 45.08.10</li> <li>• 45.08.11</li> <li>• 45.08.12</li> <li>• 45.08.13</li> <li>• 45.08.14</li> <li>• 45.08.15</li> <li>• 45.08.16</li> <li>• 45.08.17</li> <li>• 45.08.18</li> </ul>	<ul style="list-style-type: none"> <li>• 45.08.19</li> <li>• 45.08.20</li> <li>• 45.08.21</li> <li>• 45.08.22</li> <li>• 45.08.23</li> <li>• 45.08.24</li> <li>• 45.08.25</li> <li>• 45.08.26</li> </ul>
Pass-Criteria	The verification criterias in the test suite are met.		

### 5.1.7. Image Module

Test Case ID	xHTML-1.2-con-7
Test Object	Client device
Test Case Description	To test Image Module.
Specification Reference	[xHTMLMP] Section 5.
SCR Reference	XHTMLMP-XHTMLMOD-C-007
Tool	[xHTML_Suite_1] Section 5.7
Test Code	See test procedure.
Preconditions	Test environment is set up and Client device configured according to [TestEnv]
Test Procedure	<p>Run the following assertions in the [xHTML_Suite_1]:</p> <ul style="list-style-type: none"> <li>• 45.09.01</li> <li>• 45.09.02</li> <li>• 45.09.03</li> <li>• 45.09.04</li> <li>• 45.09.05</li> <li>• 45.09.06</li> <li>• 45.09.07</li> <li>• 45.09.08</li> <li>• 45.09.09</li> <li>• 45.09.10</li> </ul>
Pass-Criteria	The verification criterias in the test suite are met.

### 5.1.8. Object Module

Test Case ID	xHTML-1.2-con-8
Test Object	Client device
Test Case Description	To test object Module. The Object Module is ignored, but objects with an image, which is possible to show, shall work as an image tag.
Specification Reference	[xHTMLMP] Section 5.
SCR Reference	XHTMLMP- XHTMLMOD-C-008
Tool	[xHTML_Suite_2] section “Basic Form Module”
Test Code	See test procedure
Preconditions	Test environment is set up and Client device configured according to [TestEnv]
Test Procedure	Run the following assertions in the [xHTML_Suite_2]: <ul style="list-style-type: none"><li>• t140</li></ul>
Pass-Criteria	The verification criterias in the test suite are met.



## 5.1.9. Metainformation Module

Test Case ID	xHTML-1.2-con-9
Test Object	Client device
Test Case Description	The Metainformation Module is ignored. This test checks that the element is ignored in a correct way..
Specification Reference	[xHTMLMP] Section 5.
SCR Reference	XHTMLMP- XHTMLMOD-C-009
Tool	[xHTML_Suite_2], Section "Basic Form Module"
Test Code	See test procedure in t063.html.
Preconditions	Test environment is set up and Client device configured according to [TestEnv]
Test Procedure	Run the following assertions in the [xHTML_Suite_2]: <ul style="list-style-type: none"> <li>• t063</li> </ul>
Pass-Criteria	The verification criterias in the test suite are met.

### 5.1.10. Link Module

Test Case ID	xHTML-1.2-con-10
Test Object	Client device
Test Case Description	To test Link Module.
Specification Reference	[xHTMLMP] Section 5.
SCR Reference	XHTMLMP-XHTMLMOD-C-010
Tool	[xHTML_Suite_1] Section 5.10.
Test Code	See test procedure.
Preconditions	Test environment is set up and Client device configured according to [TestEnv]
Test Procedure	Run the following assertions in the [xHTML_Suite_1]: <ul style="list-style-type: none"> <li>• 45.10.01</li> </ul>
Pass-Criteria	The verification criterias in the test suite are met.

### 5.1.11. WML Interaction, Back

Test Case ID	xHTML-1.2-con-11
Test Object	Client device
Test Case Description and purpose	To test if the interaction between WML and XHTML is handled correctly.
Specification Reference	[xHTMLMP] Section 5.
SCR Reference	XHTMLMP-XHTMLMOD-C-010
Tool	[xHTML_Suite_2], Section “WML Interaction”
Test code/files	See test procedure. t103.html
Preconditions	Test environment is set up and Client device configured according to [TestEnv]
Test Procedure	Run the following assertions in the [xHTML_Suite_2]: <ul style="list-style-type: none"> <li>• t103</li> </ul>
Pass-Criteria	The verification criteria in the test suite are met.

### 5.1.12. WML Interaction, Links

Test Case ID	xHTML-1.2-con-12
Test Object	Client device
Test Case Description and purpose	To test if the interaction between WML and XHTML is handled correctly using links.
Specification Reference	[xHTMLMP] Section 5.
SCR Reference	XHTMLMP XHTMLMOD-C-010
Tool	[xHTML_Suite_2], Section “WML Interaction”
Test code/files	See test procedure. t104.html
Preconditions	Test environment is set up and Client device configured according to [TestEnv]
Test Procedure	Run the following assertions in the [xHTML_Suite_2]: <ul style="list-style-type: none"> <li>• t104</li> </ul>
Pass-Criteria	The verification criteria in the test suite are met.

### 5.1.13. Base Module

Test Case ID	xHTML-1.2-con-13
Test Object	Client device
Test Case Description	To test Base Module. To test base Module. The base element specifies a base URL. The purpose is to check that this base URL is used in a correct way.
Specification Reference	[xHTMLMP] Section 5.
SCR Reference	XHTMLMP-XHTMLMOD-C-011
Tool	[xHTML_Suite_1] Section 5.11. [xHTML_Suite_2],Section “Base Module”
Test Code	See test procedure.
Preconditions	Test environment is set up and Client device configured according to [TestEnv]
Test Procedure	<p>Run the following assertions in the [xHTML_Suite_1]:</p> <ul style="list-style-type: none"> <li>• 45.11.01</li> <li>• 45.11.02</li> <li>• 45.11.03</li> <li>• 45.11.04</li> <li>• 45.11.05</li> <li>• 45.11.06</li> </ul> <p>Run the following assertions in the [xHTML_Suite_2]:</p> <ul style="list-style-type: none"> <li>• t065</li> <li>• t066 (link to WML page)</li> </ul>
Pass-Criteria	The verification criterias in the test suite are met.

## 5.2. Other XHTML Modules

### 5.2.1. Style Sheet Module

Test Case ID	xHTML-1.2-con-14
Test Object	Client device
Test Case Description	To test <i>the Style Sheet Module</i>
Specification Reference	[xHTMLMP] Section 5.
SCR Reference	XHTMLMP-XHTMLMOD-C-012
Tool	[xHTML_Suite_3], section “Miscellaneous” [xHTML_Suite_1], section “5.12-5.20 XHTML Mobile Profile »
Test Code	See test procedure.
Preconditions	Test environment is set up and Client device configured according to [TestEnv]
Test Procedure	Run the following assertion in the [xHTML_Suite_3]: <ul style="list-style-type: none"> <li>• <a href="#">External Style Sheets</a></li> <li>• <a href="#">Internal Style Sheets</a></li> </ul> Run the following assertion in the [xHTML_Suite_1]: <ul style="list-style-type: none"> <li>• 45.13.11 Style</li> </ul>
Pass-Criteria	The verification criterias in the test suite are met.

### 5.2.2. Style Attribute Module

Test Case ID	xHTML-1.2-con-15
Test Object	Client device
Test Case Description	To test <i>the Style Attribute Module</i>
Specification Reference	[xHTMLMP] Section 5.
SCR Reference	XHTMLMP-XHTMLMOD-C-013
Tool	[xHTML_Suite_3], section Miscellaneous
Test Code	See test procedure.
Preconditions	Test environment is set up and Client device configured according to [TestEnv]
Test Procedure	Run the following assertion in the [xHTML_Suite_3]: <ul style="list-style-type: none"><li>• <a href="#">Inline Style</a></li></ul>
Pass-Criteria	The verification criterias in the test suite are met.

### 5.2.3. Scripting Module

Test Case ID	xHTML-1.2-con-16
Test Object	Client device
Test Case Description	To test <i>the Scripting Module</i> . Sections 'script' (for supported script languages) and 'noscript' (for unsupported script languages) are tested.
Specification Reference	[xHTMLMP] Section 5, Section 9, 9.1, 9.2, 9.3
SCR Reference	XHTMLMP-XHTMLMOD-C-024 XHTMLMP-SCRIPT-C-004, XHTMLMP-SCRIPT-C-005
Tool	[xHTML_Suite_3], section "Miscellaneous"
Test Code	See test procedure.
Preconditions	Test environment is set up and Client device configured according to [TestEnv]
Test Procedure	Run the following assertion in the [xHTML_Suite_3]: <ul style="list-style-type: none"> <li>• <a href="#">noscript - Javascript</a></li> <li>• <a href="#">noscript - VBScript</a></li> <li>• <a href="#">noscript - GibberishScript</a></li> <li>• <a href="#">noscript - Javascript + GibberishScript</a></li> </ul>
Pass-Criteria	The verification criterias in the test suite are met. Clients that support both Javascript and VBScript must use the 'noscript' section for "GibberishScript"

## 5.3. Other XHTML Elements and Attributes

### 5.3.1. *fieldset* element

Test Case ID	xHTML-1.2-con-17
Test Object	Client device
Test Case Description	To test <i>fieldset</i> element in Forms module.
Specification Reference	[xHTMLMP] Section 5.
SCR Reference	XHTMLMP-XHTMLMOD-C-014
Tool	[xHTML_Suite_1] Section 5.12-5.20.
Test Code	See test procedure.
Preconditions	Test environment is set up and Client device configured according to [TestEnv]
Test Procedure	Run the following assertion in the [xHTML_Suite_1]: <ul style="list-style-type: none"><li>• 45.13.06</li></ul>
Pass-Criteria	The verification criterias in the test suite are met.



### 5.3.2. *optgroup* element

Test Case ID	xHTML-1.2-con-18
Test Object	Client device
Test Case Description	To test <i>optgroup</i> element in Forms module.
Specification Reference	[xHTMLMP] Section 5.
SCR Reference	XHTMLMP-XHTMLMOD-C-015
Tool	[xHTML_Suite_1] Section 5.12-5.20.
Test Code	See test procedure.
Preconditions	Test environment is set up and Client device configured according to [TestEnv]
Test Procedure	Run the following assertion in the [xHTML_Suite_1]: <ul style="list-style-type: none"><li>• 45.13.07</li></ul>
Pass-Criteria	The verification criterias in the test suite are met.

### 5.3.3. *start* attribute

Test Case ID	xHTML-1.2-con-19
Test Object	Client device
Test Case Description	To test <i>start</i> element on <i>ol</i> .
Specification Reference	[xHTMLMP] Section 5.
SCR Reference	XHTMLMP-XHTMLMOD-C-016
Tool	[xHTML_Suite_1] Section 5.1-5.20.
Test Code	See test procedure.
Preconditions	Test environment is set up and Client device configured according to [TestEnv]
Test Procedure	Run the following assertion in the [xHTML_Suite_1]: <ul style="list-style-type: none"><li>• 45.13.10</li></ul>
Pass-Criteria	The verification criterias in the test suite are met.

### 5.3.4. *value* attribute

Test Case ID	xHTML-1.2-con-20
Test Object	Client device
Test Case Description	To test <i>value</i> attribute on <i>li</i> .
Specification Reference	[xHTMLMP] Section 5.
SCR Reference	XHTMLMP-XHTMLMOD-C-014
Tool	[xHTML_Suite_1] Section 5.12-5.20.
Test Code	See test procedure.
Preconditions	Test environment is set up and Client device configured according to [TestEnv]
Test Procedure	Run the following assertion in the [xHTML_Suite_1]: <ul style="list-style-type: none"><li>• 45.13.09</li></ul>
Pass-Criteria	The verification criterias in the test suite are met.

### 5.3.5. *b* element

Test Case ID	xHTML-1.2-con-21
Test Object	Client device
Test Case Description	To test <i>b</i> element in Presentation module.
Specification Reference	[xHTMLMP] Section 5.
SCR Reference	XHTMLMP-XHTMLMOD-C-018
Tool	[xHTML_Suite_1] Section 5.12-5.20.
Test Code	See test procedure.
Preconditions	Test environment is set up and Client device configured according to [TestEnv]
Test Procedure	Run the following assertion in the [xHTML_Suite_1]: <ul style="list-style-type: none"><li>• 45.13.02</li></ul>
Pass-Criteria	The verification criterias in the test suite are met.

### 5.3.6. *big* element

Test Case ID	xHTML-1.2-con-22
Test Object	Client device
Test Case Description	To test <i>big</i> element in Presentation module.
Specification Reference	[xHTMLMP] Section 5.
SCR Reference	XHTMLMP-XHTMLMOD-C-019
Tool	[xHTML_Suite_1] Section 5.12-5.20.
Test Code	See test procedure.
Preconditions	Test environment is set up and Client device configured according to [TestEnv]
Test Procedure	Run the following assertion in the [xHTML_Suite_1]: <ul style="list-style-type: none"><li>• 45.13.04</li></ul>
Pass-Criteria	The verification criterias in the test suite are met.

### 5.3.7. *hr* element

Test Case ID	xHTML-1.2-con-23
Test Object	Client device
Test Case Description	To test <i>hr</i> element in Presentation module..
Specification Reference	[xHTMLMP] Section 5.
SCR Reference	XHTMLMP-XHTMLMOD-C-020
Tool	[xHTML_Suite_1] Section 4.12-5.20. [xHTML_Suite_2], section "Presentation Module"
Test Code	See test procedure.
Preconditions	Test environment is set up and Client device configured according to [TestEnv]
Test Procedure	Run the following assertion in the [xHTML_Suite_1]: <ul style="list-style-type: none"> <li>• 45.13.08</li> </ul> Run the following assertion in the [xHTML_Suite_2]: <ul style="list-style-type: none"> <li>• t207</li> </ul>
Pass-Criteria	The verification criterias in the test suite are met.

### 5.3.8. *i* element

Test Case ID	xHTML-1.2-con-24
Test Object	Client device
Test Case Description	To test <i>i</i> element in Presentation module.
Specification Reference	[xHTMLMP] Section 5.
SCR Reference	XHTMLMP-XHTMLMOD-C-021
Tool	[xHTML_Suite_1] Section 5.12-5-20.
Test Code	See test procedure.
Preconditions	Test environment is set up and Client device configured according to [TestEnv]
Test Procedure	Run the following assertion in the [xHTML_Suite_1]: <ul style="list-style-type: none"><li>• 45.13.03</li></ul>
Pass-Criteria	The verification criterias in the test suite are met.

### 5.3.9. *small* element

Test Case ID	xHTML-1.2-con-25
Test Object	Client device
Test Case Description	To test <i>small</i> element in Presentation module.
Specification Reference	[xHTMLMP] Section 5.
SCR Reference	XHTMLMP-XHTMLMOD-C-022
Tool	[xHTML_Suite_1] Section 5.12-5.20.
Test Code	See test procedure.
Preconditions	Test environment is set up and Client device configured according to [TestEnv]
Test Procedure	Run the following assertion in the [xHTML_Suite_1]: <ul style="list-style-type: none"><li>• 45.13.05</li></ul>
Pass-Criteria	The verification criterias in the test suite are met.



## 5.4. XHTML Document Conformance

### 5.4.1. Document conformant to XHTMLMP 1.2

Test Case ID	xHTML-1.2-con-26
Test Object	Client device
Test Case Description	To test the Document Conformance
Specification Reference	[xHTMLMP] Section 7.1
SCR Reference	XHTMLMP-XHTMLDC-C-001
Tool	[xHTML_Suite_1], Section “XHTML_Doc_Conformance”
Test Code	See test procedure
Preconditions	Test environment is set up and Client device configured according to [TestEnv]
Test Procedure	<p>Run the following assertion in the [xHTML_Suite_1]:</p> <ul style="list-style-type: none"> <li>• 45.01.01</li> <li>• 45.01.02</li> <li>• 45.01.03</li> <li>• 45.01.04</li> <li>• 45.01.05</li> </ul>
Pass-Criteria	The verification criterias in the test suite are met.

## 5.5. XHTML User Agent Conformance

### 5.5.1. Unrecognised elements

Test Case ID	xHTML-1.2-con-27
Test Object	Client device
Test Case Description	If a user agent encounters an element it does not recognize or one that is misplaced (according to the DTD), it must continue to process the children of that element. If the content is text, the text must be presented to the user. The test therefore tests that, an unrecognised element is ignored and all text content is rendered.
Specification Reference	[xHTMLMP] Section 7.2.
SCR Reference	XHTMLMP-XHTMLUA-C-001
Tool	[xHTML_Suite_2], Section “User Agent Conformance”
Test Code	See test procedure in t144.html.
Preconditions	Test environment is set up and Client device configured according to [TestEnv]
Test Procedure	Run the following assertion in the [xHTML_Suite_2]: <ul style="list-style-type: none"> <li>• t144</li> </ul>
Pass-Criteria	The verification criterias in the test suite are met.

## 5.5.2. Misc tests

Test Case ID	xHTML-1.2-con-28		
Test Object	Client device		
Test Case Description	Test miscellaneous items		
Specification Reference	[xHTMLMP] Section 7.2.		
SCR Reference	XHTMLMP-XHTMLUA-C-001		
Tool	[xHTML_Suite_1], Section “xhtml-UA-conformance”		
Test Code	See test procedure		
Preconditions	Test environment is set up and Client device configured according to [TestEnv]		
Test Procedure	Run the following assertion in the [xHTML_Suite_1]:		
	<ul style="list-style-type: none"> <li>• 45.02.01</li> <li>• 45.02.02</li> <li>• 45.02.03</li> <li>• 45.02.04</li> <li>• 45.02.05</li> <li>• 45.02.06</li> <li>• 45.02.07</li> <li>• 45.02.08</li> <li>• 45.02.09</li> <li>• 45.02.10</li> <li>• 45.02.11</li> <li>• 45.02.12</li> </ul>	<ul style="list-style-type: none"> <li>• 45.02.13</li> <li>• 45.02.14</li> <li>• 45.02.15</li> <li>• 45.02.16</li> <li>• 45.02.17</li> <li>• 45.02.18</li> <li>• 45.02.19</li> <li>• 45.02.20</li> <li>• 45.02.21</li> <li>• 45.02.22</li> <li>• 45.02.23</li> <li>• 45.02.24</li> </ul>	<ul style="list-style-type: none"> <li>• 45.02.25</li> <li>• 45.02.26</li> <li>• 45.02.27</li> <li>• 45.02.28</li> <li>• 45.02.29</li> <li>• 45.02.30</li> <li>• 45.02.31</li> <li>• 45.02.32</li> <li>• 45.02.33</li> <li>• 45.02.34</li> <li>• 45.02.35</li> <li>• 45.02.36</li> </ul>
Pass-Criteria	The verification criterias in the test suite are met.		

### 5.5.3. Unrecognised attribute and default attribute value

Test Case ID	xHTML-1.2-con-29
Test Object	Client device
Test Case Description	If a user agent encounters an attribute it does not recognize, it must ignore the attribute and its value, but it must use the default attribute value as specified in the DTD. The test case there tests that, the unrecognised attribute is ignored but the default one should be used.
Specification Reference	[xHTML] Section 7.2.
SCR Reference	XHTMLMP-XHTMLUA-C-001
Tool	[xHTML_Suite_2], Section “User Agent Conformance”
Test Code	See test procedure in t145.html.
Preconditions	Test environment is set up and Client device configured according to [TestEnv]
Test Procedure	Run the following assertion in the [xHTML_Suite_2]: <ul style="list-style-type: none"> <li>• t145</li> </ul>
Pass-Criteria	The verification criterias in the test suite are met.

## 5.6. Document Types

### 5.6.1. None terminated tags

Test Case ID	xHTML-1.2-con-30
Test Object	Client device
Test Case Description and purpose	To test that none terminated tags generate error messages
Specification Reference	[xHTMLMP] Section 7.2.
SCR Reference	XHTMLMP-DOC-C-001
Tool	[xHTML_Suite_2], Section “Error Conditions”
Test code/files	Load t150.html and all files linked to from the index.
Preconditions	Test environment is set up and Client device configured according to [TestEnv]
Test Procedure	Run the following assertion in the [xHTML_Suite_2]: <ul style="list-style-type: none"><li>• t150</li></ul>
Pass-Criteria	The verification criteria in the test suite are met. Error message will be displayed

### 5.6.2. Tags terminated in wrong order

Test Case ID	xHTML-1.2-con-31
Test Object	Client device
Test Case Description and purpose	To test that tags terminated in wrong order generate error messages
Specification Reference	[xHTMLMP] Section 7.2.
SCR Reference	XHTMLMP-DOC-C-001
Tool	[xHTML_Suite_2] Section “Error Conditions”
Test code/files	Load t151.html and all files linked to from the index.
Preconditions	Test environment is set up and Client device configured according to [TestEnv]
Test Procedure	Run the following assertion in the [xHTML_Suite_2]: <ul style="list-style-type: none"><li>• t151</li></ul>
Pass-Criteria	The verification criteria in the test suite are met. Error message will be displayed

## 5.7. Events

### 5.7.1. Support for Load Event

Test Case ID	xHTML-1.2-con-32
Test Object	Client device
Test Case Description	Test the Load event
Specification Reference	[xHTMLMP] Section 10.3.1.
SCR Reference	XHTMLMP-EVENT-C-002, XHTMLMP-EVENT-C-003
Tool	[xHTML_Suite_3] Section “Events”
Test Code	See test procedure
Preconditions	Test environment is set up and Client device configured according to [TestEnv]
Test Procedure	Run the following assertion in the [xHTML_Suite_3]: <ul style="list-style-type: none"> <li>• OnLoad</li> </ul>
Pass-Criteria	The client handles the supported event

### 5.7.2. Support for Unload Event

Test Case ID	xHTML-1.2-con-33
Test Object	Client device
Test Case Description	Test the Click event
Specification Reference	[xHTMLMP] Section 10.3.2.
SCR Reference	XHTMLMP-EVENT-C-004, XHTMLMP-EVENT-C-005
Tool	[xHTML_Suite_3] Section “Events”
Test Code	See test procedure
Preconditions	Test environment is set up and Client device configured according to [TestEnv]
Test Procedure	Run the following assertion in the [xHTML_Suite_3]: <ul style="list-style-type: none"> <li>• OnUnload</li> </ul>
Pass-Criteria	The client handles the supported event

### 5.7.3. Support for Click Event

Test Case ID	xHTML-1.2-con-34
Test Object	Client device
Test Case Description	Test the Click event
Specification Reference	[xHTMLMP] Section 10.3.3.
SCR Reference	XHTMLMP-EVENT-C-006, XHTMLMP-EVENT-C-007
Tool	[xHTML_Suite_3] Section “Events”
Test Code	See test procedure
Preconditions	Test environment is set up and Client device configured according to [TestEnv]
Test Procedure	Run the following assertion in the [xHTML_Suite_3]: <ul style="list-style-type: none"> <li>• OnClick</li> </ul>
Pass-Criteria	The client handles the supported event

### 5.7.4. Support for Double Click Event

Test Case ID	xHTML-1.2-con-35
Test Object	Client device
Test Case Description	Test the Submit event
Specification Reference	[xHTMLMP] Section 10.3.4
SCR Reference	XHTMLMP-EVENT-C-009, XHTMLMP-EVENT-C-010
Tool	[xHTML_Suite_3] Section “Events”
Test Code	See test procedure
Preconditions	Test environment is set up and Client device configured according to [TestEnv]
Test Procedure	Run the following assertion in the [xHTML_Suite_3]: <ul style="list-style-type: none"> <li>• OnDoubleClick</li> </ul>
Pass-Criteria	The client handles the supported event

### 5.7.5. Support for Focus Event

Test Case ID	xHTML-1.2-con-36
Test Object	Client device
Test Case Description	Test the Submit event
Specification Reference	[xHTMLMP] Section 10.3.5
SCR Reference	XHTMLMP-EVENT-C-022, XHTMLMP-EVENT-C-023
Tool	[xHTML_Suite_3] Section “Events”
Test Code	See test procedure
Preconditions	Test environment is set up and Client device configured according to [TestEnv]
Test Procedure	Run the following assertion in the [xHTML_Suite_3]: <ul style="list-style-type: none"> <li>• OnFocus</li> </ul>
Pass-Criteria	The client handles the supported event

### 5.7.6. Support for Blur Event

Test Case ID	xHTML-1.2-con-37
Test Object	Client device
Test Case Description	Test the Submit event
Specification Reference	[xHTMLMP] Section 10.3.6
SCR Reference	XHTMLMP-EVENT-C-024, XHTMLMP-EVENT-C-025
Tool	[xHTML_Suite_3] Section “Events”
Test Code	See test procedure
Preconditions	Test environment is set up and Client device configured according to [TestEnv]
Test Procedure	Run the following assertion in the [xHTML_Suite_3]: <ul style="list-style-type: none"> <li>• OnBlur</li> </ul>
Pass-Criteria	The client handles the supported event



### 5.7.7. Support for Key Press Event

Test Case ID	xHTML-1.2-con-38
Test Object	Client device
Test Case Description	Test the Submit event
Specification Reference	[xHTMLMP] Section 10.3.7
SCR Reference	XHTMLMP-EVENT-C-026, XHTMLMP-EVENT-C-027
Tool	[xHTML_Suite_3] Section “Events”
Test Code	See test procedure
Preconditions	Test environment is set up and Client device configured according to [TestEnv]
Test Procedure	Run the following assertion in the [xHTML_Suite_3]: <ul style="list-style-type: none"> <li>• OnKeyPress</li> </ul>
Pass-Criteria	The client handles the supported event

### 5.7.8. Support for Key Down Event

Test Case ID	xHTML-1.2-con-39
Test Object	Client device
Test Case Description	Test the Submit event
Specification Reference	[xHTMLMP] Section 10.3.8
SCR Reference	XHTMLMP-EVENT-C-029, XHTMLMP-EVENT-C-030
Tool	[xHTML_Suite_3] Section “Events”
Test Code	See test procedure
Preconditions	Test environment is set up and Client device configured according to [TestEnv]
Test Procedure	Run the following assertion in the [xHTML_Suite_3]: <ul style="list-style-type: none"> <li>• OnKeyDown</li> </ul>
Pass-Criteria	The client handles the supported event

### 5.7.9. Support for Key Up Event

Test Case ID	xHTML-1.2-con-40
Test Object	Client device
Test Case Description	Test the Submit event
Specification Reference	[xHTMLMP] Section 10.3.9
SCR Reference	XHTMLMP-EVENT-C-032, XHTMLMP-EVENT-C-033
Tool	[xHTML_Suite_3] Section “Events”
Test Code	See test procedure
Preconditions	Test environment is set up and Client device configured according to [TestEnv]
Test Procedure	Run the following assertion in the [xHTML_Suite_3]: <ul style="list-style-type: none"> <li>• OnKeyUp</li> </ul>
Pass-Criteria	The client handles the supported event

### 5.7.10. Support for Submit Event

Test Case ID	xHTML-1.2-con-41
Test Object	Client device
Test Case Description	Test the Submit event
Specification Reference	[xHTMLMP] Section 10.3.10
SCR Reference	XHTMLMP-EVENT-C-035, XHTMLMP-EVENT-C-036
Tool	[xHTML_Suite_3] Section “Events”
Test Code	See test procedure
Preconditions	Test environment is set up and Client device configured according to [TestEnv]
Test Procedure	Run the following assertion in the [xHTML_Suite_3]: <ul style="list-style-type: none"> <li>• OnSubmit</li> </ul>
Pass-Criteria	The client handles the supported event

### 5.7.11. Support for Reset Event

Test Case ID	xHTML-1.2-con-42
Test Object	Client device
Test Case Description	Test the Reset event
Specification Reference	[xHTMLMP] Section 10.3.11
SCR Reference	XHTMLMP-EVENT-C-037, XHTMLMP-EVENT-C-038
Tool	[xHTML_Suite_3] Section “Events”
Test Code	See test procedure
Preconditions	Test environment is set up and Client device configured according to [TestEnv]
Test Procedure	Run the following assertion in the [xHTML_Suite_3]: <ul style="list-style-type: none"> <li>• OnReset</li> </ul>
Pass-Criteria	The client handles the supported event

### 5.7.12. Support for Select Event

Test Case ID	xHTML-1.2-con-43
Test Object	Client device
Test Case Description	Test the Submit event
Specification Reference	[xHTMLMP] Section 10.3.12
SCR Reference	XHTMLMP-EVENT-C-039, XHTMLMP-EVENT-C-040
Tool	[xHTML_Suite_3] Section “Events”
Test Code	See test procedure
Preconditions	Test environment is set up and Client device configured according to [TestEnv]
Test Procedure	Run the following assertion in the [xHTML_Suite_3]: <ul style="list-style-type: none"> <li>• OnSelect</li> </ul>
Pass-Criteria	The client handles the supported event

### 5.7.13. Support for Change Event

Test Case ID	xHTML-1.2-con-44
Test Object	Client device
Test Case Description	Test the Submit event
Specification Reference	[xHTMLMP] Section 10.3.13
SCR Reference	XHTMLMP-EVENT-C-041, XHTMLMP-EVENT-C-042
Tool	[xHTML_Suite_3] Section “Events”
Test Code	See test procedure
Preconditions	Test environment is set up and Client device configured according to [TestEnv]
Test Procedure	Run the following assertion in the [xHTML_Suite_3]: <ul style="list-style-type: none"> <li>• OnChange</li> </ul>
Pass-Criteria	The client handles the supported event

## 5.8. Media Object Inclusion

### 5.8.1. Data

Test Case ID	xHTML-1.2-con-45
Test Object	Client device
Test Case Description	To test the rendering and displaying a GIF Image in the Browser, when the GIF Image is referenced as an “Object”, using the “data” attribute..
Specification Reference	[XHTMLMP] Section 11.1, 11.2
SCR Reference	XHTMLMP-OBJECT-C-001, XHTMLMP-OBJECT-C-002, XHTMLMP-OBJECT-C-003
Tool	[xHTML_Suite_3].Section “Media Object Inclusion“
Test Code	See test procedure
Preconditions	Test environment is set up and Client device configured according to [TestEnv]
Test Procedure	Run the following assertions (as applicable) in the [xHTML_Suite_3]: <ul style="list-style-type: none"> <li>• DataGIF</li> <li>• DataVideo</li> <li>• Data_with_Codebase</li> <li>• Data_unknown</li> </ul>
Pass-Criteria	The verification criterias in the test suite are met.

## 5.8.2. ClassId

Test Case ID	xHTML-1.2-con-46
Test Object	Client device
Test Case Description	To test the rendering and displaying a GIF Image in the Browser, when the GIF Image is referenced as an “Object”, using the “classid” attribute..
Specification Reference	[XHTMLMP] Section 11.3
SCR Reference	XHTMLMP-OBJECT-C-004
Tool	[xHTML_Suite_3].Section “Media Object Inclusion“
Test Code	See test procedure
Preconditions	Test environment is set up and Client device configured according to [TestEnv]
Test Procedure	Run the following assertion in the [xHTML_Suite_3]: <ul style="list-style-type: none"> <li>• ClassId</li> </ul>
Pass-Criteria	The verification criterias in the test suite are met.

### 5.8.3. ClassId Priority over Data

Test Case ID	xHTML-1.2-con-47
Test Object	Client device
Test Case Description	To verify that an Object included using the “classid” attribute takes precedence over an object included using the “data” attribute.
Specification Reference	[XHTMLMP] Section 11.1
SCR Reference	XHTMLMP-OBJECT-C-005
Tool	[xHTML_Suite_3].Section “Media Object Inclusion“
Test Code	See test procedure
Preconditions	Test environment is set up and Client device configured according to [TestEnv]
Test Procedure	Run the following assertion in the [xHTML_Suite_3]: <ul style="list-style-type: none"> <li>• ClassId_precedence</li> </ul>
Pass-Criteria	The verification criterias in the test suite are met.

## 5.8.4. Parameters

Test Case ID	xHTML-1.2-con-48
Test Object	Client device
Test Case Description	To verify that an Object inclusion can handle parameters
Specification Reference	[XHTMLMP] Section 11.2, 11.3
SCR Reference	XHTMLMP-OBJECT-C-006
Tool	[xHTML_Suite_3].Section “Media Object Inclusion“
Test Code	See test procedure
Preconditions	Test environment is set up and Client device configured according to [TestEnv]  The Application supports inline sound using mp3.
Test Procedure	Run the following assertion in the [xHTML_Suite_3]:  <ul style="list-style-type: none"> <li>• Parameters</li> </ul>
Pass-Criteria	The verification criterias in the test suite are met.



### 5.8.5. PUSH\_Application\_ID

Test Case ID	xHTML-1.2-con-49
Test Object	Client device
Test Case Description	To verify that an Object inclusion can use the PUSH Application ID to identify the location application
Specification Reference	[XHTMLMP] Section 11.3
SCR Reference	XHTMLMP-OBJECT-C-007
Tool	[xHTML_Suite_3].Section "Media Object Inclusion"
Test Code	See test procedure
Preconditions	Test environment is set up and Client device configured according to [TestEnv]
Test Procedure	Run the following assertion in the [xHTML_Suite_3]: <ul style="list-style-type: none"> <li>• PUSH_App_ID</li> </ul>
Pass-Criteria	The verification criterias in the test suite are met.

### 5.8.6. Declare

Test Case ID	xHTML-1.2-con-50
Test Object	Client device
Test Case Description	To verify support for declared objects using the “declare” attribute
Specification Reference	[XHTMLMP] Section 11.4
SCR Reference	XHTMLMP-OBJECT-C-008
Tool	[xHTML_Suite_3].Section “Media Object Inclusion“
Test Code	See test procedure
Preconditions	Test environment is set up and Client device configured according to [TestEnv]
Test Procedure	Run the following assertion in the [xHTML_Suite_3]: <ul style="list-style-type: none"><li>• Declare</li></ul>
Pass-Criteria	The verification criterias in the test suite are met.

## 5.9. Navigation Optimizations

### 5.9.1. Access Keys

Test Case ID	xHTML-1.2-con-51
Test Object	Client device
Test Case Description	To test the assigning of keys to a link or form control.
Specification Reference	[XHTMLMP] Section 12.1.
SCR Reference	XHTMLMP-NAVOPT-C-001
Tool	[xHTML_Suite_1]., section “XHTML Common”
Test Code	See test procedure
Preconditions	Test environment is set up and Client device configured according to [TestEnv]
Test Procedure	<p>Load [xHTML_Suite_1]:</p> <ul style="list-style-type: none"> <li>• 45.12.01 Accesskey Test 1</li> <li>• 45.12.02 Accesskey Test 2</li> <li>• 45.12.03 Unsupported Accesskeys</li> </ul>
Pass-Criteria	The verification criterias in the test suite are met.

## 5.9.2. Links

Test Case ID	xHTML-1.2-con-52
Test Object	Client device
Test Case Description	To test if the user agent uses the “title” attribute of the anchor (a) element as the link title.
Specification Reference	[XHTMLMP] Section 12.2.
SCR Reference	XHTMLMP-NAVOPT-C-002
Tool	[xHTML_Suite_3], Section “Navigation” [xHTML_Suite_1], section “XHTML common”
Test Code	See test procedure
Preconditions	Test environment is set up and Client device configured according to [TestEnv]
Test Procedure	<p>Load [xHTML_Suite_3]:</p> <ul style="list-style-type: none"> <li>• Link - use Title attribute</li> </ul> <p>Load [xHTML_Suite_1]:</p> <ul style="list-style-type: none"> <li>• 45.12.09 Title Input</li> <li>• 45.12.10 Title Select</li> <li>• 45.12.11 Title Textarea</li> <li>• 45.12.12 Title Misc</li> </ul>
Pass-Criteria	The verification criterias in the test suite are met.

### 5.9.3. Navigation Menu

Test Case ID	xHTML-1.2-con-53
Test Object	Client device
Test Case Description	To test the support of access to linked resources, defined by the <code>link</code> elements “start”, “next” and “prev”.
Specification Reference	[XHTMLMP] Section 12.3
SCR Reference	XHTMLMP-NAVOPT-C-003
Tool	[xHTML_Suite_3], section “Navigation”
Test Code	See test procedure
Preconditions	Test environment is set up and Client device configured according to [TestEnv]
Test Procedure	Load [xHTML_Suite_3]: <ul style="list-style-type: none"><li>• Navigation Menu</li></ul>
Pass-Criteria	The verification criterias in the test suite are met.

## 5.10. Text Input Modes

### 5.10.1. Digits

Test Case ID	xHTML-1.2-con-54
Test Object	Client device
Test Case Description	To test the support of formatting of input fields.
Specification Reference	[XHTMLMP] Section 13.2
SCR Reference	XHTMLMP-INPUTMODE-C-001, XHTMLMP-INPUTMODE-C-002
Tool	[xHTML_Suite_3].section "Input Modes"
Test Code	See test procedure
Preconditions	Test environment is set up and Client device configured according to [TestEnv]
Test Procedure	Load [xHTML_Suite_3]: <ul style="list-style-type: none"> <li>• Text Input Mode - Digits</li> </ul>
Pass-Criteria	The verification criterias in the test suite are met.

### 5.10.2. lowerCase

Test Case ID	xHTML-1.2-con-55
Test Object	Client device
Test Case Description	To test the support of formatting of input fields.
Specification Reference	[XHTMLMP] Section 13.2.
SCR Reference	XHTMLMP-INPUTMODE-C-002
Tool	[xHTML_Suite_3]. section "Input Modes"
Test Code	See test procedure
Preconditions	Test environment is set up and Client device configured according to [TestEnv]
Test Procedure	Load [xHTML_Suite_3]: <ul style="list-style-type: none"> <li>• Text Input Mode – Lower Case</li> </ul>
Pass-Criteria	The verification criterias in the test suite are met.

### 5.10.3. inputmode attribute on `textarea` element

Test Case ID	xHTML-1.2-con-56
Test Object	Client device
Test Case Description	To test the support of formatting of input fields.
Specification Reference	[XHTMLMP] Section 13.2.
SCR Reference	XHTMLMP-INPUTMODE-C-003
Tool	[xHTML_Suite_3], section "Input Modes"
Test Code	See test procedure
Preconditions	Test environment is set up and Client device configured according to [TestEnv]
Test Procedure	Load [xHTML_Suite_3]: <ul style="list-style-type: none"><li>• Text Area Input Mode - Lower Case</li></ul>
Pass-Criteria	The verification criterias in the test suite are met.

## Appendix A. Change History

(Informative)

### A.1 Approved Version History

Reference	Date	Description
n/a	n/a	No prior version –or- No previous version within OMA

### A.2 Draft/Candidate Version XHTMLMP CON 1.2 History

Document Identifier	Date	Sections	Description
Draft Versions OMA-ETS-xHTMLMP_CON-V1_2	23 Jan 2006	All	Initial draft.
	15 Mar 2006	5	Updated after review
	27 Mar 2006	5	Removed WCSS tests, removed references to missing test code.
	31 Mar 2006	5	Added test code references. Added sections in section 5.8 (Events). Removed section 5.7
	9 May 2006	5.7	Added more Event test cases
	07 Jul 2006	5.8, 5.10	Added more Object Inclusion test cases and corrected SCR references.
	18 Jul 2006	All	Agreed by IOP BRO
	27 Jul 2006	Page 1 & 6	Agreed by IOP with corrections on the logo and the Normative References
Draft Version OMA-ETS-xHTMLMP_CON-V1_2	31 Jul 2006	Title and filename	Changed title and filename from XHTML to XHTMLMP
Candidate Versions OMA-ETS-xHTMLMP_CON-V1_2	15 Aug 2006	n/a	Status changed to Candidate OMA-TP-2006-0289R02- INP_ETS_XHTMLMP_CON_V1_2_for_Candidate_Approval TP R&A 02-15 Aug.
	30 Nov 2006	2.1	Incorporated CR: OMA-IOP-BRO-2006-0222