



# **Converged Address Book Management Object**

Approved Version 1.0 – 13 Nov 2012

---

**Open Mobile Alliance**  
OMA-TS-CAB\_MO-V1\_0-20121113-A

Use of this document is subject to all of the terms and conditions of the Use Agreement located at <http://www.openmobilealliance.org/UseAgreement.html>.

Unless this document is clearly designated as an approved specification, this document is a work in process, is not an approved Open Mobile Alliance™ specification, and is subject to revision or removal without notice.

You may use this document or any part of the document for internal or educational purposes only, provided you do not modify, edit or take out of context the information in this document in any manner. Information contained in this document may be used, at your sole risk, for any purposes. You may not use this document in any other manner without the prior written permission of the Open Mobile Alliance. The Open Mobile Alliance authorizes you to copy this document, provided that you retain all copyright and other proprietary notices contained in the original materials on any copies of the materials and that you comply strictly with these terms. This copyright permission does not constitute an endorsement of the products or services. The Open Mobile Alliance assumes no responsibility for errors or omissions in this document.

Each Open Mobile Alliance member has agreed to use reasonable endeavors to inform the Open Mobile Alliance in a timely manner of Essential IPR as it becomes aware that the Essential IPR is related to the prepared or published specification. However, the members do not have an obligation to conduct IPR searches. The declared Essential IPR is publicly available to members and non-members of the Open Mobile Alliance and may be found on the “OMA IPR Declarations” list at <http://www.openmobilealliance.org/ipr.html>. The Open Mobile Alliance has not conducted an independent IPR review of this document and the information contained herein, and makes no representations or warranties regarding third party IPR, including without limitation patents, copyrights or trade secret rights. This document may contain inventions for which you must obtain licenses from third parties before making, using or selling the inventions. Defined terms above are set forth in the schedule to the Open Mobile Alliance Application Form.

NO REPRESENTATIONS OR WARRANTIES (WHETHER EXPRESS OR IMPLIED) ARE MADE BY THE OPEN MOBILE ALLIANCE OR ANY OPEN MOBILE ALLIANCE MEMBER OR ITS AFFILIATES REGARDING ANY OF THE IPR'S REPRESENTED ON THE “OMA IPR DECLARATIONS” LIST, INCLUDING, BUT NOT LIMITED TO THE ACCURACY, COMPLETENESS, VALIDITY OR RELEVANCE OF THE INFORMATION OR WHETHER OR NOT SUCH RIGHTS ARE ESSENTIAL OR NON-ESSENTIAL.

THE OPEN MOBILE ALLIANCE IS NOT LIABLE FOR AND HEREBY DISCLAIMS ANY DIRECT, INDIRECT, PUNITIVE, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES ARISING OUT OF OR IN CONNECTION WITH THE USE OF DOCUMENTS AND THE INFORMATION CONTAINED IN THE DOCUMENTS.

© 2012 Open Mobile Alliance Ltd. All Rights Reserved.

Used with the permission of the Open Mobile Alliance Ltd. under the terms set forth above.

# Contents

- 1. SCOPE.....4
- 2. REFERENCES .....5
  - 2.1 NORMATIVE REFERENCES.....5
  - 2.2 INFORMATIVE REFERENCES.....5
- 3. TERMINOLOGY AND CONVENTIONS.....6
  - 3.1 CONVENTIONS.....6
  - 3.2 DEFINITIONS.....6
  - 3.3 ABBREVIATIONS.....6
- 4. INTRODUCTION .....7
  - 4.1 VERSION 1.0 .....7
- 5. OMA CAB MANAGEMENT OBJECT .....8
  - 5.1 MANAGEMENT OBJECT TREE .....8
  - 5.2 MANAGEMENT OBJECT PARAMETERS.....9
    - 5.2.1 Node: /<x> .....9
    - 5.2.2 Node: /<x>/<x> .....9
    - 5.2.3 Node: /<x>/<x>/CAB-Rel .....9
    - 5.2.4 Node: /<x>/CAB-Provider-Name .....9
    - 5.2.5 Node: /<x>/CABServer .....10
    - 5.2.6 Node: /<x>/CABServer/ToDSRef .....10
    - 5.2.7 Node: /<x>/CABXDM.....10
    - 5.2.8 Node: /<x>/CABXDM/ToXDMRef .....10
    - 5.2.9 Node: /<x>/CAB-Notifications.....11
    - 5.2.10 Node: /<x>/CAB-Notifications/NotificationType .....11
    - 5.2.11 Node: /<x>/CAB-Notifications/NotificationInfo .....11
    - 5.2.12 Node: /<x>/Ext .....11
- APPENDIX A. CHANGE HISTORY (INFORMATIVE).....12
  - A.1 APPROVED VERSION 1.0 HISTORY .....12

# Figures

- Figure 1: The OMA CAB Management Object tree.....8

# 1. Scope

This document defines the OMA CAB Management Object (MO). The MO is defined using the OMA Device Description Framework.

## 2. References

### 2.1 Normative References

- [CAB AD] “Converged Address Book Architecture”, Version 1.0, Open Mobile Alliance™, OMA-AD-CAB-V1\_0, URL: <http://www.openmobilealliance.org/>
- [DM ERELD] “Enabler Release Definition for OMA Device Management”, Version 1.2, Open Mobile Alliance™, OMA-ERELED-DM-V1\_2, URL: <http://www.openmobilealliance.org/>
- [DS MO] “OMA DS Management Object”, Version 1.0, Open Mobile Alliance™, OMA-TS-DS\_MO-V1\_0, URL: <http://www.openmobilealliance.org/>
- [OMA DM TND] “OMA Device Management Tree and Description”, Version 1.2, Open Mobile Alliance™, OMA-TS-DM-TND-V1\_2, URL: <http://www.openmobilealliance.org/>
- [OMA DM SO] “OMA Device Management Standardized Objects”, Version 1.2, Open Mobile Alliance™, OMA-TS-DM-StdObj-V1\_2, URL: <http://www.openmobilealliance.org/>
- [PUSH MO] “OMA Push Management Object”, Version 1.0, Open Mobile Alliance™, OMA-TS-Push\_MO-V1\_0, URL: <http://www.openmobilealliance.org/>
- [RFC2119] “Key words for use in RFCs to Indicate Requirement Levels”, S. Bradner, March 1997, URL: <http://www.ietf.org/rfc/rfc2119.txt>
- [RFC4234] “Augmented BNF for Syntax Specifications: ABNF”. D. Crocker, Ed., P. Overell. October 2005, URL: <http://www.ietf.org/rfc/rfc4234.txt>
- [SCRRULES] “SCR Rules and Procedures”, Open Mobile Alliance™, OMA-ORG-SCR\_Rules\_and\_Procedures, URL: <http://www.openmobilealliance.org/>
- [XDM MO] “OMA Management Object for XML Document Management”, Version 2.1, Open Mobile Alliance™, OMA-TS-XDM\_MO-V2\_1, URL: <http://www.openmobilealliance.org/>

### 2.2 Informative References

## 3. Terminology and Conventions

### 3.1 Conventions

The key words “MUST”, “MUST NOT”, “REQUIRED”, “SHALL”, “SHALL NOT”, “SHOULD”, “SHOULD NOT”, “RECOMMENDED”, “MAY”, and “OPTIONAL” in this document are to be interpreted as described in [RFC2119].

All sections and appendixes, except “Scope” and “Introduction”, are normative, unless they are explicitly indicated to be informative.

### 3.2 Definitions

<b>CAB Client</b>	See [CAB AD]
<b>Management Object</b>	See [OMA DM TND]

### 3.3 Abbreviations

<b>DM</b>	Device Management
<b>MO</b>	Management Object
<b>OMA</b>	Open Mobile Alliance

## 4. Introduction

This document describes the configuration parameters and associated management object syntax that allows configuration of OMA CAB Client(s).

### 4.1 Version 1.0

The CAB MO Version 1.0 aims to provide the configuration parameters for the CAB Client.

The CAB MO Version 1.0 can be used for CAB 1.0 Enabler.

## 5. OMA CAB Management Object

This subclause defines the Management Object (MO) for OMA CAB. The MO SHOULD be used for initial provisioning of parameters when the DM Profile is to be used, and the MO SHOULD be used for continuous provisioning, which allows the service provider to update any parameter defined in the MO tree for service configurations during service deployment [DM\_ERELD].

The OMA CAB Management Object consists of relevant parameters for configuration of CAB Client(s). It is defined using the OMA DM Device Description Framework as described in [OMA DM TND] and [OMA DM SO].

The Management Object Identifier is: urn:oma:mo:oma-cab:1.0

Protocol compatibility: This MO is compatible with OMA DM 1.2 (see [DM ERELD]).

Management object name: OMA\_CAB

### 5.1 Management Object Tree

This section describes the Management Object tree (i.e. nodes and leaf objects) for provisioning of OMA CAB Client(s).

Figure 1 shows the interior nodes and leaf objects defined under the OMA\_CAB node, which is used for configuration of CAB Clients.




Figure 1: The OMA CAB Management Object tree



## 5.2 Management Object Parameters

This section describes the parameters for OMA CAB MO.

### 5.2.1 Node: /<x>

<x>

Status	Tree Occurrence	Format	Min. Access Types
Required	OneOrMore	node	Get

This interior node represents the unique object id of a *Converged Address Book Management Object*, or CAB MO. The purpose of this interior node is to group together the parameters of a single CAB MO object. The ancestor elements of this node define the position in the management tree of the CAB MO.

The Management Object Identifier is: “urn:oma:mo:oma-cab:1.0”

The interior node is mandatory if OMA CAB is supported.

### 5.2.2 Node: /<x>/<x>

<x>

Status	Tree Occurrence	Format	Min. Access Types
Required	OneOrMore	node	Get

This node is a placeholder for the CAB-Rel list. There SHALL be one or more of these nodes, each containing a CAB-Rel parameter/leaf node. This allows for multiple CAB-Rel values to be associated with the CAB MO.

### 5.2.3 Node: /<x>/<x>/CAB-Rel

<x>/CAB-Rel

Status	Tree Occurrence	Format	Min. Access Types
Required	One	chr	Get

This parameter/leaf node specifies the version of the CAB Release information supported by the CAB Client.

### 5.2.4 Node: /<x>/CAB-Provider-Name

CAB-Provider-Name

Status	Tree Occurrence	Format	Min. Access Types
Optional	ZeroOrOne	chr	Get

This parameter/leaf node provides an identifier for the service provider of this CAB service, which is expected to be globally unique..

## 5.2.5 Node: /<x>/CABServer

### CABServer

Status	Tree Occurrence	Format	Min. Access Types
Required	One	node	Get

This interior node represents a container for configuring CAB Server related properties.

## 5.2.6 Node: /<x>/CABServer/ToDSRef

### CABServer/ToDSRef

Status	Tree Occurrence	Format	Min. Access Types
Required	One	chr	Get

This parameter/leaf node specifies a reference to DS MO as defined in [DS MO] that is used to configure the DS client associated with the CAB Client. The referenced DS management object is either an existing instance on the client device or an instance specific to this CAB MO.

The value SHALL be a valid reference to a DS Management Object.

## 5.2.7 Node: /<x>/CABXDM

### CABXDM

Status	Tree Occurrence	Format	Min. Access Types
Required	One	node	Get

This interior node represents a container for configuring CAB XDMS related properties.

## 5.2.8 Node: /<x>/CABXDM/ToXDMLRef

### CABXDM/ToXDMLRef

Status	Tree Occurrence	Format	Min. Access Types
Required	One	chr	Get

This parameter/leaf node specifies a reference to XDM MO as defined in [XDM MO] that is used to configure the XDM Client associated with the CAB Client. The referenced XDM management object is either an existing instance on the client device or an instance specific to this CAB MO.

The value SHALL be a valid reference to a XDM Management Object.

## 5.2.9 Node: /<x>/CAB-Notifications

### CAB-Notifications

Status	Tree Occurrence	Format	Min. Access Types
Required	One	node	Get

This interior node represents a container for configuring CAB Notification information.

## 5.2.10 Node: /<x>/CAB-Notifications/NotificationType

### CAB-Notifications/NotificationType

Status	Tree Occurrence	Format	Min. Access Types
Required	One	chr	Get

This parameter/leaf node indicates the type of notification supported by the CAB Client i.e. either SIP or non-SIP notifications.

The value SHALL be a one of the following enumerations: 'SIP', 'non-SIP'

## 5.2.11 Node: /<x>/CAB-Notifications/NotificationInfo

### CAB-Notifications/NotificationInfo

Status	Tree Occurrence	Format	Min. Access Types
Optional	One	chr	Get

This parameter/leaf node provides additional notification information subject to the notification type (See 5.2.10 'NotificationType'). If the notification type is SIP, this parameter is not used since the information related to SIP notifications is provide in the XDM MO reference parameter (See 5.2.8 'ToXDMLRef'). If the notification type is non-SIP, this parameter SHALL be used to configure the Push Client associated with the CAB Client, and the value SHALL contain a reference to the OMA PUSH MO [PUSH MO]. The referenced PUSH management object is either an existing instance on the client device or an instance specific to this CAB MO.

The value SHALL be a valid reference to a OMA PUSH Management Object.

## 5.2.12 Node: /<x>/Ext

### Ext

Status	Tree Occurrence	Format	Min. Access Types
Optional	ZeroOrOne	node	Get

This interior node designates a branch of the <x> sub-tree into which vendor extensions MAY be added, permanently or dynamically. Ext sub tree provides flexible points of extension for vendor-specific parameters. However, vendor extensions MUST NOT be defined outside of Ext sub-tree.

## Appendix A. Change History

(Informative)

### A.1 Approved Version 1.0 History

Reference	Date	Description
OMA-TS-CAB_MO-V1_0-20121113-A	13 Nov 2012	Status changed to Approved by TP: OMA-TP-2012-0407-INP_CAB_V1_0_ERP_for_Final_Approval