



Enabler Release Definition for DCD

Candidate Version 1.0 – 26 Oct 2009

Open Mobile Alliance
OMA-ERELD-DCD-V1_0-20091026-C

Use of this document is subject to all of the terms and conditions of the Use Agreement located at <http://www.openmobilealliance.org/UseAgreement.html>.

Unless this document is clearly designated as an approved specification, this document is a work in process, is not an approved Open Mobile Alliance™ specification, and is subject to revision or removal without notice.

You may use this document or any part of the document for internal or educational purposes only, provided you do not modify, edit or take out of context the information in this document in any manner. Information contained in this document may be used, at your sole risk, for any purposes. You may not use this document in any other manner without the prior written permission of the Open Mobile Alliance. The Open Mobile Alliance authorizes you to copy this document, provided that you retain all copyright and other proprietary notices contained in the original materials on any copies of the materials and that you comply strictly with these terms. This copyright permission does not constitute an endorsement of the products or services. The Open Mobile Alliance assumes no responsibility for errors or omissions in this document.

Each Open Mobile Alliance member has agreed to use reasonable endeavors to inform the Open Mobile Alliance in a timely manner of Essential IPR as it becomes aware that the Essential IPR is related to the prepared or published specification. However, the members do not have an obligation to conduct IPR searches. The declared Essential IPR is publicly available to members and non-members of the Open Mobile Alliance and may be found on the “OMA IPR Declarations” list at <http://www.openmobilealliance.org/ipr.html>. The Open Mobile Alliance has not conducted an independent IPR review of this document and the information contained herein, and makes no representations or warranties regarding third party IPR, including without limitation patents, copyrights or trade secret rights. This document may contain inventions for which you must obtain licenses from third parties before making, using or selling the inventions. Defined terms above are set forth in the schedule to the Open Mobile Alliance Application Form.

NO REPRESENTATIONS OR WARRANTIES (WHETHER EXPRESS OR IMPLIED) ARE MADE BY THE OPEN MOBILE ALLIANCE OR ANY OPEN MOBILE ALLIANCE MEMBER OR ITS AFFILIATES REGARDING ANY OF THE IPR'S REPRESENTED ON THE “OMA IPR DECLARATIONS” LIST, INCLUDING, BUT NOT LIMITED TO THE ACCURACY, COMPLETENESS, VALIDITY OR RELEVANCE OF THE INFORMATION OR WHETHER OR NOT SUCH RIGHTS ARE ESSENTIAL OR NON-ESSENTIAL.

THE OPEN MOBILE ALLIANCE IS NOT LIABLE FOR AND HEREBY DISCLAIMS ANY DIRECT, INDIRECT, PUNITIVE, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES ARISING OUT OF OR IN CONNECTION WITH THE USE OF DOCUMENTS AND THE INFORMATION CONTAINED IN THE DOCUMENTS.

© 2009 Open Mobile Alliance Ltd. All Rights Reserved.

Used with the permission of the Open Mobile Alliance Ltd. under the terms set forth above.

Contents

- 1. SCOPE4
- 2. REFERENCES5
 - 2.1 NORMATIVE REFERENCES5
 - 2.2 INFORMATIVE REFERENCES5
- 3. TERMINOLOGY AND CONVENTIONS6
 - 3.1 CONVENTIONS6
 - 3.2 DEFINITIONS6
 - 3.3 ABBREVIATIONS6
- 4. RELEASE VERSION OVERVIEW7
 - 4.1 VERSION 1.0 FUNCTIONALITY7
- 5. DOCUMENT LISTING FOR DCD9
- 6. OMNA CONSIDERATIONS10
- 7. CONFORMANCE REQUIREMENTS NOTATION DETAILS11
- 8. ERDEF FOR DCD - CLIENT REQUIREMENTS12
- 9. ERDEF FOR DCD - SERVER REQUIREMENTS13
- APPENDIX A. CHANGE HISTORY (INFORMATIVE)14
 - A.1 APPROVED VERSION HISTORY14
 - A.2 DRAFT/CANDIDATE VERSION 1.0 HISTORY14

Figures

- Figure 1: DCD Server and DCD Client7

Tables

- Table 1: Listing of Documents in DCD Enabler9
- Table 2: ERDEF for DCD Client-side Requirements12
- Table 3: ERDEF for DCD Server-side Requirements13

1. Scope

The scope of this document is limited to the Enabler Release Definition of DCD according to OMA Release process and the Enabler Release specification baseline listed in section 5.

2. References

2.1 Normative References

- [DCD-AD] “Dynamic Content Delivery Architecture”, Version 1.0, Open Mobile Alliance™, OMA-AD-DCD -V1_0, [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [DCD-BCAST] “Dynamic Content Delivery Technical Specification – BCAST Adaptation”, Version 1.0, Open Mobile Alliance™, OMA-TS-DCD_BCAST-V1_0, [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [DCD-CBS] “Dynamic Content Delivery Technical Specification – CBS Adaptation”, Version 1.0, Open Mobile Alliance™, OMA-TS-DCD_CBS-V1_0, [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [DCD-Charging] “OMA DCD Charging”, Version 1.0, Open Mobile Alliance™, OMA-TS-DCD_Charging-V1_0, [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [DCD-MO] “OMA DCD Management Object”, Version 1.0, Open Mobile Alliance™, OMA-TS-DCD_MO-V1_0, [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [DCD-RD] “Dynamic Content Delivery Requirements”, Version 1.0, Open Mobile Alliance™, OMA-RD-DCD -V1_0, [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [DCD-Semantics] “Dynamic Content Delivery Technical Specification – Session and Transactions”, Version 1.0, Open Mobile Alliance™, OMA-TS-DCD_Semantics-V1_0, [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [DCD_ETR] “Enabler Test Requirements for DCD”, Version 1.0, Open Mobile Alliance™, OMA-ETR-DCD-V1_0, [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [OMNA] “OMA Naming Authority”. Open Mobile Alliance™. <http://www.openmobilealliance.org/tech/omna>
- [RFC2119] “Key words for use in RFCs to Indicate Requirement Levels”, S. Bradner, March 1997, [URL:http://www.ietf.org/rfc/rfc2119.txt](http://www.ietf.org/rfc/rfc2119.txt)
- [SCR RULES] “SCR Rules and Procedures”, Open Mobile Alliance™, OMA-ORG-SCR_Rules_and_Procedures, [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)

2.2 Informative References

- [OMADICT] “Dictionary for OMA Specifications”, Version x.y, Open Mobile Alliance™, OMA-ORG-Dictionary-Vx_y, [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)

3. Terminology and Conventions

3.1 Conventions

The key words “MUST”, “MUST NOT”, “REQUIRED”, “SHALL”, “SHALL NOT”, “SHOULD”, “SHOULD NOT”, “RECOMMENDED”, “MAY”, and “OPTIONAL” in this document are to be interpreted as described in [RFC2119].

All sections and appendixes, except “Scope”, "Release Version Overview" and “Conformance Requirements Notation Details”, are normative, unless they are explicitly indicated to be informative.

The formal notation convention used in sections 8 and 9 to formally express the structure and internal dependencies between specifications in the Enabler Release specification baseline is detailed in [SCRRULES].

3.2 Definitions

DCD Client	See [DCD-RD].
DCD-Enabled Client Application	See [DCD-RD].
DCD Server	See [DCD-RD].
Enabler Release	Collection of specifications that combined together form an enabler for a service area, e.g. a download enabler, a browsing enabler, a messaging enabler, a location enabler, etc. The specifications that are forming an enabler should combined fulfil a number of related market requirements.
Minimum Functionality Description	Description of the guaranteed features and functionality that will be enabled by implementing the minimum mandatory part of the Enabler Release.

3.3 Abbreviations

DCD	Dynamic Content Delivery
ERDEF	Enabler Requirement Definition
ERELED	Enabler Release Definition
OMA	Open Mobile Alliance
OMNA	Open Mobile Naming Authority

4. Release Version Overview

This document outlines the Enabler Release Definition for DCD and the respective conformance requirements for clients and servers claiming compliance to it as defined by Open Mobile Alliance across the specification baseline.

The DCD enabler's primary goal is to facilitate simplified user access to content services, by providing automated delivery of personalized content direct to the user's device. [DCD-AD] defines the architectural context of the DCD enabler, which includes the enabler entities **DCD Server** and **DCD Client**. In illustration:




Figure 1: DCD Server and DCD Client

DCD's specifications address the interfaces and behaviors of the DCD Server and DCD Client, which collectively support DCD-enabled service definition, access, discovery, selection, and delivery. The specifications encompass the following overall functions:

1. Client activation and DCD session management
2. DCD-Enabled Client Application registration
3. Subscription to DCD-enabled services
4. Subscription personalization
5. Content delivery to DCD-Enabled Client Application via pull and push methods
6. Content submission by DCD-Enabled Client Application
7. DCD-enabled service suspension
8. Channel discovery for DCD-enabled services
9. Usage tracking
10. Dynamic device context awareness
11. Charging
12. Deployment in a default network context supporting point-to-point IP bearers for pull methods and OMA Push for push methods
13. Adaptation for broadcast operation in OMA BCAST and Cell Broadcast network contexts

4.1 Version 1.0 Functionality

This release includes support for all DCD requirements defined in [DCD-RD]. The minimum functionality required for DCD Servers and DCD Clients includes:

1. Client activation and DCD session management
2. DCD-Enabled Client Application registration
3. Subscription to DCD-enabled services
4. Content delivery to DCD-Enabled Client Application via pull and push methods
5. Content submission by DCD-Enabled Client Application

6. DCD-enabled service suspension
7. DCD-enabled service discovery
8. Charging
9. Deployment in a default network context supporting point-to-point IP bearers for pull methods and OMA Push for push methods

5. Document Listing for DCD

This section is normative.

Doc Ref	Permanent Document Reference	Description
Requirement Document		
[DCD_RD]	OMA-RD-DCD-V1_0-20081223-C	Requirement Document for DCD Enabler
Architecture Document		
[DCD_AD]	OMA-AD-DCD-V1_0-20081223-C	Architecture Document for DCD Enabler
Technical Specifications		
[DCD_Semantics]	OMA-TS-DCD_Semantics-V1_0-20091026-C	Specification that defines the interfaces and behaviors for the DCD Client and DCD Server.
[DCD_Charging]	OMA-TS-DCD_Charging-V1_0-20081223-C	Specification that defines the charging interfaces of the DCD Server.
[DCD_BCAST]	OMA-TS-DCD_BCAST_Adaptation-V1_0-20081223-C	Specification that defines the adaptation of DCD for operation over broadcast networks based upon OMA BCAST.
[DCD_CBS]	OMA-TS-DCD_CBS_Adaptation-V1_0-20081223-C	Specification that defines the adaptation of DCD for operation over broadcast networks based upon Cell Broadcast.
Supporting Files		
[DCD_XSD]	OMA-SUP-XSD_DCD-V1_0-20090612-C	XML schema for the messages and included elements of the DCD interfaces. Working file in DTD directory: file: dcd-v1_0.xsd path: http://www.openmobilealliance.org/Tech/profiles
[DCD_MO]	OMA-TS-DCD_MO-V1_0-20081223-C	Specification that defines the management object enabling configuration of DCD connection profiles via OMA Device Management. Working file in Application Characteristics directory: file: MO_DCD_DDF-V1_0.ddf path: http://www.openmobilealliance.org/tech/omna/dm-mo

Table 1: Listing of Documents in DCD Enabler

6. OMNA Considerations

DCD includes the following OMNA items:

1. OMA-based Uniform Resource Name (URN), used as the namespace identifier in the DCD schema
 - a. xmlns:dcd="http://www.openmobilealliance.com/oma-dcd/1.0"
2. Management Object
 - a. MO_DCD_DDF-V1_0.ddf
3. PUSH Application Id
 - a. x-wap-application:dcd.ua
4. Content (MIME) Types and tokens
 - a. MIME type and token of DCD XML messages
 - i. application/vnd.oma.dcd
 - ii. 0x53
 - b. MIME type and token of binary XML tokenized DCD XML messages
 - i. application/vnd.oma.dcdc
 - ii. 0x54
5. DCD XML schema
 - a. http://www.openmobilealliance.org/tech/profiles/profiles/dcd-v1_0.xsd
6. WBXML Document Public Identifier and token
 - a. -//OMA//DCD 1.0//EN
 - b. 0x15
7. User Agent Profile extension schema
 - a. http://www.openmobilealliance.org/tech/profiles/profiles/ccppschemadcd-v1_0
8. CBS reserved ports for DCD over CBS
 - a. 7278

7. Conformance Requirements Notation Details

This section is informative

The tables in following chapters use the following notation:

- Item:** Entry in this column **MUST** be a valid `ScrItem` according to [SCRRULES].
- Feature/Application:** Entry in this column **SHOULD** be a short descriptive label to the **Item** in question.
- Requirement:** Expression in the column **MUST** be a valid `TerminalExpression` according to [SCRRULES] and it **MUST** accurately reflect the architectural requirement of the **Item** in question.

8. ERDEF for DCD - Client Requirements

This section is normative.

Item	Feature / Application	Requirement
OMA-ERDEF-DCD-C-001-M	DCD Client	[DCD-Semantics]:MCF

Table 2: ERDEF for DCD Client-side Requirements

9. ERDEF for DCD - Server Requirements

This section is normative.

Item	Feature / Application	Requirement
OMA-ERDEF-DCD-S-001-M	DCD Server	[DCD-Semantics]:MSF

Table 3: ERDEF for DCD Server-side Requirements

Appendix A. Change History (Informative)

A.1 Approved Version History

Reference	Date	Description
n/a	n/a	No prior version –or- No previous version within OMA

A.2 Draft/Candidate Version 1.0 History

Document Identifier	Date	Sections	Description
Draft Versions OMA-ERELED-DCD-V1_0	17 Jun 2008	All	Initial draft
	20 Oct 2008	5,6	Updated per OMA-CONRR-DCD-V1_0-20081021
	26 Nov 2008	5 2.2	Document Listing for DCD updated with latest documents Empty rows removed in Informative References
Candidate Version OMA-ERELED-DCD-V1_0	23 Dec 2008	All	Status changed to Candidate by TP OMA-TP-2008-0493- INP_DCD_V1_0_ERP_for_Candidate_Approval
Draft Versions OMA-ERELED-DCD-V1_0	09 Jun 2009	All	Editorial update: 2009 copyright Document listing updated
Candidate Version OMA-ERELED-DCD-V1_0	12 Jun 2009	All	Status changed to Candidate by TP: OMA-TP-2009-0279-INP_DCD_V1_0_ERP_for_Notification
Draft Versions OMA-ERELED-DCD-V1_0	13 Oct 2009	5	Document listing updated
Candidate Version OMA-ERELED-DCD-V1_0	26 Oct 2009	All	Status changed to Candidate by TP: OMA-TP-2009-0490-INP_DCD_V1_0_ERP_for_Notification