



Enabler Release Definition for IMPS

Approved Version 1.2.1 – 01 Aug 2005

Open Mobile Alliance
OMA-ERELED-IMPS-V1_2_1-20050801-A

Continues the Technical Activities
Originated in the Wireless Village Initiative



Use of this document is subject to all of the terms and conditions of the Use Agreement located at <http://www.openmobilealliance.org/UseAgreement.html>.

Unless this document is clearly designated as an approved specification, this document is a work in process, is not an approved Open Mobile Alliance™ specification, and is subject to revision or removal without notice.

You may use this document or any part of the document for internal or educational purposes only, provided you do not modify, edit or take out of context the information in this document in any manner. Information contained in this document may be used, at your sole risk, for any purposes. You may not use this document in any other manner without the prior written permission of the Open Mobile Alliance. The Open Mobile Alliance authorizes you to copy this document, provided that you retain all copyright and other proprietary notices contained in the original materials on any copies of the materials and that you comply strictly with these terms. This copyright permission does not constitute an endorsement of the products or services. The Open Mobile Alliance assumes no responsibility for errors or omissions in this document.

Each Open Mobile Alliance member has agreed to use reasonable endeavors to inform the Open Mobile Alliance in a timely manner of Essential IPR as it becomes aware that the Essential IPR is related to the prepared or published specification. However, the members do not have an obligation to conduct IPR searches. The declared Essential IPR is publicly available to members and non-members of the Open Mobile Alliance and may be found on the “OMA IPR Declarations” list at <http://www.openmobilealliance.org/ipr.html>. The Open Mobile Alliance has not conducted an independent IPR review of this document and the information contained herein, and makes no representations or warranties regarding third party IPR, including without limitation patents, copyrights or trade secret rights. This document may contain inventions for which you must obtain licenses from third parties before making, using or selling the inventions. Defined terms above are set forth in the schedule to the Open Mobile Alliance Application Form.

NO REPRESENTATIONS OR WARRANTIES (WHETHER EXPRESS OR IMPLIED) ARE MADE BY THE OPEN MOBILE ALLIANCE OR ANY OPEN MOBILE ALLIANCE MEMBER OR ITS AFFILIATES REGARDING ANY OF THE IPR'S REPRESENTED ON THE “OMA IPR DECLARATIONS” LIST, INCLUDING, BUT NOT LIMITED TO THE ACCURACY, COMPLETENESS, VALIDITY OR RELEVANCE OF THE INFORMATION OR WHETHER OR NOT SUCH RIGHTS ARE ESSENTIAL OR NON-ESSENTIAL.

THE OPEN MOBILE ALLIANCE IS NOT LIABLE FOR AND HEREBY DISCLAIMS ANY DIRECT, INDIRECT, PUNITIVE, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES ARISING OUT OF OR IN CONNECTION WITH THE USE OF DOCUMENTS AND THE INFORMATION CONTAINED IN THE DOCUMENTS.

© 2005 Open Mobile Alliance Ltd. All Rights Reserved.

Used with the permission of the Open Mobile Alliance Ltd. under the terms set forth above.

Contents

- 1. SCOPE4
- 2. REFERENCES5
 - 2.1 NORMATIVE REFERENCES.....5
 - 2.2 INFORMATIVE REFERENCES.....6
- 3. TERMINOLOGY AND CONVENTIONS7
 - 3.1 DEFINITIONS.....7
 - 3.2 ABBREVIATIONS7
- 4. INTRODUCTION8
- 5. ENABLER RELEASE SPECIFICATION BASELINE.....9
- 6. MINIMUM FUNCTIONALITY DESCRIPTION FOR IMPS.....10
 - 6.1 WV SERVER10
 - 6.1.1 Presence Service Element10
 - 6.1.2 Instant Messaging Service Element10
 - 6.1.3 Group Service Element10
 - 6.1.4 Content Service Element.....10
 - 6.1.5 Service Access Point.....10
 - 6.2 WV EMBEDDED CLIENT12
 - 6.3 CLI CLIENT.....12
 - 6.4 INTERFACES AND PROTOCOLS.....13
 - 6.4.1 Client Server Protocol (CSP).....13
 - 6.4.2 Command Line Protocol (CLP)13
 - 6.4.3 Server Server Protocol (SSP).....13
 - 6.4.4 Server Mobile Core Network Protocol (SMCNP)13
- 7. CONFORMANCE REQUIREMENTS NOTATION DETAILS14
- 8. ERDEF FOR IMPS - CLIENT REQUIREMENTS15
- 9. ERDEF FOR IMPS - SERVER REQUIREMENTS16
- APPENDIX A. CHANGE HISTORY (INFORMATIVE).....17
 - A.1 APPROVED VERSION HISTORY17

Figures

- Figure 1: User Profiles.....12
- Figure 2: Iterfaces and Protocols.....13

Tables

- Table 1: ERDEF for IMPS Client-side Requirements.....15
- Table 2: ERDEF for IMPS Server-side Requirements.....16

1. Scope

The scope of this document is limited to the Enabler Release Definition of IMPS according to OMA Release process and the Enabler Release specification baseline listed in section 5.

2. References

2.1 Normative References

- [IOPPROC] “OMA Interoperability Policy and Process”, Version 1.1, Open Mobile Alliance™, OMA-IOP-Process-V1_1, [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [RFC2119] “Key words for use in RFCs to Indicate Requirement Levels”. S. Bradner. March 1997. [URL:http://www.ietf.org/rfc/rfc2119.txt](http://www.ietf.org/rfc/rfc2119.txt)
- [Arch] “WV-020, System Architecture Model Version 1.2”. Open Mobile Alliance [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [FeaFun] “WV-041 Features and Functions Version 1.2”. Open Mobile Alliance. [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [CSP] “WV-042 Client-Server Protocol Session and Transactions Version 1.2”. Open Mobile Alliance. [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [CSP DTD] “WV-043 Client-Server Protocol DTD and Examples Version 1.2”. Open Mobile Alliance. [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [CSP Trans] “WV-044 Client-Server Protocol Transport Bindings Version 1.2”. Open Mobile Alliance. [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [CSP DataType] “WV-045 Client-Server Protocol Data Types Version 1.2”. Open Mobile Alliance. [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [CSP SMS] “WV-046 Client-Server Protocol SMS Binding Version 1.2”. Open Mobile Alliance. [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [CSP WBXML] “WV-047 Client-Server Protocol Binary Definition and Examples Version 1.2”. Open Mobile Alliance. [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [CSP SCR] “WV-048 Client-Server Protocol Static Conformance Requirement Version 1.2”. Open Mobile Alliance. [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [PA] “WV-049 Presence Attributes Version 1.2”. Open Mobile Alliance. [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [PA DTD] “WV-050 Presence Attribute DTD and Examples Version 1.2”. Open Mobile Alliance. [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [CLP] “WV-051 Command Line Protocol Version 1.2”. Open Mobile Alliance. [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [SSP] “WV-052 SSP - Server-Server Protocol Semantics Document Version 1.2”. Open Mobile Alliance. [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [SSP Syntax] “WV-053 Server-Server Protocol XML Syntax Document Version 1.2”. Open Mobile Alliance. [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [SSP Trans] “WV-054 SSP - Transport Binding Version 1.2”. Open Mobile Alliance. [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [SSP SCR] “WV-055 SSP – Server-Server Protocol Static Conformance Requirement Version 1.2”. Open Mobile Alliance. [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)

2.2 Informative References

None

3. Terminology and Conventions

The key words “MUST”, “MUST NOT”, “REQUIRED”, “SHALL”, “SHALL NOT”, “SHOULD”, “SHOULD NOT”, “RECOMMENDED”, “MAY”, and “OPTIONAL” in this document are to be interpreted as described in [RFC2119].

All sections and appendixes, except “Scope” and “Introduction”, are normative, unless they are explicitly indicated to be informative.

3.1 Definitions

Enabler Release –a collection of specifications that combined together form an enabler for a service area, e.g. a download enabler, a browsing enabler, a messaging enabler, a location enabler, etc. The specifications that are forming an enabler should combined fulfil a number of related market requirements.

Minimum Functionality Description – Description of the guaranteed features and functionality that will be enabled by implementing the minimum mandatory part of the Enabler Release.

3.2 Abbreviations

OMA	Open Mobile Alliance
CLP	Command Line Protocol
CLI	Command Line Interface
WV	Wireless Village
CSP	Client Server Protocol
SSP	Server Server Protocol
MCN	Mobile Core Network
IM&P	Instant Messaging and Presence
IMPS	Instant Messaging and Presence Services
SMCNP	Server to Mobile Core Network Protocol

4. Introduction

This document outlines the Enabler Release Definition for IMPS and the respective conformance requirements for clients and servers implementations claiming compliance to it as defined by Open Mobile Alliance across the specification baseline.

The IMPS release provides for the definition and promotes a set of universal specifications for mobile instant messaging and presence services. The specifications will be used for exchanging messages and presence information between mobile devices, mobile services and Internet-based instant messaging services.

5. Enabler Release Specification Baseline

This section is normative.

Document Number	Description	Version
OMA-IMPS-WV-Arch-V1_2	WV-040, System Architecture Model Version 1.2	V1.2
OMA-IMPS-WV-Features_Functions-V1_2	WV-041 Features and Functions Version 1.2	V1.2
OMA-IMPS-WV-CSP-V1_2	WV-042 Client-Server Protocol Session and Transactions Version 1.2	V1.2
OMA-IMPS-WV-CSP_DTD-V1_2	WV-043 Client-Server Protocol DTD and Examples Version 1.2	V1.2
OMA-IMPS-WV-CSP_Transport-V1_2	WV-044 Client-Server Protocol Transport Bindings Version 1.2	V1.2
OMA-IMPS-WV-CSP_DataTypes-V1_2	WV-045 Client-Server Protocol Data Types Version 1.2	V1.2
OMA-IMPS-WV-CSP_SMS-V1_2	WV-046 Client-Server Protocol SMS Binding Version 1.2	V1.2
OMA-IMPS-WV-CSP_WBXML-V1_2	WV-047 Client-Server Protocol Binary Definition and Examples Version 1.2	V1.2
OMA-IMPS-WV-CSP_SCR-V1_2	WV-048 Client-Server Protocol Static Conformance Requirement Version 1.2	V1.2
OMA-IMPS-WV-PA-V1_2	WV-049 Presence Attributes Version 1.2	V1.2
OMA-IMPS-WV-PA_DTD-V1_2	WV-050 Presence Attribute DTD and Examples Version 1.2	V1.2
OMA-IMPS-WV-CLP-V1_2	WV-051 Command Line Protocol Version 1.2	V1.2
OMA-IMPS-WV-SSP-V1_2	WV-052 SSP – Server-Server Protocol Semantics Document Version 1.2	V1.2
OMA-IMPS-WV-SSP_Syntax-V1_2	WV-053 Server-Server Protocol XML Syntax Document Version 1.2	V1.2
OMA-IMPS-WV-SSP_Transport-V1_2	WV-054 SSP - Transport Binding Version 1.2	V1.2
OMA-IMPS-WV-SSP_SCR-V1_2	WV-055 SSP – Server-Server Protocol Static Conformance Requirement Version 1.2	V1.2

6. Minimum Functionality Description for IMPS

The following sections are taken from [WV Arch] and refer to the service model components for the IMPS service enabler.

6.1 WV Server

The Wireless Village Server is the central point in a Wireless Village system. It is composed of four Application Service Elements that are accessible via the Service Access Point. The Application Service Elements are:

1. Presence Service Element
2. Instant Messaging Service Element
3. Group Service Element
4. Content Service Element

6.1.1 Presence Service Element

The Presence Service Element provides functionality for presence information management. This includes update, retrieve, set and store presence and location information. Presence information can be manipulated implicitly by the system, or explicitly by the user.

A user can subscribe to receive the presence information of other users, as specified in a contact list. Contact List Management is also a part of the presence service.

Presence information can be fetched from different internal and external sources. Through the Service Access Point (described below) the Presence Service Element can connect to the Mobile Core Network to access network presence and service information. Network presence defines the properties of the mobile devices, as well as the underlying network functionality. The Network service features define the properties related to the wireless devices on the wireless network, and determine the ability to communicate with a particular wireless device.

6.1.2 Instant Messaging Service Element

The Instant Messaging Service Element provides functionality for sending and receiving instant messages. An instant message may be sent to, or received from, a specific WV-user, or users of other instant messaging systems. It is also possible to send instant messages to a group of WV-users. WV supports several messages types, such as plain text, video, picture and sound.

6.1.3 Group Service Element

The Group Service Element provides functionality for use and management of groups. The groups can be private or public. A common usage of the Group Service is a chat room. It is also possible to bind content to the Groups.

6.1.4 Content Service Element

The Content Service Element provides functionality for sharing content such as images and documents between Wireless Village users. The shared content feature allows the IMPS users to share content while sending messages or chatting in a group.

6.1.5 Service Access Point

The Service Access Point (SAP) serves as the interface between the WV server and its environment. It has interfaces to the WV clients, other WV servers, the Mobile Core Network and Proprietary Gateways to non-WV servers. The SAP is referred to in an informational manner by the Wireless Village specifications.

The functionality of the Service Access Point is:

- Authentication and Authorization
- Service Discovery and Service Agreement
- User Profile Management
- Service Relay

Some potentially useful functions, such as a service administration and monitoring interface, a provisioning interface, and a billing interface, etc., are subject to the implementation in the real world. Those functions are outside of the scope of the Wireless Village and will not be addressed within this document.

6.1.5.1 Authentication and Authorization

Authentication is used to verify the identity of an entity (user, network, or application). Authorization is the activity of determining what an authenticated entity (user, network, or application) is allowed to do.

There are several types of mechanisms for authentication and authorization:

- Application-Network Authentication / Authorization.
- User-Application Authentication / Authorization.
- Application-Application Authentication / Authorization
- User-Network Authentication (only for Authentication)

6.1.5.2 Service Discovery and Service Agreement

Service Discovery enables the application to identify the total collection of service capability features that it can use. The service discovery process includes service capability registration and service capability notification. This is done both between Client – Server and Server –Server.

A Service Agreement (also known as a Service Level Agreement) must be established before the server can interact with the Network Service Capability or other servers' service capabilities, and provides the client with the services.

Upon successful authentication, the server may obtain information about the network capability and service capability features. The client may obtain the service capability features provided by the server. The services include the network services and IMPS services (presence service, IM service, group service and shared content service).

6.1.5.3 User Profile Management

One or more User Profile(s) describe(s) how the user wishes to manage and interact with their communication services. The User Profile information consists of various user interfaces and service related information including the list of services to which the end-user is subscribed, preferences associated with those services, service status (active / inactive), privacy status with regards to network service capabilities (e.g. user location, user interaction), terminal capabilities and terminal interface preferences etc.

User Profile Management allows the application to retrieve and update the user profile.




Figure 1: User Profiles

6.1.5.4 Service Relay

The Service Access Point must provide the Service Relay function to route all service requests and responses among the servers through the Server-to-Server Protocol (SSP). The protocol conversion from CSP to SSP and message codec may be needed when performing Service Relay.

6.2 WV Embedded Client

The Wireless Village Embedded Client is an embedded client within a mobile terminal. The clients from different vendors will have a different look, and will not have the exact same functionality. It is possible to take the functions from the Wireless Village system and combined them with the functions from the mobile terminal, e.g., the phonebook. The benefit with the Wireless Village embedded client is that despite the difference in the clients, clients will be fully interoperable with each other through the Client Server Protocol.

6.3 CLI Client

The Command Line Interface Client uses text messages to communicate with the Wireless Village server. The functionality provided might be a subset of the functionality provided by an Embedded Client. An Example of a CLI Client is a mobile terminal that uses SMS to communicate with the Wireless Village server.

6.4 Interfaces and Protocols




Figure 2: Interfaces and Protocols

6.4.1 Client Server Protocol (CSP)

The Client-Server Protocol provides access for Embedded Clients within mobile terminals and desktop clients to access the Wireless Village Server. The protocol can use different bearers depending on the capability of the client.

6.4.2 Command Line Protocol (CLP)

The Command Line Protocol makes it possible to provide access for legacy terminals via a command line client to the Wireless Village server.

6.4.3 Server Server Protocol (SSP)

The Server-Server Protocol connects Wireless Village servers. This can be used within one service provider domain or between different service providers. In this way the system will be interoperable so that a user that subscribes to Wireless Village services at Service Provider A can communicate with a user that is a customer of Service Provider B. The SSP is also used when connecting a Wireless Village server to Proprietary IMPS service via a Proprietary Gateway.

6.4.4 Server Mobile Core Network Protocol (SMCNP)

The Server Mobile Core Network Protocol gives access to the Mobile Core Network so that the Wireless Village server can get presence information and service capability information from the network. The SMCNP can also be used for authentication and authorization of users, clients and servers. The SMCNP is referred to in an informative manner by the Wireless Village specifications.

7. Conformance Requirements Notation Details

This section is informative

The tables in following chapters use the following notation:

Item:

Entry in this column MUST be a valid ScrItem according to [CREQ].

Feature/Application:

Entry in this column SHOULD be a short descriptive label to the **Item** in question.

Status:

Entry in this column MUST accurately reflect the architectural status of the **Item** in question.

- M means the **Item** is mandatory for the class
- O means the **Item** is optional for the class
- NA means the **Item** is not applicable for the class

Requirement:

Expression in the column MUST be a valid TerminalExpression according to [CREQ] and it MUST accurately reflect the architectural requirement of the **Item** in question.

8. ERDEF for IMPS - Client Requirements

This section is normative.

Table 1: ERDEF for IMPS Client-side Requirements

Item	Feature / Application	Status	Requirement
OMA-ERDEF-IMPS-C-001	IMPS Client	M	See [CSP_SCR]

9. ERDEF for IMPS - Server Requirements

This section is normative.

Table 2: ERDEF for IMPS Server-side Requirements

Item	Feature / Application	Status	Requirement
OMA-ERDEF-IMPS-S-001	IMPS Server	M	See [SSP_SCR]

Appendix A. Change History

(Informative)

A.1 Approved Version History

Reference	Date	Description
OMA-ERELED-IMPS-V1_1-20021105-A	05 Nov 2002	Version 1.1
OMA-ERELED-IMPS-V1_2	25 Jan 2005	Version 1.2 Ref TP Doc# OMA-TP-2004-0457-IMPS-V1_2-for-final-approval
OMA-ERELED-IMPS-V1_2_1	01 Aug 2005	OMA-IMPS-WV-CSP-WBXMLV1_2 updated with missing WBXML tokens. (CR OMA-IM-2005-0471R01) Editorial change to ToC (added Figures and Tables).