

Enabler Release Definition for LightweightM2M Candidate Version 1.0 – 14 Dec 2015

Open Mobile Alliance OMA-ERELD-LightweightM2M-V1_0-20151214-C Use of this document is subject to all of the terms and conditions of the Use Agreement located at <u>http://www.openmobilealliance.org/UseAgreement.html</u>.

Unless this document is clearly designated as an approved specification, this document is a work in process, is not an approved Open Mobile AllianceTM specification, and is subject to revision or removal without notice.

You may use this document or any part of the document for internal or educational purposes only, provided you do not modify, edit or take out of context the information in this document in any manner. Information contained in this document may be used, at your sole risk, for any purposes. You may not use this document in any other manner without the prior written permission of the Open Mobile Alliance. The Open Mobile Alliance authorizes you to copy this document, provided that you retain all copyright and other proprietary notices contained in the original materials on any copies of the materials and that you comply strictly with these terms. This copyright permission does not constitute an endorsement of the products or services. The Open Mobile Alliance assumes no responsibility for errors or omissions in this document.

Each Open Mobile Alliance member has agreed to use reasonable endeavors to inform the Open Mobile Alliance in a timely manner of Essential IPR as it becomes aware that the Essential IPR is related to the prepared or published specification. However, the members do not have an obligation to conduct IPR searches. The declared Essential IPR is publicly available to members and non-members of the Open Mobile Alliance and may be found on the "OMA IPR Declarations" list at <u>http://www.openmobilealliance.org/ipr.html</u>. The Open Mobile Alliance has not conducted an independent IPR review of this document and the information contained herein, and makes no representations or warranties regarding third party IPR, including without limitation patents, copyrights or trade secret rights. This document may contain inventions for which you must obtain licenses from third parties before making, using or selling the inventions. Defined terms above are set forth in the schedule to the Open Mobile Alliance Application Form.

NO REPRESENTATIONS OR WARRANTIES (WHETHER EXPRESS OR IMPLIED) ARE MADE BY THE OPEN MOBILE ALLIANCE OR ANY OPEN MOBILE ALLIANCE MEMBER OR ITS AFFILIATES REGARDING ANY OF THE IPR'S REPRESENTED ON THE "OMA IPR DECLARATIONS" LIST, INCLUDING, BUT NOT LIMITED TO THE ACCURACY, COMPLETENESS, VALIDITY OR RELEVANCE OF THE INFORMATION OR WHETHER OR NOT SUCH RIGHTS ARE ESSENTIAL OR NON-ESSENTIAL.

THE OPEN MOBILE ALLIANCE IS NOT LIABLE FOR AND HEREBY DISCLAIMS ANY DIRECT, INDIRECT, PUNITIVE, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES ARISING OUT OF OR IN CONNECTION WITH THE USE OF DOCUMENTS AND THE INFORMATION CONTAINED IN THE DOCUMENTS.

© 2015 Open Mobile Alliance Ltd. All Rights Reserved. Used with the permission of the Open Mobile Alliance Ltd. under the terms set forth above.

Contents

| 1. | SCO | OPE | .4 |
|----|-------------------|--|----------|
| 2. | RE | FERENCES | |
| | 2.1 2.2 | NORMATIVE REFERENCES Informative References | .5 |
| 3. | | RMINOLOGY AND CONVENTIONS | .6 |
| | 3.1 3.2 3.3 | CONVENTIONS DEFINITIONS ABBREVIATIONS | .6 .6 |
| 4. | RE | LEASE VERSION OVERVIEW | |
| | 4.1 | Version 1.0 Functionality | |
| 5. | DO | CUMENT LISTING FOR LIGHTWEIGHTM2M V1.0 | .8 |
| 6. | OM | INA CONSIDERATIONS1 | 0 |
| 7. | CO | NFORMANCE REQUIREMENTS NOTATION DETAILS1 | 2 |
| 8. | ER | DEF FOR LIGHTWEIGHTM2M - CLIENT REQUIREMENTS1 | 3 |
| 9. | | DEF FOR LIGHTWEIGHTM2M - SERVER REQUIREMENTS1 | |
| AI | PPENI | DIX A. CHANGE HISTORY (INFORMATIVE)1 | |
| | A.1 | Approved Version History | 5 |
| | A.2 | DRAFT/CANDIDATE VERSION 1.0 HISTORY1 | 5 |

Tables

| Table 1: Listing of Documents in LightweightM2M Enabler | 9 |
|--|----|
| Table 2: ERDEF for LightweightM2M Client-side Requirements | 13 |
| Table 3: ERDEF for LightweightM2M Server-side Requirements | 14 |

1. Scope

The scope of this document is limited to the Enabler Release Definition of LightweightM2M v1.0 according to OMA Release process and the Enabler Release specification baseline listed in section 5.

2. References

2.1 Normative References

[CoAP] Shelby, Z., Hartke, K., Bormann, C., and B. Frank, "Constrained Application Protocol (CoAP)", draft-ietfcore-coap-18, Jun 2013. "Lightweight Machine to Machine Architecture", Version 1.0, Open Mobile Alliance™, [LightweightM2M_AD] OMA-AD-LightweightM2M-V1_0, URL:http://www.openmobilealliance.org/ [LightweightM2M_RD] "Lightweight Machine to Machine Requirements", Version 1.0, Open Mobile Alliance™, OMA-RD-LightweightM2M-V1_0, URL:http://www.openmobilealliance.org/ [LightweightM2M_TS] "Lightweight Machine to Machine Technical Specification", Version 1.0, Open Mobile AllianceTM, OMA-TS-LightweightM2M-V1_0, URL:http://www.openmobilealliance.org/ [RFC2119] "Key words for use in RFCs to Indicate Requirement Levels", S. Bradner, March 1997, URL:http://www.ietf.org/rfc/rfc2119.txt "SCR Rules and Procedures", Open Mobile AllianceTM, OMA-ORG-SCR_Rules_and_Procedures, [SCRRULES] URL:http://www.openmobilealliance.org/

2.2 Informative References

[OMADICT]

"Dictionary for OMA Specifications", Version 2.9, Open Mobile Alliance™, OMA-ORG-Dictionary-V2_9, <u>URL:http://www.openmobilealliance.org/</u>

3. Terminology and Conventions

3.1 Conventions

The key words "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "MAY", and "OPTIONAL" in this document are to be interpreted as described in [RFC2119].

All sections and appendixes, except "Scope", "Release Version Overview" and "Conformance Requirements Notation Details", are normative, unless they are explicitly indicated to be informative.

The formal notation convention used in sections 8 and 9 to formally express the structure and internal dependencies between specifications in the Enabler Release specification baseline is detailed in [SCRRULES].

3.2 Definitions

| Enabler Release | Collection of specifications that combined together form an enabler for a service area, e.g. a download enabler, a browsing enabler, a messaging enabler, a location enabler, etc. The specifications that are forming an enabler should combined fulfil a number of related market requirements. |
|----------------------|---|
| M2M Device | A M2M Device is a device that runs (a) M2M application(s) and communicates through the Network Provider's network. |
| M2M Service Provider | A M2M Service Provider provides (a) M2M service(s) to the M2M User by communicating to the M2M Device through the Network Provider's network. |
| M2M User | A M2M User uses the service provided by the M2M Service Provider. |

3.3 Abbreviations

| DM | Device Management |
|-------|---------------------------------|
| ERDEF | Enabler Requirement Definition |
| ERELD | Enabler Release Definition |
| LWM2M | Lightweight Machine to Machinbe |
| M2M | Machine to Machine |
| OMA | Open Mobile Alliance |
| OMNA | Open Mobile Naming Authority |
| RD | Requirements Document |
| SMS | Short Messaging Service |

4. Release Version Overview

Lightweight M2M enabler defines the application layer communication protocol between a LWM2M Server and a LWM2M Client, which is located in a LWM2M Device. The OMA Lightweight M2M enabler includes device management and service enablement for LWM2M Devices. The target LWM2M Devices for this enabler are mainly resource constrained devices. Therefore, this enabler makes use of a light and compact protocol as well as an efficient resource data model. It provides a choice for the M2M Service Provider to deploy a M2M system to provide service to the M2M User.

4.1 Version 1.0 Functionality

Lightweight M2M 1.0 enabler introduces the following features below for the initial release.

- Simple Object based resource model
- Resource operations of creation/retrieval/update/deletion/configuration of attribute
- Resource observation/notification
- TLV/JSON/Plain Text/Opaque data format support
- UDP and SMS transport layer support
- DTLS based security
- Queue mode for NAT/Firewall environment
- Multiple LWM2M Server support
- Basic M2M functionalities: LWM2M Server, Access Control, Device, Connectivity, Firmware Update, Location, Connectivity Statistics

5. Document Listing for LightweightM2M V1.0

| Doc Ref | Permanent Document Reference | Description | | |
|---|---|--|--|--|
| Requirement Document | | • | | |
| [LightweightM2M_RD] | OMA-RD-LightweightM2M-V1_0-20131210-C | Requirement Document for LightweightM2M Enabler | | |
| Architecture Document | | | | |
| [LightweightM2M_AD] | OMA-AD-LightweightM2M-V1_0-20131210-C | Architecture Document for LightweightM2M Enabler | | |
| Technical Specification | | • | | |
| [LightweightM2M_TS] | OMA-TS-LightweightM2M-V1_0-20151214-C | Technical Specification for LightweightM2M Enabler | | |
| Supporting Files | | · | | |
| [LWM2M_Access_Control | OMA-SUP-XML_LWM2M_Access_Control- | XML document for LightweightM2M Access Control | | |
| _XML] | V1_0-20131210-C | Working file in LWM2M_XML directory: | | |
| | | File: LWM2M_Access_Control-v1_0.xml | | |
| | | Path: http://www.openmobilealliance.org/tech/profiles | | |
| [LWM2M_Connectivity_ Monitoring_XML] | OMA-SUP- XML_LWM2M_Connectivity_Monitoring- | XML document for LightweightM2M Connectivity Monitoring | | |
| | V1_0-20131210-C | Working file in LWM2M_XML directory: | | |
| | | File: LWM2M_Connectivity_Monitoring-v1_0.xml | | |
| | | Path: http://www.openmobilealliance.org/tech/profiles | | |
| [LWM2M_Connectivity_St atistics_XML] | OMA-SUP- XML_LWM2M_Connectivity_Statistics-V1_0- 20131210-C | XML document for LightweightM2M Connectivity Statistics | | |
| | | Working file in LWM2M_XML directory: | | |
| | | File: LWM2M_Connectivity_Statistics-v1_0.xml | | |
| | | Path: http://www.openmobilealliance.org/tech/profiles | | |
| [LWM2M_Device_XML] | OMA-SUP-XML_LWM2M_Device-V1_0- 20131210-C | XML document for LightweightM2M Device | | |
| | | Working file in LWM2M_XML directory: | | |
| | | File: LWM2M_Device-v1_0.xml | | |
| | | Path: http://www.openmobilealliance.org/tech/profiles | | |
| [LWM2M_Firmware_Upd ate_XML] | OMA-SUP-XML_LWM2M_Firmware_Update- V1_0-20131210-C | XML document for LightweightM2M Firmware Update | | |
| | | Working file in LWM2M_XML directory: | | |
| | | File: LWM2M_Firmware_Update-v1_0.xml | | |
| | | Path: http://www.openmobilealliance.org/tech/profiles | | |
| [LWM2M_Location_XML | OMA-SUP-XML_LWM2M_Location-V1_0- 20131210-C | XML document for LightweightM2M Location | | |
|] | | Working file in LWM2M_XML directory: | | |
| | | File: LWM2M_Location-v1_0.xml | | |
| | | Path: http://www.openmobilealliance.org/tech/profiles | | |
| [LWM2M_Security_XML] | | XML document for LightweightM2M Security | | |
| | 20131210-C | Working file in LWM2M_XML directory: | | |
| | | File: LWM2M_Security-v1_0.xml | | |
| | | Path: http://www.openmobilealliance.org/tech/profiles | | |

| [LWM2M_Server_XML] | OMA-SUP-XML_LWM2M_Server-V1_0- 20131210-C | XML document for LightweightM2M Server Working file in LWM2M_XML directory: |
|--------------------|--|--|
| | | File: LWM2M_Server-v1_0.xml |
| | | Path: http://www.openmobilealliance.org/tech/profiles |

Table 1: Listing of Documents in LightweightM2M Enabler

6. OMNA Considerations

| Object URN Identifier | Organization | Object Specification URL | Description |
|--------------------------|--------------|--|-----------------------------------|
| urn:oma:lwm2m:oma:0 | OMA | "Lightweight Machine to Machine Technical Specification", Version 1.0, Open Mobile Alliance [™] , OMA-TS-LightweightM2M-V1_0, <u>URL:http://www.openmobilealliance.org/</u> | LWM2M Security Object |
| urn:oma:lwm2m:oma:1 | OMA | "Lightweight Machine to Machine Technical Specification", Version 1.0, Open Mobile Alliance [™] , OMA-TS-LightweightM2M-V1_0, <u>URL:http://www.openmobilealliance.org/</u> | LWM2M Server Object |
| urn:oma:lwm2m:oma:2 | OMA | "Lightweight Machine to Machine Technical Specification", Version 1.0, Open Mobile Alliance [™] , OMA-TS-LightweightM2M-V1_0, <u>URL:http://www.openmobilealliance.org/</u> | Access Control Object |
| urn:oma:lwm2m:oma:3 | OMA | "Lightweight Machine to Machine Technical Specification", Version 1.0, Open Mobile Alliance [™] , OMA-TS-LightweightM2M-V1_0, <u>URL:http://www.openmobilealliance.org/</u> | Device Object |
| urn:oma:lwm2m:oma:4 | OMA | "Lightweight Machine to Machine Technical Specification", Version 1.0, Open Mobile AllianceTM, OMA-TS-LightweightM2M-V1_0, URL:http://www.openmobilealliance.org/ | Connectivity Monitoring Object |
| urn:oma:lwm2m:oma:5 OMA | | "Lightweight Machine to Machine Technical Specification", Version 1.0, Open Mobile Alliance TM , OMA-TS-LightweightM2M-V1_0, <u>URL:http://www.openmobilealliance.org/</u> | Firmware Update Object |
| urn:oma:lwm2m:oma:6 | OMA | "Lightweight Machine to Machine Technical Specification", Version 1.0, Open Mobile Alliance [™] , OMA-TS-LightweightM2M-V1_0, <u>URL:http://www.openmobilealliance.org/</u> | Location Object |
| urn:oma:lwm2m:oma:7 | OMA | "Lightweight Machine to Machine Technical Specification", Version 1.0, Open Mobile Alliance TM , OMA-TS-LightweightM2M-V1_0, <u>URL:http://www.openmobilealliance.org/</u> | Connectivity Statistics |

The OMNA portal needs to add and maintain the following Objects into its registry:

IANA needs to maintain the following Mime Types and CoAP [CoAP] needs to maintain Content-Format Registry associated to the Mime Types:

- application/vnd.oma.lwm2m+json
- application/vnd.oma.lwm2m+text
- application/vnd.oma.lwm2m+opaque
- application/vnd.oma.lwm2m+tlv

7. Conformance Requirements Notation Details

This section is informative

The tables in following chapters use the following notation:

| Item: | Entry in this column MUST be a valid ScrItem according to [SCRRULES]. |
|----------------------|--|
| Feature/Application: | Entry in this column SHOULD be a short descriptive label to the Item in question. |
| Requirement: | Expression in the column MUST be a valid TerminalExpression according to [SCRRULES] and it MUST accurately reflect the architectural requirement of the Item in question. |

8. ERDEF for LightweightM2M - Client Requirements

This section is normative.

| Item | Feature / Application | Requirement |
|-------------------------|-----------------------------|---------------------|
| OMA-ERDEF-LWM2M-C-001-M | Lightweight M2M Protocol | [LightweightM2M_TS] |

Table 2: ERDEF for LightweightM2M Client-side Requirements

9. ERDEF for LightweightM2M - Server Requirements

This section is normative.

| Item | Feature / Application | Requirement |
|-------------------------|-----------------------------|---------------------|
| OMA-ERDEF-LWM2M-C-001-M | Lightweight M2M Protocol | [LightweightM2M_TS] |

Table 3: ERDEF for LightweightM2M Server-side Requirements

Appendix A. Change History

(Informative)

A.1 Approved Version History

| Reference | Date | Description |
|-----------|------|----------------------------|
| n/a | n/a | No previous version in OMA |

A.2 Draft/Candidate Version 1.0 History

| Document Identifier | Date | Sections | Description |
|--|-------------|---------------|--|
| Draft Versions OMA-ERELD-LightweightM2M-V1_0 | 20 Jun 2012 | All | Baseline as agreed in OMA-DM-LightweightM2M-2012-0059- INP_LightweightM2M_v1.0_ERELD_baseline |
| | 01 Oct 2012 | 5 | Editorial changes to permanent document references |
| Candidate Version | 02 Oct 2012 | All | Status changed to Candidate by TP |
| OMA-ERELD-LightweightM2M-V1_0 | | | TP Ref # OMA-TP-2012-0340R02- INP_LightweightM2M_V1.0_RD_for_Candidate_Approval |
| Draft Version OMA-ERELD-LightweightM2M-V1_0 | 15 Nov 2012 | 5 | Editorical changes to permanent document references |
| Candidate Version OMA-ERELD-LightweightM2M-V1_0 | 27 Nov 2012 | All | Status changed to Candidate by TP TP Ref # OMA-TP-2012-0434- INP_LightweightM2M_V1_0_AD_for_Candidate_approval |
| Draft Versions | 11 Jun 2013 | 5,6 | Editorical changes to permanent document references |
| OMA-ERELD-LightweightM2M-V1_0 | | | Add a line in Section 6: OMNA Considerations. Refer to TS clause 'C.2 OMNA Guidelines' |
| | 09 Oct 2013 | 2, 3.3, 4, 5, | Incorporated CR: |
| | | 6, 8, 9, B | OMA-DM-LightweightM2M-2013-0152-CR_ERELD_Update |
| | | | Editorial changes |
| | 14 Nov 2013 | 5 | Editorical changes to permanent document references |
| | 04 Dec 2013 | 5 | Updated the document listing prior to Candidate approval |
| Candidate Version | 10 Dec 2013 | All | Status changed to Candidate by TP |
| OMA-ERELD-LightweightM2M-V1_0 | | | TP Ref # OMA-TP-2013-0368- |
| | | | INP_LightweightM2M_V1_0_ERP_and_ETR_for_Candidate_approval |
| Draft Version OMA-ERELD-LightweightM2M-V1_0 | 26 Nov 2014 | 5 | Editorial update of permanent document references in section 5 |
| Candidate Version | 26 Nov 2014 | All | Status changed to Candidate by TP |
| OMA-ERELD-LightweightM2M-V1_0 | | | TP Ref # OMA-TP-2014-0271- INP_LightweightM2M_V1_0_ERP_for_Notification |
| Draft Version OMA-ERELD-LightweightM2M-V1_0 | 30 Oct 2015 | 5 | Editorial update of permanent document references in section 5 prior to Candidate notification |
| Candidate Version | 30 Oct 2015 | All | Status changed to Candidate by TP |
| OMA-ERELD-LightweightM2M-V1_0 | | | TP Ref # OMA-TP-2015-0177- |
| | | | INP_LightweightM2M_V1_0_ERP_for_Notification |
| Draft Version OMA-ERELD-LightweightM2M-V1_0 | 01 Dec 2015 | 5 | Editorial update of permanent document references in section 5 prior to Candidate notification |
| Candidate Version | 01 Dec 2015 | All | Status changed to Candidate by TP |
| OMA-ERELD-LightweightM2M-V1_0 | 01 Dec 2015 | | TP Ref # OMA-TP-2015-0206- |
| Cini - EKELD-Eigntweightwizivi- v 1_0 | | | INP_LightweightM2M_V1_0_ERP_for_Notification |
| Draft Version | 14 Dec 2015 | 5 | Editorial update of permanent document references in section 5 prior to |
| OMA-ERELD-LightweightM2M-V1_0 | | | Candidate notification |
| Candidate Version | 14 Dec 2015 | All | Status changed to Candidate by TP |
| OMA-ERELD-LightweightM2M-V1_0 | | | TP Ref # OMA-TP-2015-0221- |
| | | | INP_LightweightM2M_V1_0_ERP_for_Notification |