

# **Enabler Release Definition for Mobile Location Service (MLS)**

Approved Version 1.0 – 19 Jul 2011

Open Mobile Alliance OMA-ERELD-MLS-V1\_0-20110719-A

Use of this document is subject to all of the terms and conditions of the Use Agreement located at <a href="http://www.openmobilealliance.org/UseAgreement.html">http://www.openmobilealliance.org/UseAgreement.html</a>.

Unless this document is clearly designated as an approved specification, this document is a work in process, is not an approved Open Mobile Alliance<sup>TM</sup> specification, and is subject to revision or removal without notice.

You may use this document or any part of the document for internal or educational purposes only, provided you do not modify, edit or take out of context the information in this document in any manner. Information contained in this document may be used, at your sole risk, for any purposes. You may not use this document in any other manner without the prior written permission of the Open Mobile Alliance. The Open Mobile Alliance authorizes you to copy this document, provided that you retain all copyright and other proprietary notices contained in the original materials on any copies of the materials and that you comply strictly with these terms. This copyright permission does not constitute an endorsement of the products or services. The Open Mobile Alliance assumes no responsibility for errors or omissions in this document.

Each Open Mobile Alliance member has agreed to use reasonable endeavors to inform the Open Mobile Alliance in a timely manner of Essential IPR as it becomes aware that the Essential IPR is related to the prepared or published specification. However, the members do not have an obligation to conduct IPR searches. The declared Essential IPR is publicly available to members and non-members of the Open Mobile Alliance and may be found on the "OMA IPR Declarations" list at <a href="http://www.openmobilealliance.org/ipr.html">http://www.openmobilealliance.org/ipr.html</a>. The Open Mobile Alliance has not conducted an independent IPR review of this document and the information contained herein, and makes no representations or warranties regarding third party IPR, including without limitation patents, copyrights or trade secret rights. This document may contain inventions for which you must obtain licenses from third parties before making, using or selling the inventions. Defined terms above are set forth in the schedule to the Open Mobile Alliance Application Form.

NO REPRESENTATIONS OR WARRANTIES (WHETHER EXPRESS OR IMPLIED) ARE MADE BY THE OPEN MOBILE ALLIANCE OR ANY OPEN MOBILE ALLIANCE MEMBER OR ITS AFFILIATES REGARDING ANY OF THE IPR'S REPRESENTED ON THE "OMA IPR DECLARATIONS" LIST, INCLUDING, BUT NOT LIMITED TO THE ACCURACY, COMPLETENESS, VALIDITY OR RELEVANCE OF THE INFORMATION OR WHETHER OR NOT SUCH RIGHTS ARE ESSENTIAL OR NON-ESSENTIAL.

THE OPEN MOBILE ALLIANCE IS NOT LIABLE FOR AND HEREBY DISCLAIMS ANY DIRECT, INDIRECT, PUNITIVE, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES ARISING OUT OF OR IN CONNECTION WITH THE USE OF DOCUMENTS AND THE INFORMATION CONTAINED IN THE DOCUMENTS.

© 2011 Open Mobile Alliance Ltd. All Rights Reserved. Used with the permission of the Open Mobile Alliance Ltd. under the terms set forth above.

# **Contents**

| 1.  | SC         | COPE   | 4  |
|-----|------------|--|----|
| 2.  | RE         | EFERENCES                                    | 5  |
|     | 2.1        | NORMATIVE REFERENCES                         |    |
|     | 2.2        | Informative References                       |    |
| 3.  | TE         | ERMINOLOGY AND CONVENTIONS                   |    |
| -   | 3.1<br>3.2 | CONVENTIONS                                  |    |
|     | 3.3        | DEFINITIONSABBREVIATIONS                     |    |
|     |            | TRODUCTION                                   |    |
| 5.  | EN         | NABLER RELEASE SPECIFICATION BASELINE        | 8  |
| 6.  | MI         | INIMUM FUNCTIONALITY DESCRIPTION FOR MLS 1.0 | 9  |
|     | 5.1        | MOBILE LOCATION PROTOCOL (MLP)               |    |
|     | 5.2        | ROAMING LOCATION PROTOCOL (RLP)              |    |
| 7.  |            | ONFORMANCE REQUIREMENTS NOTATION DETAILS     |    |
| 8.  | ER         | RDEF FOR MLS 1.0 - CLIENT REQUIREMENTS       | 12 |
| 9.  | ER         | RDEF FOR MLS 1.0 - SERVER REQUIREMENTS       | 13 |
| AP  | PEN        | NDIX A. CHANGE HISTORY (INFORMATIVE)         | 14 |
|     | 4.1        | APPROVED VERSION HISTORY                     | 14 |
| F   | igι        | ures   |    |
| Fig | gure 1     | 1: MLS Reference Points                      | 7  |
| Fig | gure 2     | 2: Relevant Reference Points in SUPL         | 7  |
| T   | ab         | les  |    |
| Ta  | ble 1      | : Listing of Documents in MLS V1.0 Enabler   | 8  |
| Ta  | ble 2      | 2 ERDEF for MLS Client-side Requirements     | 12 |
| Ta  | ble 3      | B ERDEF for MLS Server-side Requirements     | 13 |

# 1. Scope

The scope of this document is limited to the Enabler Release Definition of MLS (Mobile Location Service) according to OMA Release process and the Enabler Release specification baseline listed in section 5.

## 2. References

## 2.1 Normative References

| [IOPPROC] | "OMA Interoperability Policy and Process", Version 1.10, Open Mobile Alliance <sup>TM</sup> , OMA-ORG-IOP-Process-V1_10, <u>URL:http://www.openmobilealliance.org/</u>                                    |
|-----------|---|
| [RFC2119] | "Key words for use in RFCs to Indicate Requirement Levels", S. Bradner, March 1997,<br><u>URL:http://www.ietf.org/rfc/rfc2119.txt</u>   |
| [23.271]  | "Functional stage 2 description of Location Services", 3GPP TS 23.271 Release 6 <a href="http://www.3gpp.org/ftp/Specs/latest/Rel-6/23_series/">http://www.3gpp.org/ftp/Specs/latest/Rel-6/23_series/</a> |
| [MLS RD]  | "MLS Requirements Document", Open Mobile Alliance™, OMA-RD-MLS-V1_0 URL: <a href="http://www.openmobilealliance.org/">http://www.openmobilealliance.org/</a>  |
| [MLS AD]  | "MLS Architecture Document", Open Mobile Alliance™, OMA-AD-MLS-V1_0 URL: <a href="http://www.openmobilealliance.org/">http://www.openmobilealliance.org/</a>  |
| [MLP 3.1] | "Mobile Location Protocol v3.1 Enabler Release", Open Mobile Alliance™, OMA-LIF-MLP-V3_1 URL: <a href="http://www.openmobilealliance.org/">http://www.openmobilealliance.org/</a>                         |
| [MLP 3.2] | "Mobile Location Protocol v3.2", Open Mobile Alliance™, OMA-TS-MLP-V3_2 URL: <a href="http://www.openmobilealliance.org/">http://www.openmobilealliance.org/</a>  |
| [MLP DTD] | "MLP 3.2 DTDs", Open Mobile Alliance™, MLP_320_DTD URL: <a href="http://www.openmobilealliance.org/">http://www.openmobilealliance.org/</a>   |
| [RLP 1.0] | "Roaming Location Protocol v1.0", Open Mobile Alliance™, OMA-TS-MLP-V1_0 URL: <a href="http://www.openmobilealliance.org/">http://www.openmobilealliance.org/</a>   |
| [RLP DTD] | "RLP 1.0 DTDs", Open Mobile Alliance™, RLP_100_DTD URL: <a href="http://www.openmobilealliance.org/">http://www.openmobilealliance.org/</a>   |
| [SUPL RD] | "SUPL Requirements Document", Open Mobile Alliance™, OMA-RD-SUPL-V1_0 URL: <a href="http://www.openmobilealliance.org/">http://www.openmobilealliance.org/</a>  |
| [SUPL AD] | "SUPL Architecture Document", Open Mobile Alliance™, OMA-AD-SUPL-V1_0 URL: <a href="http://www.openmobilealliance.org/">http://www.openmobilealliance.org/</a>  |

### 2.2 Informative References

None.

## 3. Terminology and Conventions

#### 3.1 Conventions

The key words "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "MAY", and "OPTIONAL" in this document are to be interpreted as described in [RFC2119].

All sections and appendixes, except "Scope" and "Introduction", are normative, unless they are explicitly indicated to be informative.

The formal notation convention used in sections 8 and 9 to formally express the structure and internal dependencies between specifications in the Enabler Release specification baseline is detailed in [CREQ].

#### 3.2 Definitions

| Enabler Release                      | Collection of specifications that combined together form an enabler for a service area, e.g. a download enabler, a browsing enabler, a messaging enabler, a location enabler, etc. The specifications that are forming an enabler should combined fulfil a number of related market requirements. |
|--------------------------------------|---|
| Minimum Functionality<br>Description | Description of the guaranteed features and functionality that will be enabled by implementing the minimum mandatory part of the Enabler Release.  |
| SUPL Enabled Terminal (SET)          | A device that is capable of communicating with a SUPL network. Examples of this could be a UE in UMTS, a MS in GSM or IS-95, or a PC over an IP-based transport.  |

SUPL Location Platform (SLP)

Entity responsible for SUPL Service Management and Position Determination. SLP contains the SLC and SPC Functions.

### 3.3 Abbreviations

| ERDEF | Enabler Requirement Definition |
|-------|--------------------------------|
| ERELD | Enabler Release Definition     |
| OMA   | Open Mobile Alliance           |
| MLP   | Mobile Location Protocol       |
| MLS   | Mobile Location Service        |
| SUPL  | Secure User Plane Location     |

#### 4. Introduction

This document outlines the Enabler Release Definition for MLS Enabler and the respective conformance requirements for clients and servers implementations claiming compliance to it as defined by Open Mobile Alliance across the specification baseline.

The OMA Mobile Location Service V1.0 (MLS V1.0) consists of a set of location specifications complying with 3GPP Release 6 LCS Specification [23.271]. MLS 1.0 is primarly intended for use in a 3GPP environment. Compliance to other environments is not an requirement but the specification has in several cases been extended to not unnecessary prevent use in other environments. The set of specifications in MLS V1.0 consist of MLP V3.2 [MLP 3.2] and RLP V1.0 [RLP 1.0].


MLP V3.2 describes the protocol between an MLS client and a Location Server. In the 3GPP context, MLP V3.2 was chosen to be an instantiation of the stage 3 specifications for the Le reference point [23.271].

RLP V1.0 describes the protocol between two Location Servers. In the 3GPP context, RLP V1.0 will be an instantiation of the stage 3 specifications for the Lr reference point [23.271]. Additionally RLP V1.0 will be an instantiation of the reference point Lr as defined in [SUPL AD] between two SLPs with the purpose to transport information between the SLPs to enable positioning of roaming SUPL Enabled Terminals [SUPL RD]. Examples of such information are coarse position used when generating GPS assistance data or the actual GPS assistance data.

[23.271] also describes the Lid/Lpp reference points. This Enabler Release does not contain a protocol specification for these reference points. Later MLS releases however plan to do so.

Figure 1 shows an architectural diagram of MLS, its components and interfaces.

Figure 2 shows an architectural diagram of relevant components and interfaces in SUPL.



**Figure 1: MLS Reference Points** 




Figure 2: Relevant Reference Points in SUPL

## 5. Enabler Release Specification Baseline

This section is normative.

| Doc Ref          | Permanent Document Reference       | Description  |  |  |
|------------------|------------------------------------|--|--|--|
| Requirement Do   | Requirement Document               |  |  |  |
| [MLS RD]         | OMA-RD-MLS-V1_0-20110719-A         | MLS Requirements Document  |  |  |
| Architecture I   | Architecture Document              |  |  |  |
| [MLS AD]         | OMA-AD-MLS-V1_0-20110719-A         | MLS Architecture Document  |  |  |
| Technical Spec   | Technical Specifications           |  |  |  |
| [MLP 3.2]        | OMA-TS-MLP-V3_2-20110719-A         | MLP V3.2 Technical Specification   |  |  |
| [RLP 1.0]        | OMA-TS-RLP-V1_0-20110719-A         | RLP V 1.0 Technical Specification  |  |  |
| Supporting Files |                                    |  |  |  |
| [MLP 3.2         | OMA-TS-DTD_MLP_320-V1_0-20110719-A | MLP V3.2 DTD's in machine processable form.  |  |  |
| DTD]             |                                    | Working file in DTD directory:<br>path: http://www.openmobilealliance.org/tech/dtd/                      |  |  |
| [RLP DTD]        | OMA-TS-DTD_RLP_100-V1_0-20110719-A | RLP V1.0 DTD's in machine processable form.  |  |  |
|                  |                                    | Working file in Application Characteristics directory: path: http://www.openmobilealliance.org/tech/dtd/ |  |  |

Table 1: Listing of Documents in MLS V1.0 Enabler

This release builds on an earlier Enabler Release [MLP 3.1] which consisted of MLP 3.1 specification and associated DTDs. The present MLS Enabler Release updates MLP with bug fixes and new features as well as it adds the first version of RLP.

The DTD's described in [MLP 3.2] and [RLP 1.0] are attached in machine processable form for the convenience of implementers of the specification.

## 6. Minimum Functionality Description for MLS 1.0

This section is informative.

An implementation of MLS 1.0 may realise on of the following entities:

- 1. MLS Client
- 2. Requesting Location Server, server side and or client side
- 3. Home Location Server, server side and or client side
- 4. Visited Location Server

An implementation of MLS 1.0 may realise any combination of 2,3, and 4.

A MLS Client must support the MLP Standard Location Immediate Service.


A Requesting Location Server, server side must support the MLP Standard Location Immediate Service.

A Home Location Server must support the RLP Standard Roaming Location Immediate Service.

A Visited Location Server must support the RLP Standard Roaming Location Immediate Service.

### 6.1 Mobile Location Protocol (MLP)

The Mobile Location Protocol (MLP) is an application-level protocol for querying the position of mobile stations independent of underlying network technology. The MLP serves as the interface between a Location Server and a location-based application.



Possible realizations of a Location Server are the GMLC, which is the Location Server defined in GSM and UMTS, and the MPC, which is defined in ANSI standards. Since the Location Server should be seen as a logical entity, other implementations are possible.


In the most scenarios an LCS client initiates the dialogue by sending a query to the Location Server and the server responds to the query.

MLP can be implemented using various transport mechanisms. Currently, the only mapping defined is a mapping to HTTP.

### 6.2 Roaming Location Protocol (RLP)

This protocol is also known as Inter-Location Server Mobile Location Protocol.

The picture below shows the general arrangement. Functional Requirements for both Application to Location Server interface and inter-Location Server interface for 3GPP networks may be found in 23.271 Rel6 [23.271]. Protocol specifics for Application to Location Server interface can be found in [MLP 3.2].



RLP can be implemented using various transport mechanisms. Currently, the only mapping defined is a mapping to HTTP.

## 7. Conformance Requirements Notation Details

This section is informative

The tables in following chapters use the following notation:

**Item:** Entry in this column MUST be a valid ScrItem according to [IOPPROC].

**Feature/Application:** Entry in this column SHOULD be a short descriptive label to the **Item** in question.

**Status:** Entry in this column MUST accurately reflect the architectural status of the **Item** in question.

M means the Item is mandatory for the class

O means the Item is optional for the class

• NA means the **Item** is not applicable for the class

**Requirement:** Expression in the column MUST be a valid TerminalExpression according to [IOPPROC] and it

MUST accurately reflect the architectural requirement of the Item in question.

# 8. ERDEF for MLS 1.0 - Client Requirements

This section is normative.

| The section is normality. |                            |        |   |
|---------------------------|----------------------------|--------|---|
| Item                      | Feature / Application      | Status | Requirement   |
| OMA-ERDEF-MLS-C-001       | MLS Enabler                | М      | OMA-ERDEF-MLS-C-002<br>OR<br>OMA-ERDEF-MLS-C-003<br>OR<br>OMA-ERDEF-MLS-C-004 |
| OMA-ERDEF-MLS-C-002       | MLS Client                 | O      | MLP 3.2:MCF   |
| OMA-ERDEF-MLS-C-003       | Requesting Location Server | O      | RLP 1.0: MCF AND NOT<br>(RLP-D-C-003 AND<br>RLP-V-C-010 AND<br>RLP-V-C-012)   |
| OMA-ERDEF-MLS-C-004       | Home Location Server       | 0      | RLP 1.0: MCF  |

**Table 2 ERDEF for MLS Client-side Requirements** 

# 9. ERDEF for MLS 1.0 - Server Requirements

This section is normative.

| Item                | Feature / Application      | Status | Requirement   |
|---------------------|----------------------------|--------|---|
| OMA-ERDEF-MLS-S-001 | MLS Enabler                | М      | OMA-ERDEF-MLS-S-002<br>OR<br>OMA-ERDEF-MLS-S-003<br>OR<br>OMA-ERDEF-MLS-S-004 |
| OMA-ERDEF-MLS-S-002 | Requesting Location Server | O      | MLP 3.2:MSF   |
| OMA-ERDEF-MLS-S-003 | Home Location Server       | O      | RLP 1.0: MSF AND NOT<br>(RLP-D-S-003 AND<br>RLP-V-S-010 AND<br>RLP-V-S-012)   |
| OMA-ERDEF-MLS-S-004 | Visited Location Server    | 0      | RLP 1.0:MSF   |

**Table 3 ERDEF for MLS Server-side Requirements** 

# Appendix A. Change History

(Informative)

## A.1 Approved Version History

| Reference          | Date        | Description  |
|--------------------|-------------|--|
| OMA-ERELD-MLS-V1 0 | 19 Jul 2011 | No prior version –or- No previous version within OMA |