



Mobile Location Service Architecture

Approved Version 1.2 – 19 Jul 2011

Open Mobile Alliance
OMA-AD-MLS-V1_2-20110719-A

Use of this document is subject to all of the terms and conditions of the Use Agreement located at <http://www.openmobilealliance.org/UseAgreement.html>.

Unless this document is clearly designated as an approved specification, this document is a work in process, is not an approved Open Mobile Alliance™ specification, and is subject to revision or removal without notice.

You may use this document or any part of the document for internal or educational purposes only, provided you do not modify, edit or take out of context the information in this document in any manner. Information contained in this document may be used, at your sole risk, for any purposes. You may not use this document in any other manner without the prior written permission of the Open Mobile Alliance. The Open Mobile Alliance authorizes you to copy this document, provided that you retain all copyright and other proprietary notices contained in the original materials on any copies of the materials and that you comply strictly with these terms. This copyright permission does not constitute an endorsement of the products or services. The Open Mobile Alliance assumes no responsibility for errors or omissions in this document.

Each Open Mobile Alliance member has agreed to use reasonable endeavors to inform the Open Mobile Alliance in a timely manner of Essential IPR as it becomes aware that the Essential IPR is related to the prepared or published specification. However, the members do not have an obligation to conduct IPR searches. The declared Essential IPR is publicly available to members and non-members of the Open Mobile Alliance and may be found on the “OMA IPR Declarations” list at <http://www.openmobilealliance.org/ipr.html>. The Open Mobile Alliance has not conducted an independent IPR review of this document and the information contained herein, and makes no representations or warranties regarding third party IPR, including without limitation patents, copyrights or trade secret rights. This document may contain inventions for which you must obtain licenses from third parties before making, using or selling the inventions. Defined terms above are set forth in the schedule to the Open Mobile Alliance Application Form.

NO REPRESENTATIONS OR WARRANTIES (WHETHER EXPRESS OR IMPLIED) ARE MADE BY THE OPEN MOBILE ALLIANCE OR ANY OPEN MOBILE ALLIANCE MEMBER OR ITS AFFILIATES REGARDING ANY OF THE IPR'S REPRESENTED ON THE “OMA IPR DECLARATIONS” LIST, INCLUDING, BUT NOT LIMITED TO THE ACCURACY, COMPLETENESS, VALIDITY OR RELEVANCE OF THE INFORMATION OR WHETHER OR NOT SUCH RIGHTS ARE ESSENTIAL OR NON-ESSENTIAL.

THE OPEN MOBILE ALLIANCE IS NOT LIABLE FOR AND HEREBY DISCLAIMS ANY DIRECT, INDIRECT, PUNITIVE, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES ARISING OUT OF OR IN CONNECTION WITH THE USE OF DOCUMENTS AND THE INFORMATION CONTAINED IN THE DOCUMENTS.

© 2011 Open Mobile Alliance Ltd. All Rights Reserved.

Used with the permission of the Open Mobile Alliance Ltd. under the terms set forth above.

Contents

1. SCOPE (INFORMATIVE)	4
2. REFERENCES	5
2.1 NORMATIVE REFERENCES	5
2.2 INFORMATIVE REFERENCES	5
3. TERMINOLOGY AND CONVENTIONS	6
3.1 CONVENTIONS	6
3.2 DEFINITIONS	6
3.3 ABBREVIATIONS	6
4. INTRODUCTION (INFORMATIVE)	8
4.1 PLANNED PHASES	9
4.2 SECURITY CONSIDERATIONS	9
5. ARCHITECTURAL MODEL	10
5.1 DEPENDENCIES	10
5.2 ARCHITECTURAL DIAGRAM	10
5.3 FUNCTIONAL COMPONENTS AND INTERFACES	10
5.4 FLOWS	10
APPENDIX A. CHANGE HISTORY (INFORMATIVE)	11
A.1 APPROVED VERSION HISTORY	11

Figures

Figure 1: Architectural diagram of MLS	8
Figure 2: Relevant Reference Points in SUPL	8

1. Scope

(Informative)

This document is the AD for the Mobile Location Service V1.2 (MLS V1.2), which consists of the Mobile Location Protocol (MLP) and Roaming Location Protocol (RLP).

Relative MLS V1.1 following functions are added:

- support of 3GPP Release 7 LCS Specification
- support of OMA SUPL V2.0
- support of the L3 interface in “TIA/EIA-41-D Location Services Enhancements”
- support of multiple responses with increasing accuracy to a location request
- support of capability to stop reporting for individual targets for a Triggered Location Reporting Request that included more than one target.
- support of civic address formats.

Relative MLS V1.1 following function is removed:

- The protocol specification for reference points Lid and Lpp is removed. The system entity PCE is thus not defined in MLS V1.2.

2. References

2.1 Normative References

- [OSE] “OMA Service Environment”, Open Mobile Alliance™, OMA-AD-Service_Environment-V1_0_4, URL: <http://www.openmobilealliance.org/>
- [RFC2119] “Key words for use in RFCs to Indicate Requirement Levels”, S. Bradner, March 1997, URL: <http://www.ietf.org/rfc/rfc2119.txt>
- [23.271 Rel-7] “Location Services (LCS); Service description; Stage 1”, 3GPP TS 23.271 Release 7, URL: http://www.3gpp.org/ftp/Specs/latest/Rel-7/23_series/
- [MLP 3.3] “Mobile Location Protocol v3.2”, Open Mobile Alliance™, OMA-TS-MLP-V3_2, URL: <http://www.openmobilealliance.org/>
- [MLS 1.2 RD] “Mobile Location Service Requirements”, Open Mobile Alliance™, OMA-RD-MLS-V1_0, URL: <http://www.openmobilealliance.org/>
- [PRIVACY RD] “Privacy for Mobile Services Requirements”, Open Mobile Alliance™, OMA-RD-Privacy-V1_0, URL: <http://www.openmobilealliance.org/>
- [RFC 2616] “Hypertext Transfer Protocol –HTTP/1.1” IETF, June 1999. URL: <http://www.ietf.org/rfc/rfc2616.txt>
- [RFC2119] “Key words for use in RFCs to Indicate Requirement Levels”, S. Bradner, March 1997, URL: <http://www.ietf.org/rfc/rfc2119.txt>
- [RLP 1.1] “Roaming Location Protocol v1.0”, Open Mobile Alliance™, OMA-TS-RLP-V1_0, URL: <http://www.openmobilealliance.org/>
- [SUPL 2.0 RD] “Secure User Plane Location Requirements”, Open Mobile Alliance™, OMA-RD-SUPL-V2_0 URL: <http://www.openmobilealliance.org/>
- [SUPL 2.0 AD] “Secure User Plane Location Architecture”, Open Mobile Alliance™, OMA-AD-SUPL-V2_0 URL: <http://www.openmobilealliance.org/>
- [WSDL] Web Services Description Language 1.1, W3C Note, 15 March 2001, URL: <http://www.w3.org/TR/wsdl>
- [3GPP2 X.S0002-0 V2.0] “MAP Location Services Enhancements”, Version 2.0, May 2006 URL: http://www.3gpp2.org/Public_html/specs/X.S0002-0_v2.0_060531.pdf

2.2 Informative References

- [OMA-DICT] “OMA Dictionary”, OMA-Dictionary-V2_8, URL: <http://www.openmobilealliance.org/>

3. Terminology and Conventions

3.1 Conventions

The key words “MUST”, “MUST NOT”, “REQUIRED”, “SHALL”, “SHALL NOT”, “SHOULD”, “SHOULD NOT”, “RECOMMENDED”, “MAY”, and “OPTIONAL” in this document are to be interpreted as described in [RFC2119].

All sections and appendixes, except “Scope” and “Introduction”, are normative, unless they are explicitly indicated to be informative.

3.2 Definitions

Interface	See [OMA-DICT].
Location Privacy Checking Entity	The Location Privacy Checking Entity is responsible for resolving IDs and for privacy checking. In 3GPP context this corresponds to the Privacy Profile Register (PPR). The PPR may be a part of the GMLC.
Location Server	Software and/or hardware entity offering location capabilities. In 3GPP context this corresponds to the Gateway Mobile Location Center (GMLC).
MLS client	Software and/or hardware entity requesting location. In 3GPP context this corresponds to the LoCation Services client (LCS Client).
Mobile Location Service	A service with location capability
Reference Point	See [OMA-DICT].
SUPL Enabled Terminal (SET)	A device that is capable of communicating with a SUPL network. Examples of this could be a UE in UMTS, a MS in GSM or IS-95, or a PC over an IP-based transport.
SUPL Location Platform (SLP)	Entity responsible for SUPL Service Management and Position Determination. SLP contains the SLC and SPC Functions.
SUPL Provider	Mobile Network Operator, provides location assistance data to the SUPL Agent and optionally calculates the SET location. See also SUPL 2.0 RD
Civic address	Description of a location by means of e.g. Street name, Street number, Town and Country.

3.3 Abbreviations

3GPP	3rd Generation Partnership Project
AD	Architecture Document
GPS	Global Positioning System
GSM	Global System for Mobile Communication
HTTP	Hyper Text Transport Protocol
IP	Internet Protocol
LCS	LoCation Service
LS	Location Server
MLP	Mobile Location Protocol
MLS	Mobile Location Service
MS	Mobile Station
OMA	Open Mobile Alliance

PCE	Location Privacy Checking Entity
PCP	Location Privacy Checking Protocol
RD	Requirement Document
RLP	Roaming Location Protocol
SET	SUPL Enabled Terminal
SLC	SUPL Location Center
SLP	SUPL Location Platform
SPC	SUPL Positioning Center
SUPL	Secure User Plane Location
TS	Technical Specification
UE	User Equipment
UMTS	Universal Mobile Telecommunication System
XML	Extensible Markup Language

4. Introduction (Informative)

The OMA Mobile Location Service V1.2 (MLS V1.2) consists of a set of location specifications complying with 3GPP Release 7 LCS Specification [23.271 Rel-7]. The set of specifications in MLS V1.2 consist of MLP V3.3 [MLP 3.3] and RLP V1.1 [RLP 1.1].

MLP describes the protocol between an MLS client and the LS. In the 3GPP context, MLP was chosen to be an instantiation of the stage 3 specification for the Le reference point [23.271 Rel-7].

RLP describes the protocol between two LS. In the 3GPP context, RLP will be an instantiation of the stage 3 specification for the Lr reference point [23.271 Rel-7]. Additionally, RLP will be an instantiation of the reference point Lr as defined in [SUPL 2.0 AD] between two SLPs with the purpose to transport information between SLPs to enable positioning of roaming SUPL Enabled Terminals [SUPL 2.0 RD]. Examples of such information are coarse position used when generating GPS assistance data or the actual GPS assistance data.

The Lid/Lpp reference points as defined in [23.271 Rel-7] do not have any instantiation in MLS V1.2. The OMA Mobile Location Service V1.2 (MLS V1.2) will benefit the industry widely and not only 3GPP and more requirements have been added as needed for wireless technologies besides GSM and UMTS. One example of such an added requirement is the support of L3 interface in “TIA/EIA-41-D Location Services Enhancements” [3GPP2 X.S0002-0 V2.0].

Figure 1 shows an architectural diagram of MLS, its components and interfaces.

Figure 2 shows an architectural diagram of relevant components and interfaces in SUPL.




Figure 1: Architectural diagram of MLS




Figure 2: Relevant Reference Points in SUPL

4.1 Planned Phases

MLS V1.2 is an evolution of MLS V1.1. The functional additions are:

- support of 3GPP Release 7 LCS Specification
- support of OMA SUPL V2.0
- support of the L3 interface in “TIA/EIA-41-D Location Services Enhancements”
- support of multiple responses with increasing accuracy to a location request
- support of the capability to stop the location reporting for individual targets of a Triggered Location Reporting Request that included more than one target.
- Support of civic address formats.

The above functional additions do not influence the architecture.

Relative to MLS V1.1 the protocol specification for reference points Lid and Lpp is removed. The system entity PCE and reference points Lid and Lpp will thus not be defined in MLS V1.2.

Apart from “PCP specific” requirements, MLS V1.2 is expected to fulfill all the currently defined requirements and thus no further versions of MLS are currently planned. It is however foreseen that evolution on the location specifications supported may create a need for further releases in the future.

4.2 Security Considerations

MLS V1.2 does not introduce any new interfaces or mechanisms that require any modification of the security mechanisms defined in MLS V1.1

5. Architectural Model

The Architectural model of MLS V1.2 is described in [23.271 Rel-7]. The Architectural model described in [23.271 Rel-7] is summarised in [Figure 1] in section 4.

5.1 Dependencies

MLS V1.2 has no dependencies to other architectures in OMA.

5.2 Architectural Diagram

The architecture for MLS V1.2 is described in [23.271Rel-7] section 6.

5.3 Functional Components and Interfaces

The Architecture of MLS V1.2 as described in [23.271 Rel-7] section 6 defines four reference points Le, Lr, Lpp and Lid. Two of these referencepoints are instantiated by two OMA protocol specifications as listed below.

- Reference point Le is instantiated by MLP [MLP 3.3]. MLP is defined using XML transported over HTTP [RFC 2616].
- Reference point Lr is instantiated by RLP [RLP 1.1]. RLP is defined using XML transported over HTTP [RFC 2616].

Reference points Lpp and Lid are not instantiated in MLS V1.2.

The Architecture of MLS V1.2 as described in [23.271 Rel-7] section 6 also describes the components in the architecture as shown in [Figure 1] in section 4. The components are:

- MLS Client that is described in [23.271 Rel-7] section 6.3.2
- Requesting Location Server, Home Location Server and Visited Location Server that are described in [23.271Rel-7] section 6.3.3

For the transport of MLP and RLP over HTTP the following mechanism applies. All Location Services are invoked by sending a request using HTTP POST. The answer to the invocation of a Location Service is returned using an HTTP response. If the MLS Client requests standard location of asynchronous mode, triggered or periodic reporting of location, the Location Server will, in addition to the answer returned in a HTTP response, return one or more reports by performing HTTP POST operations towards the client. The client must specify the URI that the report should be posted to. This is done in the service request or by having it in the LCS client profile that can be stored in the Location Server.

5.4 Flows

The flows for MLS V1.2 are described in [23.271 Rel-7] section 9.

Appendix A. Change History (Informative)

A.1 Approved Version History

Reference	Date	Description
OMA-AD-MLS-V1_2	19 Jul 2011	No prior versions in OMA