



SOAP Binding for Identity Control

Approved Version 1.0 – 29 May 2012

Open Mobile Alliance
OMA-TS-NGSI_S_Identity_Control-V1_0-20120529-A

Use of this document is subject to all of the terms and conditions of the Use Agreement located at <http://www.openmobilealliance.org/UseAgreement.html>.

Unless this document is clearly designated as an approved specification, this document is a work in process, is not an approved Open Mobile Alliance™ specification, and is subject to revision or removal without notice.

You may use this document or any part of the document for internal or educational purposes only, provided you do not modify, edit or take out of context the information in this document in any manner. Information contained in this document may be used, at your sole risk, for any purposes. You may not use this document in any other manner without the prior written permission of the Open Mobile Alliance. The Open Mobile Alliance authorizes you to copy this document, provided that you retain all copyright and other proprietary notices contained in the original materials on any copies of the materials and that you comply strictly with these terms. This copyright permission does not constitute an endorsement of the products or services. The Open Mobile Alliance assumes no responsibility for errors or omissions in this document.

Each Open Mobile Alliance member has agreed to use reasonable endeavors to inform the Open Mobile Alliance in a timely manner of Essential IPR as it becomes aware that the Essential IPR is related to the prepared or published specification. However, the members do not have an obligation to conduct IPR searches. The declared Essential IPR is publicly available to members and non-members of the Open Mobile Alliance and may be found on the “OMA IPR Declarations” list at <http://www.openmobilealliance.org/ipr.html>. The Open Mobile Alliance has not conducted an independent IPR review of this document and the information contained herein, and makes no representations or warranties regarding third party IPR, including without limitation patents, copyrights or trade secret rights. This document may contain inventions for which you must obtain licenses from third parties before making, using or selling the inventions. Defined terms above are set forth in the schedule to the Open Mobile Alliance Application Form.

NO REPRESENTATIONS OR WARRANTIES (WHETHER EXPRESS OR IMPLIED) ARE MADE BY THE OPEN MOBILE ALLIANCE OR ANY OPEN MOBILE ALLIANCE MEMBER OR ITS AFFILIATES REGARDING ANY OF THE IPR'S REPRESENTED ON THE “OMA IPR DECLARATIONS” LIST, INCLUDING, BUT NOT LIMITED TO THE ACCURACY, COMPLETENESS, VALIDITY OR RELEVANCE OF THE INFORMATION OR WHETHER OR NOT SUCH RIGHTS ARE ESSENTIAL OR NON-ESSENTIAL.

THE OPEN MOBILE ALLIANCE IS NOT LIABLE FOR AND HEREBY DISCLAIMS ANY DIRECT, INDIRECT, PUNITIVE, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES ARISING OUT OF OR IN CONNECTION WITH THE USE OF DOCUMENTS AND THE INFORMATION CONTAINED IN THE DOCUMENTS.

© 2012 Open Mobile Alliance Ltd. All Rights Reserved.

Used with the permission of the Open Mobile Alliance Ltd. under the terms set forth above.

Contents

1. SCOPE.....	4
2. REFERENCES	5
2.1 NORMATIVE REFERENCES.....	5
2.2 INFORMATIVE REFERENCES.....	5
3. TERMINOLOGY AND CONVENTIONS.....	6
3.1 CONVENTIONS.....	6
3.2 DEFINITIONS.....	6
3.3 ABBREVIATIONS	6
4. INTRODUCTION	7
4.1 VERSION 1.0	7
5. WSDL FOR IDENTITY CONTROL	8
APPENDIX A. CHANGE HISTORY (INFORMATIVE).....	9
A.1 APPROVED VERSION HISTORY	9
APPENDIX B. STATIC CONFORMANCE REQUIREMENTS (NORMATIVE).....	10
B.1 SCR FOR NGSI-13.....	10
B.1.1 SCR for NGSI-13 Server	10
B.1.2 SCR for NGSI-13.Resolve.Identifier Server.....	10
B.2 SCR FOR NGSI-14.....	10
B.2.1 SCR for NGSI-14 Server	10
B.2.2 SCR for NGSI-14.Management.Identifier Server.....	11
B.2.3 SCR for NGSI-14.Managemet.Policy Server	11

Tables

Table 1 SCR for NGSI-13 Server Functions	10
Table 2 SCR for NGSI-13 Identifier Resolution Server Functions	10
Table 3 SCR for NGSI-14 Server Functions	10
Table 4 SCR for NGSI-14 Identifier Management Server Functions	11
Table 5 SCR for Policy Management Server Functions.....	11

1. Scope

This document specifies the SOAP binding for the NGSI-13 and NGSI-14 interfaces [NGSI Identity Control]. These new interfaces are exposed by the NGSI Enabler to support resolution of identifiers, as well as registration, revocation, and deletion of identifiers.

2. References

2.1 Normative References

[NGSI Identity Control]	“NGSI Identity Control”, Open Mobile Alliance™, OMA-TS-NGSI_Identity-V1_0, URL: http://www.openmobilealliance.org/
[NGSI-SUP-IdentityManagement]	“WSDL package for NGSI Identity Control”, Open Mobile Alliance™, OMA-SUP-WSDL_ngsi_identity_management-V1_0, URL: http://www.openmobilealliance.org/
[NGSI-SUP-IdentityResolution]	“WSDL package for NGSI Identity Control”, Open Mobile Alliance™, OMA-SUP-WSDL_ngsi_identity_resolution-V1_0, URL: http://www.openmobilealliance.org/
[RFC2119]	“Key words for use in RFCs to Indicate Requirement Levels”, S. Bradner, March 1997, URL: http://www.ietf.org/rfc/rfc2119.txt
[SCRRULES]	“SCR Rules and Procedures”, Open Mobile Alliance™, OMA-ORG-SCR_Rules_and_Procedures, URL: http://www.openmobilealliance.org/

2.2 Informative References

[OMADICT]	“Dictionary for OMA Specifications”, Version 2.8, Open Mobile Alliance™, OMA-ORG-Dictionary-V2_8, URL: http://www.openmobilealliance.org/
-----------	--

3. Terminology and Conventions

3.1 Conventions

The key words “MUST”, “MUST NOT”, “REQUIRED”, “SHALL”, “SHALL NOT”, “SHOULD”, “SHOULD NOT”, “RECOMMENDED”, “MAY”, and “OPTIONAL” in this document are to be interpreted as described in [RFC2119].

All sections and appendixes, except “Scope” and “Introduction”, are normative, unless they are explicitly indicated to be informative.

3.2 Definitions

None in this version.

3.3 Abbreviations

NGSI	Next Generation Service Interfaces
NGSI-S	SOAP Bindings for NGSI
OMA	Open Mobile Alliance

4. Introduction

The NGSI Identity Control interfaces do not extend any Parlay-X interfaces. This specification provides all WSDL and XSD files needed to implement these interfaces.

4.1 Version 1.0

This specification provides the SOAP binding for the NGSI-13 and NGSI-14 interfaces as specified in [NGSI Identity Control]. The WSDL representation and the verification files as listed in section 5 are contained in the support files [NGSI-SUP-IdentityResolution] and [NGSI-SUP-IdentityManagement].

5. WSDL for Identity Control

The WSDL representation for the NGSI-13 interface is contained in the support file [NGSI-SUP-IdentityResolution] and consists of the following files:

- ngsi-identity-resolution-interface-v1_0.wsdl
- ngsi-identity-resolution-service-v1_0.wsdl

The above WSDL files can be verified using the following files:

- n13_wsdl2Java_axis-1_4.bat
- n13_wsdl2Java_axis2-1_4_1.bat

The WSDL representation for the NGSI-14 interface is contained in the support file [NGSI-SUP-IdentityManagement] and consists of the following files:

- ngsi-identifier-types-v1_0.xsd
- ngsi-identity-management-interface-v1_0.wsdl
- ngsi-identity-management-service-v1_0.wsdl

The above WSDL files can be verified using the following files:

- n14_wsdl2Java_axis-1_4.bat
- n14_wsdl2Java_axis2-1_4_1.bat

Appendix A. Change History (Informative)

A.1 Approved Version History

Reference	Date	Description
OMA-TS-NGSI_S_Identity_Control-V1_0-20120529-A	29 May 2012	Status changed to Approved by TP Ref TP Doc # OMA-TP-2012-0205-INP_NGSI_S_V1_0_for_Final_Approval

Appendix B. Static Conformance Requirements (Normative)

The notation used in this appendix is specified in [SCRRULES].

The “Reference” column of the SCR tables below refers to a section in this document. Additionally, this column also refers to the appropriate section in the TS of the abstract interface definitions, if applicable.

Hereby, IC-x stands for section x in [NGSI Identity Control].

Support for NGSI-13 does not require support for NGSI-14 interface and vice versa. This means, the SCR items for NGSI-13 interface (in section B.1) and the SCR items for NGSI-14 interface (in section B.2) are independent from each other.

B.1 SCR for NGSI-13

B.1.1 SCR for NGSI-13 Server

Item	Function	Reference	Requirement
NGSI-13-SUPPORT-S-001-M	Support for the Identity Resolution Interface (NGSI-13)	5, IC-5.1.4	
NGSI-13-SUPPORT-S-002-M	Support for the SOAP/XML request & response format	5	

Table 1 SCR for NGSI-13 Server Functions

B.1.2 SCR for NGSI-13.Resolve.Identifier Server

Item	Function	Reference	Requirement
NGSI-13-RES-ID-S-001-M	Support for Identifier Resolution	5, IC-5.1.4.1	
NGSI-13-RES-ID-S-002-M	ResolveIdentifier operation	5, IC-5.1.4.1.1	

Table 2 SCR for NGSI-13 Identifier Resolution Server Functions

B.2 SCR for NGSI-14

B.2.1 SCR for NGSI-14 Server

Item	Function	Reference	Requirement
NGSI-14-SUPPORT-S-001-M	Support for the Identity Management Interface (NGSI-14)	5, IC-5.1.5	
NGSI-14-SUPPORT-S-002-M	Support for the SOAP XML request & response format	5	

Table 3 SCR for NGSI-14 Server Functions

B.2.2 SCR for NGSI-14.Management.Identifier Server

Item	Function	Reference	Requirement
NGSI-14-MGMT-ID-S-001-M	Support for Identifier Management	5, IC-5.1.5.2	
NGSI-14-MGMT-ID-S-002-M	CreateIdentifier request	5, IC-5.1.5.2.1.1	
NGSI-14-MGMT-ID-S-003-O	CreateIdentifier request with NewIdentifier	5, IC-5.1.5.2.1.1	
NGSI-14-MGMT-ID-S-004-O	CreateIdentifier request with TargetIdentifier	5, IC-5.1.5.2.1.1	
NGSI-14-MGMT-ID-S-005-O	CreateIdentifier request with Policy	5, IC-5.1.5.2.1.1	
NGSI-14-MGMT-ID-S-006-O	CreateIdentifier request with IdentifierType	5, IC-5.1.5.2.1.1	
NGSI-14-MGMT-ID-S-007-M	CreateIdentifier response	5, IC-5.1.5.2.1.2	
NGSI-14-MGMT-ID-S-008-M	GetTargetsOfIdentifier operation	5, IC-5.1.5.2.6	
NGSI-14-MGMT-ID-S-009-M	RevokeIdentifier operation	5, IC-5.1.5.2.7	
NGSI-14-MGMT-ID-S-0010-M	DeleteIdentifier operation	5, IC-5.1.5.2.8	

Table 4 SCR for NGSI-14 Identifier Management Server Functions

B.2.3 SCR for NGSI-14.Managemet.Policy Server

Item	Function	Reference	Requirement
NGSI-14-MGMT-POL-S-001-M	Support for Policy Management	5, IC-5.1.5.2	
NGSI-14-MGMT-POL-S-002-M	SetIdentifierPolicy operation	5, IC-5.1.5.2.2	
NGSI-14-MGMT-POL-S-003-M	GetIdentifierPolicyByPolicyId operation	5, IC-5.1.5.2.3	
NGSI-14-MGMT-POL-S-004-M	GetIdentifierPolicyByTargetID operation	5, IC-5.1.5.2.4	
NGSI-14-MGMT-POL-S-005-M	ClearIdentifierPolicy operation	5, IC-5.1.5.2.5	

Table 5 SCR for Policy Management Server Functions