



OneAPI Profile of RESTful Network APIs

Candidate Version 3.0 – 26 Feb 2013

Open Mobile Alliance
OMA-TS-REST_NetAPI_OneAPIProfile-V3_0-20130226-C

Use of this document is subject to all of the terms and conditions of the Use Agreement located at <http://www.openmobilealliance.org/UseAgreement.html>.

Unless this document is clearly designated as an approved specification, this document is a work in process, is not an approved Open Mobile Alliance™ specification, and is subject to revision or removal without notice.

You may use this document or any part of the document for internal or educational purposes only, provided you do not modify, edit or take out of context the information in this document in any manner. Information contained in this document may be used, at your sole risk, for any purposes. You may not use this document in any other manner without the prior written permission of the Open Mobile Alliance. The Open Mobile Alliance authorizes you to copy this document, provided that you retain all copyright and other proprietary notices contained in the original materials on any copies of the materials and that you comply strictly with these terms. This copyright permission does not constitute an endorsement of the products or services. The Open Mobile Alliance assumes no responsibility for errors or omissions in this document.

Each Open Mobile Alliance member has agreed to use reasonable endeavors to inform the Open Mobile Alliance in a timely manner of Essential IPR as it becomes aware that the Essential IPR is related to the prepared or published specification. However, the members do not have an obligation to conduct IPR searches. The declared Essential IPR is publicly available to members and non-members of the Open Mobile Alliance and may be found on the “OMA IPR Declarations” list at <http://www.openmobilealliance.org/ipr.html>. The Open Mobile Alliance has not conducted an independent IPR review of this document and the information contained herein, and makes no representations or warranties regarding third party IPR, including without limitation patents, copyrights or trade secret rights. This document may contain inventions for which you must obtain licenses from third parties before making, using or selling the inventions. Defined terms above are set forth in the schedule to the Open Mobile Alliance Application Form.

NO REPRESENTATIONS OR WARRANTIES (WHETHER EXPRESS OR IMPLIED) ARE MADE BY THE OPEN MOBILE ALLIANCE OR ANY OPEN MOBILE ALLIANCE MEMBER OR ITS AFFILIATES REGARDING ANY OF THE IPR'S REPRESENTED ON THE “OMA IPR DECLARATIONS” LIST, INCLUDING, BUT NOT LIMITED TO THE ACCURACY, COMPLETENESS, VALIDITY OR RELEVANCE OF THE INFORMATION OR WHETHER OR NOT SUCH RIGHTS ARE ESSENTIAL OR NON-ESSENTIAL.

THE OPEN MOBILE ALLIANCE IS NOT LIABLE FOR AND HEREBY DISCLAIMS ANY DIRECT, INDIRECT, PUNITIVE, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES ARISING OUT OF OR IN CONNECTION WITH THE USE OF DOCUMENTS AND THE INFORMATION CONTAINED IN THE DOCUMENTS.

© 2013 Open Mobile Alliance Ltd. All Rights Reserved.

Used with the permission of the Open Mobile Alliance Ltd. under the terms set forth above.

Contents

| | | |
|-------------|--|----|
| 1. | SCOPE..... | 4 |
| 2. | REFERENCES | 5 |
| 2.1 | NORMATIVE REFERENCES..... | 5 |
| 2.2 | INFORMATIVE REFERENCES..... | 5 |
| 3. | TERMINOLOGY AND CONVENTIONS..... | 6 |
| 3.1 | CONVENTIONS..... | 6 |
| 3.2 | DEFINITIONS..... | 6 |
| 3.3 | ABBREVIATIONS..... | 6 |
| 4. | INTRODUCTION | 7 |
| 4.1 | VERSION 3.0 | 7 |
| 5. | ONEAPI PROFILE OF RESTFUL NETWORK APIS | 8 |
| 5.1 | SHORT MESSAGING..... | 8 |
| 5.2 | MESSAGING | 8 |
| 5.3 | TERMINAL LOCATION..... | 9 |
| 5.4 | PAYMENT..... | 9 |
| 5.5 | DEVICE CAPABILITIES | 10 |
| 5.6 | TERMINAL STATUS..... | 10 |
| 5.7 | CALL CONTROL | 10 |
| APPENDIX A. | CHANGE HISTORY (INFORMATIVE)..... | 13 |
| A.1 | APPROVED VERSION HISTORY | 13 |
| A.2 | DRAFT/CANDIDATE VERSION 3.0 HISTORY | 13 |
| APPENDIX B. | STATIC CONFORMANCE REQUIREMENTS (NORMATIVE)..... | 14 |
| B.1 | SCR FOR ONEAPI.SMS SERVER | 14 |
| B.2 | SCR FOR ONEAPI.MESSAGING SERVER | 15 |
| B.3 | SCR FOR ONEAPI.TERMINALLOCATION SERVER..... | 16 |
| B.4 | SCR FOR ONEAPI.PAYMENT SERVER..... | 16 |
| B.5 | SCR FOR ONEAPI.TERMINALSTATUS SERVER..... | 17 |
| B.6 | SCR FOR ONEAPI.DEVICECAPABILITIES SERVER | 17 |
| B.7 | SCR FOR ONEAPI.CALLCONTROL SERVER..... | 17 |

1. Scope

This specification provides the OneAPI profile of RESTful Network APIs.

The OneAPI profile of RESTful Network APIs specifies a subset of the existing OMA RESTful Network APIs. This specification contains tables with information on what interfaces are mandated in the profile that **MUST** be implemented in order to claim conformance with the profile.

The GSMA OneAPI project is addressing deployment and operational considerations for 3rd party applications, and is re-using a subset of the Parlay X [PSA] and OMA RESTful Network APIs for this. It aims to reduce the effort and time needed to create applications and content that is portable across mobile operators.

2. References

2.1 Normative References

| | |
|--------------------------|---|
| [REST_NetAPI_3PC] | “RESTful Network API for Third Party Call”, Open Mobile Alliance™, OMA-TS-REST_NetAPI_ThirdPartyCall-V1_0, URL: http://www.openmobilealliance.org/ |
| [REST_NetAPI_AudioCall] | “RESTful Network API for Audio Call”, Open Mobile Alliance™, OMA-TS-REST_NetAPI_AudioCall-V1_0, URL: http://www.openmobilealliance.org/ |
| [REST_NetAPI_CallNotif] | “RESTful Network API for Call Notification”, Open Mobile Alliance™, OMA-TS-REST_NetAPI_CallNotification-V1_0, URL: http://www.openmobilealliance.org/ |
| [REST_NetAPI_Common] | “Common definitions for RESTful Network APIs”, Open Mobile Alliance™, OMA-TS-REST_NetAPI_Common-V1_0, URL: http://www.openmobilealliance.org/ |
| [REST_NetAPI_DeviceCaps] | “RESTful Network API for Device Capabilities”, Open Mobile Alliance™, OMA-TS-REST_NetAPI_DeviceCapabilities-V1_0, URL: http://www.openmobilealliance.org/ |
| [REST_NetAPI_Location] | “RESTful Network API for Terminal Location”, Version 1.0, Open Mobile Alliance™, OMA-TS-REST_NetAPI_TerminalLocation-V1_0, URL: http://www.openmobilealliance.org/ |
| [REST_NetAPI_Msg] | “RESTful Network API for Messaging”, Version 1.0, Open Mobile Alliance™, OMA-TS-REST_NetAPI_Messaging-V1_0, URL: http://www.openmobilealliance.org/ |
| [REST_NetAPI_Payment] | “RESTful Network API for Payment”, Version 1.0, Open Mobile Alliance™, OMA-TS-REST_NetAPI_Payment-V1_0, URL: http://www.openmobilealliance.org/ |
| [REST_NetAPI_SMS] | “RESTful Network API for Short Messaging”, Version 1.0, Open Mobile Alliance™, OMA-TS-REST_NetAPI_ShortMessaging-V1_0, URL: http://www.openmobilealliance.org/ |
| [REST_NetAPI_Status] | “RESTful Network API for Terminal Status”, Open Mobile Alliance™, OMA-TS-REST_NetAPI_TerminalStatus-V1_0, URL: http://www.openmobilealliance.org/ |
| [ParlayREST_OneAPI] | “OneAPI Profile of ParlayREST Web Services”, Open Mobile Alliance™, OMA-TS-ParlayREST_OneAPI-V2_0, URL: http://www.openmobilealliance.org/ |
| [PSA] | “OMA Parlay Service Access V1.0”, Open Mobile Alliance™, OMA-RRP-PSA-V1_0, URL: http://www.openmobilealliance.org/ |
| [RFC2119] | “Key words for use in RFCs to Indicate Requirement Levels”, S. Bradner, March 1997, URL: http://www.ietf.org/rfc/rfc2119.txt |
| [SCRRULES] | “SCR Rules and Procedures”, Open Mobile Alliance™, OMA-ORG-SCR_Rules_and_Procedures, URL: http://www.openmobilealliance.org/ |

2.2 Informative References

| | |
|-----------|--|
| [OMADICT] | “Dictionary for OMA Specifications”, Version 2.8, Open Mobile Alliance™, OMA-ORG-Dictionary-V2_8, URL: http://www.openmobilealliance.org/ |
|-----------|--|

3. Terminology and Conventions

3.1 Conventions

The key words “MUST”, “MUST NOT”, “REQUIRED”, “SHALL”, “SHALL NOT”, “SHOULD”, “SHOULD NOT”, “RECOMMENDED”, “MAY”, and “OPTIONAL” in this document are to be interpreted as described in [RFC2119].

All sections and appendixes, except “Scope” and “Introduction”, are normative, unless they are explicitly indicated to be informative.

3.2 Definitions

For the purpose of this document, all definitions from the OMA Dictionary [OMADICT] apply.

3.3 Abbreviations

| | |
|---------------|-----------------------------------|
| API | Application Programming Interface |
| GSMA | GSM Association |
| HTTP | Hypertext Transfer Protocol |
| OMA | Open Mobile Alliance |
| OneAPI | Open network enabler API |
| REST | REpresentational State Transfer |
| SCR | Static Conformance Requirements |
| SMS | Short Message Service |
| URI | Uniform Resource Identifier |

4. Introduction

The OneAPI profile of RESTful Network APIs defines a subset of the resources and HTTP methods in in these APIs that must be supported by any entity conforming to the profile, plus the corresponding Parlay X [PSA] interfaces and operations where appropriate. For example, for the Short Messaging API the profile mandates support for resources and HTTP methods corresponding to the sendSms operation of the SendSms interface, but the profile does not mandate support for sendSmsLogo or sendSmsRingtone. The profile does not change the operations themselves in any way, e.g. parameters, whether optional or mandatory, behaviour, etc.

4.1 Version 3.0

The OneAPI Profile of RESTful Network APIs V3.0 is a republication of the OneAPI Profile of ParlayREST V2.0 [ParlayREST_OneAPI] as part of the suite of OMA RESTful Network APIs. Mainly structural changes to fit that suite, but also a few functional changes have been applied.

Version 3.0 of the OneAPI Profile of RESTful Network APIs defines subsets of the following APIs:

- RESTful Network API for Short Messaging V 1.0
- RESTful Network API for Messaging V 1.0
- RESTful Network API for Terminal Location V 1.0
- RESTful Network API for Payment V 1.0
- RESTful Network API for Device Capabilities V 1.0
- RESTful Network API for Terminal Status V 1.0
- RESTful Network API for Third Party Call V 1.0, Call Notification V 1.0 and Audio Call V 1.0 (jointly referred to as Call Control APIs)

as specified in the following chapter.

The RESTful Network APIs for Messaging and Payment have undergone changes which make them different in details from their ParlayREST V2.0 counterparts. Further details can be found in the actual specifications.

5. OneAPI Profile of RESTful Network APIs

In this profile, all JSON instances SHALL be generated according to the *Structure-aware JSON generation* approach as defined in [REST_NetAPI_Common].

5.1 Short Messaging

The OneAPI profile of the RESTful Network API for Short Messaging defines a subset of the HTTP resources/methods in [REST_NetAPI_SMS] as listed below. The section numbers in the column “REST Methods” refer to sections in [REST_NetAPI_SMS]. Further, the corresponding Parlay X [PSA] interfaces and operations are given.

| Parlay X Interfaces | Parlay X Operations | REST Methods | Comments |
|------------------------|----------------------------------|----------------|----------|
| Short Messaging | | | |
| SendSms | SendSms | 6.7.5 C.1 | |
| | GetSmsDeliveryStatus | 6.9.3 | |
| SmsNotification | NotifySmsReception | 6.6.5 | |
| | NotifySmsDeliveryReceipt | 6.12.5 | |
| ReceiveSms | GetReceivedSms | 6.1.3 6.3.6 | |
| SmsNotificationManager | StartSmsNotification | 6.4.5 C.3 | |
| | StopSmsNotification | 6.5.6 | |
| | StartDeliveryReceiptNotification | 6.10.5 C.2 | |
| | StopDeliveryReceiptNotification | 6.11.6 | |

5.2 Messaging

The OneAPI profile of the RESTful Network API for Messaging defines a subset of the HTTP resources/methods in [REST_NetAPI_Msg] as listed below. The section numbers in the column “REST Methods” refer to sections in [REST_NetAPI_Msg]. Further, the corresponding Parlay X [PSA] interfaces and operations are given.

| Parlay X Interfaces | Parlay X Operations | REST Methods | Comments |
|---------------------|---------------------|--------------|----------|
| Messaging | | | |

| | | | |
|----------------------------|----------------------------------|----------------|--|
| SendMessage | SendMessage | 6.9.5 C.1 | |
| | GetMessageDeliveryStatus | 6.11.3 | |
| ReceiveMessage | GetReceivedMessages | 6.1.3 6.4.6 | |
| | GetMessageURIs | 6.4.3 | |
| MessageNotification | NotifyMessageReception | 6.8.5 | |
| | NotifyMessageDeliveryReceipt | 6.14.5 | |
| MessageNotificationManager | StartMessageNotification | 6.6.5 C.3 | |
| | StopMessageNotification | 6.7.6 | |
| | StartDeliveryReceiptNotification | 6.12.5 C.2 | |
| | StopDeliveryReceiptNotification | 6.13.6 | |

5.3 Terminal Location

The OneAPI Profile of the RESTful Network API for Terminal Location defines a subset of the HTTP resources/methods in [REST_NetAPI_Location] as listed below. The section numbers in the column “REST Methods” refer to sections in [REST_NetAPI_Location]. Further, the corresponding Parlay X [PSA] interfaces and operations are given.

| ParlayX Interfaces | Parlay X Operations | REST Methods | Comments |
|--------------------|---------------------|--------------|----------|
| Terminal Location | | | |
| TerminalLocation | GetLocation | 6.1.3 | |
| | GetLocationForGroup | 6.1.3 | |

5.4 Payment

The OneAPI Profile of the RESTful Network API for Payment defines a subset of the HTTP operations in [REST_NetAPI_Payment] as listed below. The section numbers in the column “REST Methods” refer to sections in [REST_NetAPI_Payment]. Further, the corresponding Parlay X [PSA] interfaces and operations are given.

| Parlay X Interfaces | Parlay X Operations | REST Methods | Comments |
|---------------------|---------------------|--------------|----------|
| Payment | | | |
| AmountCharging | ChargeAmount | 6.2.5 C.1 | |
| | RefundAmount | 6.2.5 C.2 | |

| | | | |
|-----------------------|-------------------------|---------------|--|
| ReserveAmountCharging | ReserveAmount | 6.12.5 C.3 | |
| | ReserveAdditionalAmount | 6.13.5 C.4 | |
| | ChargeReservation | 6.13.5 C.5 | |
| | ReleaseReservation | 6.13.5 C.6 | |

5.5 Device Capabilities

The OneAPI Profile of the RESTful Network API for Device Capabilities defines a subset of the HTTP resources/methods in [REST_NetAPI_DeviceCaps] as listed below. The section numbers in the column “REST Methods” refer to sections in [REST_NetAPI_DeviceCaps]. Further, the corresponding Parlay X [PSA] interfaces and operations are given.

| Parlay X Interfaces | Parlay X Operations | REST Methods | Comments |
|---------------------------------------|---------------------|--------------|----------|
| Device Capabilities and Configuration | | | |
| Device Capabilities | GetCapabilities | 6.1.3 | |

5.6 Terminal Status

The OneAPI Profile of the RESTful Network API for Terminal Status defines a subset of the HTTP resources/methods in [REST_NetAPI_Status] as listed below. The section numbers in the column “REST Methods” refer to sections in [REST_NetAPI_Status]. Further, the corresponding Parlay X [PSA] interfaces and operations are given.

| Parlay X Interfaces | Parlay X Operations | REST Methods | Comments |
|---------------------|---------------------|--------------|---|
| Terminal Status | | | |
| Terminal Status | GetStatus | 6.2.3 | Note that the REST operation returns more information than the Parlay X counterpart |
| | GetStatusForGroup | 6.2.3 | Note that the REST operation returns more information than the Parlay X counterpart |

5.7 Call Control

The OneAPI Call Control profile of the RESTful Network APIs defines a subset of the HTTP operations in [REST_NetAPI_3PC],[REST_NetAPI_CallNotif] and [REST_NetAPI_AudioCall] as listed below. The section numbers in the column “REST Methods” refer to sections in the indicated RESTful Network API specifications. Further, the corresponding Parlay X [PSA] interfaces and methods are given, where applicable.

| Parlay X Interfaces | Parlay X Operations | REST Methods | Comments |
|---|----------------------------------|--------------|--|
| Third Party Call [REST_NetAPI_3PC] | | | |
| ThirdPartyCall | MakeCallSession | 6.1.5 C.1 | Note that the REST method takes more parameters than the Parlay X counterpart, to support announcements and to subscribe to notifications. Those additional parameters are included in the OneAPI profile. |
| | GetCallSessionInformation | 6.2.3 | |
| | EndCallSession | 6.2.6 | |
| | AddCallParticipant | 6.4.5 C.3 | |
| | GetCallParticipantInformation | 6.5.3 | |
| | DeleteCallParticipant | 6.5.6 | |
| Call Notification [REST_NetAPI_CallNotif] | | | |
| CallNotification | NotifyCallEvent | 6.10.5 | |
| | NotifyPlayAndCollectEvent | 6.11.5 | |
| CallNotificationManager | StartCallNotification | 6.2.5 C.1 | |
| | StopCallNotification | 6.3.6 | |
| | (none) | 6.3.3 | This REST method has no Parlay X counterpart. It allows retrieving an individual subscription to call event notifications. |
| | StartPlayAndCollectNotification | 6.6.5 C.3 | |
| | StopMediaInteractionNotification | 6.7.6 | |

| | | | |
|------------------------------------|--------------------------------|---------------|---|
| | (none) | 6.7.3 | This REST method has no Parlay X counterpart. It allows retrieving an individual subscription to Play-And-Collect media interaction notifications. |
| Audio Call [REST_NetAPI_AudioCall] | | | |
| PlayMedia | PlayAudioMessage | 6.5.5 C.2 | |
| | EndMessage | 6.6.6 | |
| | GetMessageStatus | 6.7.3 | |
| CaptureMedia | StartPlayAndCollectInteraction | 6.15.5 C.5 | |
| | StopMediaInteraction | 6.16.6 | |
| | (none) | 6.16.3 | This REST method has no Parlay X counterpart, but is only defined in the RESTful Network API. It allows reading individual play-and-collect interactions. |

Appendix A. Change History

(Informative)

A.1 Approved Version History

| Reference | Date | Description |
|-----------|------|------------------|
| n/a | n/a | No prior version |

A.2 Draft/Candidate Version 3.0 History

| Document Identifier | Date | Sections | Description |
|--|-------------|-------------|--|
| Draft Versions OMA-TS-REST_NetAPI_OneAPIProfile-V3_0 | 27 May 2011 | All | Initial revision of this release, based on OMA-TS-ParlayREST_OneAPIProfile-V2_0-2011011-C. See OMA-ARC-REST-NetAPI-2011-0047-INP_TS_REST_NetAPI_OneAPI. |
| | 29 Jun 2011 | Title page | Changed the version number to 2.0 to align with the WID version number |
| | 14 Jul 2011 | 2.1, 2.2, 5 | Implemented CR OMA-ARC-REST-NetAPI-2011-00142-CR_OneAPI_Normative_Mirror_of_REST_M_2011_0018 |
| | 18 Oct 2011 | 4.1 | Implemented CR OMA-ARC-REST-NetAPI-2011-0312-CR_OneAPI_TS_prep_for_CONR |
| | 12 Jan 2012 | Many | Implemented CR OMA-ARC-REST-NetAPI-2012-0006-CR_TS_OneAPI_CONR_resolution |
| | 27 Jan 2012 | Many | Changed the version number to 3.0 as per request from GSMA |
| | 06 Mar 2012 | Many | Implemented CR: OMA-ARC-REST-NetAPI-2012-0086-CR_OneAPI_Profile_TS_editorial_changes, Editorial changes for CONRR A020, and in sections B.4 and B.5. |
| Candidate Version OMA-TS-REST_NetAPI_OneAPIProfile-V3_0 | 27 Mar 2012 | n/a | Status changed to Candidate by TP TP Ref # OMA-TP-2012-0129-INP_REST_NetAPI_OneAPIProfile_3_0_ERP_and_ETR_for_Candidate_Approval |
| Draft Version OMA-TS-REST_NetAPI_OneAPIProfile-V3_0 | 22 Feb 2013 | 2.1, 5 | Incorporated CR: OMA-ARC-REST-NetAPI-2013-0014-CR_Structure_Aware_JSON_Creation_in_OneAPI_Profile Editorial changes |
| Candidate Version OMA-TS-REST_NetAPI_OneAPIProfile-V3_0 | 26 Feb 2013 | n/a | Status changed to Candidate by TP TP Ref # OMA-TP-2013-0081-INP_REST_NetAPI_OneAPIProfile_V3.0_ERP_for_Candidate_notification |

Appendix B. Static Conformance Requirements (Normative)

The notation used in this appendix is specified in [SCRRULES].

B.1 SCR for OneAPI.SMS Server

Support for the OneAPI Profile of the RESTful Network API for Short Messaging implies supporting all mandatory SCRs as defined in the SCR tables of [REST_NetAPI_SMS].

| Item | Function | Reference | Requirement |
|--------------------|---------------------------------|---------------------------------|--|
| ONEAPI-SMS-S-001-O | Support for the RESTful SMS API | [REST_NetAPI_SMS] Appendix B | REST-SMS-SUPPORT-S-001-M AND REST-SMS-SUPPORT-S-002-M AND REST-SMS-SUPPORT-S-003-M AND REST-SMS-INB-OFF-S-001-M AND REST-SMS-INB-OFF-S-002-M AND REST-SMS-IND-INB-S-001-M AND REST-SMS-IND-INB-S-003-M AND REST-SMS-INB-ONL-SUBSCR-S-001-M AND REST-SMS-INB-ONL-SUBSCR-S-003-M AND REST-SMS-INB-INDON-SUBSCR-S-001-M AND REST-SMS-INB-INDON-SUBSCR-S-003-M AND REST-SMS-INB-NOTIF-S-001-M AND REST-SMS-INB-NOTIF-S-002-M AND REST-SMS-OUTB-S-001-M AND REST-SMS-OUTB-S-003-M AND REST-SMS-OUTB-DELSTAT-S-001-M AND REST-SMS-OUTB-DELSTAT-S-002-M AND REST-SMS-OUTB-SUBSCR-S-001-M AND REST-SMS-OUTB-SUBSCR-S-003-M AND REST-SMS-IND-OUTB-IND-SUBSCR-S-001-M AND |

| Item | Function | Reference | Requirement |
|------|----------|-----------|--|
| | | | REST-SMS-IND-OUTB-IND-SUBSCR-S-003-M AND REST-SMS-OUTB-DELSTAT-NOTIF-S-001-M AND REST-SMS-OUTB-DELSTAT-NOTIF-S-002-M |

B.2 SCR for OneAPI.Messaging Server

Support for the OneAPI Profile of the RESTful Network API for Messaging implies supporting all mandatory SCRs as defined in the SCR tables of [REST_NetAPI_Msg].

| Item | Function | Reference | Requirement |
|--------------------|---------------------------------------|---------------------------------|---|
| ONEAPI-MSG-S-001-O | Support for the RESTful Messaging API | [REST_NetAPI_Msg] Appendix B | REST-MSG-SUPPORT-S-001-M AND REST-MSG-SUPPORT-S-002-M AND REST-MSG-SUPPORT-S-003-M AND REST-MSG-INB-OFF-S-001-M AND REST-MSG-INB-OFF-S-002-M AND REST-MSG-IND-INB-S-001-M AND REST-MSG-IND-INB-S-003-M AND REST-MSG-INB-ONL-SUBSCR-S-001-M AND REST-MSG-INB-ONL-SUBSCR-S-003-M AND REST-MSG-INB-INDON-SUBSCR-S-001-M AND REST-MSG-INB-INDON- SUBSCR-S-003-M AND REST-MSG-INB-NOTIF-S-001-M AND REST-MSG-INB-NOTIF-S-002-M AND REST-MSG-OUTB-S-001-M AND REST-MSG-OUTB-S-003-M AND REST-MSG-OUTB-DELSTAT-S-001-M AND REST-MSG-OUTB-DELSTAT-S-002-M AND REST-MSG-OUTB-SUBSCR-S-001-M AND REST-MSG-OUTB-SUBSCR-S-003-M |

| Item | Function | Reference | Requirement |
|------|----------|-----------|--|
| | | | AND REST-MSG-IND-OUTB-IND-SUBSCR-S-001-M AND REST-MSG-IND-OUTB-IND-SUBSCR-S-003-M AND REST-MSG-OUTB-DELSTAT-NOTIF-S-001-M AND REST-MSG-OUTB-DELSTAT-NOTIF-S-002-M |

B.3 SCR for OneAPI.TerminalLocation Server

Support for the OneAPI Profile of RESTful Network API for TerminalLocation implies supporting all mandatory SCRs as defined in the SCR tables of [REST_NetAPI_Location].

| Item | Function | Reference | Requirement |
|--------------------|--|--------------------------------------|---|
| ONEAPI-LOC-S-001-O | Support for the RESTful TerminalLocation API | [REST_NetAPI_Location] Appendix B | REST-LOC-SUPPORT-S-001-M AND REST-LOC-SUPPORT-S-002-M AND REST-LOC-SUPPORT-S-003-M AND REST-LOC-LOC-S-001-M AND REST-LOC-LOC-S-002-M AND REST-LOC-LOC-S-003-M |

B.4 SCR for OneAPI.Payment Server

Support for the OneAPI Profile of the RESTful Network API for Payment implies supporting all mandatory SCRs as defined in the SCR tables of [REST_NetAPI_Payment].

| Item | Function | Reference | Requirement |
|--------------------|-------------------------------------|-------------------------------------|---|
| ONEAPI-PAY-S-001-O | Support for the RESTful Payment API | [REST_NetAPI_Payment] Appendix B | REST-PAY-SUPPORT-S-001-M AND REST-PAY-SUPPORT-S-002-M AND REST-PAY-SUPPORT-S-003-M AND REST-PAY-AMNT-TRANS-S-001-M AND REST-PAY-AMNT-TRANS-S-003-M AND REST-PAY-AMNT-RES-TRANS-S-001-M AND REST-PAY-AMNT-RES-TRANS-S-003-M AND REST-PAY-IND-AMNT-RES-TRANS-S-001-M AND |

| Item | Function | Reference | Requirement |
|------|----------|-----------|-------------------------------------|
| | | | REST-PAY-IND-AMNT-RES-TRANS-S-003-M |

B.5 SCR for OneAPI.TerminalStatus Server

Support for the OneAPI Profile of the RESTful Network API for TerminalStatus implies supporting all mandatory SCRs as defined in the SCR tables of [REST_NetAPI_Status].

| Item | Function | Reference | Requirement |
|--------------------|--|------------------------------------|--|
| ONEAPI-STA-S-001-O | Support for the RESTful TerminalStatus API | [REST_NetAPI_Status] Appendix B | REST-STA-SUPPORT-S-001-M AND REST-STA-SUPPORT-S-002-M AND REST-STA-SUPPORT-S-003-M AND REST-STA-ACC-S-001-M AND REST-STA-ACC-S-002-M |

B.6 SCR for OneAPI.DeviceCapabilities Server

Support for the OneAPI Profile of the RESTful Network API for DeviceCapabilities implies supporting a subset of the mandatory SCRs as defined in the SCR tables of [REST_NetAPI_DeviceCaps].

| Item | Function | Reference | Requirement |
|--------------------|--|--|---|
| ONEAPI-DEV-S-001-O | Support for the RESTful DeviceCapabilities API | [REST_NetAPI_DeviceCaps] Appendix B | REST-DEVCAP-SUPPORT-S-001-M AND REST-DEVCAP-SUPPORT-S-002-M AND REST-DEVCAP-SUPPORT-S-003-M AND REST-DEVCAP-ACCCAP-S-001-M AND REST-DEVCAP-ACCCAP-S-002-M |

B.7 SCR for OneAPI.CallControl Server

Support for the OneAPI Profile of the RESTful Network APIs for Call Control implies supporting a subset of the mandatory SCRs defined in the SCR tables of [REST_NetAPI_3PC], [REST_NetAPI_CallNotif] and [REST_NetAPI_AudioCall], in line with section 5.7.

| Item | Function | Reference | Requirement |
|-------------------------|---|--------------------------------|---|
| ONEAPI-CALL-S-001-O | Support for the RESTful Call Control APIs | 5.7 | ONEAPI-CALL-3PC-S-001-O AND ONEAPI-CALL-NOTIF-S-001-O AND ONEAPI-AUDIOCALL-S-001-O |
| ONEAPI-CALL-3PC-S-001-O | Support for the OneAPI subset of the RESTful Third Party Call API | REST_NetAPI_3PC] Appendix B | REST-3PC-SUPPORT-S-001-M AND REST-3PC-SUPPORT-S-002-M AND REST-3PC-SUPPORT-S-003-M AND |

| Item | Function | Reference | Requirement |
|---------------------------|--|-------------------------------------|---|
| | | | REST-3PC-SESS-S-001-M AND REST-3PC-SESS-S-003-M AND REST-3PC-SESS-S-005-M AND REST-3PC-INDSESS-S-001-M AND REST-3PC-INDSESS-S-002-M AND REST-3PC-INDSESS-S-003-M AND REST-3PC-INDSESS-PART-S-001-M AND REST-3PC-INDSESS-PART-S-003-M AND REST-3PC-INDSESS-INDPART-S-001-M AND REST-3PC-INDSESS-INDPART-S-002-M AND REST-3PC-INDSESS-INDPART-S-003-M |
| ONEAPI-CALL-NOTIF-S-001-O | Support for the OneAPI subset of the RESTful Call Notification API | REST_NetAPI_Call [Notif] Appendix B | REST-CN-SUPPORT-S-001-M AND REST-CN-SUPPORT-S-002-M AND REST-CN-SUPPORT-S-003-M AND REST-CN-NOTIF-CALLEVENT-S-001-M AND REST-CN-NOTIF-CALLEVENT-S-002-M AND REST-CN-NOTIF-MEDINT-S-001-M AND REST-CN-NOTIF-MEDINT-S-002-M AND REST-CN-SUBSCR-CALLEVENT-S-001-M AND REST-CN-SUBSCR-CALLEVENT-S-003-M AND REST-CN-SUBSCR-INDCALLEVENT-S-001-M AND REST-CN-SUBSCR-INDCALLEVENT-S-002-M AND REST-CN-SUBSCR-INDCALLEVENT-S-003-M AND REST-CN-SUBSCR-PAC-S-001-M AND REST-CN-SUBSCR-PAC-S-003-M |

| Item | Function | Reference | Requirement |
|--------------------------|--|-----------------------------------|---|
| | | | AND REST-CN-SUBSCR-INDPAC-S-001-M AND REST-CN-SUBSCR-INDPAC-S-002-M AND REST-CN-SUBSCR-INDPAC-S-003-M |
| ONEAPI-AUDIOCALL-S-001-O | Support for the OneAPI subset of the RESTful AudioCall API | REST_NetAPI_AudioCall] Appendix B | REST-AC-SUPPORT-S-001-M AND REST-AC-SUPPORT-S-002-M AND REST-AC-SUPPORT-S-003-M AND REST-AC-MSG-AUDIO-S-001-M AND REST-AC-MSG-AUDIO-S-003-M AND REST-AC-MSG-INDAUDIO-S-001-M AND REST-AC-MSG-INDAUDIO-S-003-M AND REST-AC-MSG-INDAUDIO-STAT-S-001-M AND REST-AC-MSG-INDAUDIO-STAT-S-002-M AND REST-AC-MEDINT-PAC-S-001-M AND REST-AC-MEDINT-PAC-S-003-M AND REST-AC-MEDINT-INDPAC-S-001-M AND REST-AC-MEDINT-INDPAC-S-002-M AND REST-AC-MEDINT-INDPAC-S-003-M |