



Enabler Release Definition for Push to Communicate for Public Safety (PCPS)

Approved Version 1.0 – 24 Jan 2017

Open Mobile Alliance
OMA-ERELD-PCPS-V1_0-20170124-A

Use of this document is subject to all of the terms and conditions of the Use Agreement located at <http://www.openmobilealliance.org/UseAgreement.html>.

Unless this document is clearly designated as an approved specification, this document is a work in process, is not an approved Open Mobile Alliance™ specification, and is subject to revision or removal without notice.

You may use this document or any part of the document for internal or educational purposes only, provided you do not modify, edit or take out of context the information in this document in any manner. Information contained in this document may be used, at your sole risk, for any purposes. You may not use this document in any other manner without the prior written permission of the Open Mobile Alliance. The Open Mobile Alliance authorizes you to copy this document, provided that you retain all copyright and other proprietary notices contained in the original materials on any copies of the materials and that you comply strictly with these terms. This copyright permission does not constitute an endorsement of the products or services. The Open Mobile Alliance assumes no responsibility for errors or omissions in this document.

Each Open Mobile Alliance member has agreed to use reasonable endeavors to inform the Open Mobile Alliance in a timely manner of Essential IPR as it becomes aware that the Essential IPR is related to the prepared or published specification. However, the members do not have an obligation to conduct IPR searches. The declared Essential IPR is publicly available to members and non-members of the Open Mobile Alliance and may be found on the “OMA IPR Declarations” list at <http://www.openmobilealliance.org/ipr.html>. The Open Mobile Alliance has not conducted an independent IPR review of this document and the information contained herein, and makes no representations or warranties regarding third party IPR, including without limitation patents, copyrights or trade secret rights. This document may contain inventions for which you must obtain licenses from third parties before making, using or selling the inventions. Defined terms above are set forth in the schedule to the Open Mobile Alliance Application Form.

NO REPRESENTATIONS OR WARRANTIES (WHETHER EXPRESS OR IMPLIED) ARE MADE BY THE OPEN MOBILE ALLIANCE OR ANY OPEN MOBILE ALLIANCE MEMBER OR ITS AFFILIATES REGARDING ANY OF THE IPR'S REPRESENTED ON THE “OMA IPR DECLARATIONS” LIST, INCLUDING, BUT NOT LIMITED TO THE ACCURACY, COMPLETENESS, VALIDITY OR RELEVANCE OF THE INFORMATION OR WHETHER OR NOT SUCH RIGHTS ARE ESSENTIAL OR NON-ESSENTIAL.

THE OPEN MOBILE ALLIANCE IS NOT LIABLE FOR AND HEREBY DISCLAIMS ANY DIRECT, INDIRECT, PUNITIVE, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES ARISING OUT OF OR IN CONNECTION WITH THE USE OF DOCUMENTS AND THE INFORMATION CONTAINED IN THE DOCUMENTS.

© 2017 Open Mobile Alliance All Rights Reserved.

Used with the permission of the Open Mobile Alliance under the terms set forth above.

Contents

- 1. SCOPE4
- 2. REFERENCES5
 - 2.1 NORMATIVE REFERENCES5
 - 2.2 INFORMATIVE REFERENCES5
- 3. TERMINOLOGY AND CONVENTIONS6
 - 3.1 CONVENTIONS6
 - 3.2 DEFINITIONS.....6
 - 3.3 ABBREVIATIONS6
- 4. RELEASE VERSION OVERVIEW7
 - 4.1 VERSION 1.0 FUNCTIONALITY7
- 5. DOCUMENT LISTING FOR PCPS V1.08
- 6. OMNA CONSIDERATIONS11
- 7. API CONSIDERATIONS12
- 8. CONFORMANCE REQUIREMENTS NOTATION DETAILS13
- 9. ERDEF FOR PCPS – CLIENT REQUIREMENTS.....14
- 10. ERDEF FOR PCPS – SERVER REQUIREMENTS15
- APPENDIX A. CHANGE HISTORY (INFORMATIVE)16
 - A.1 APPROVED VERSION HISTORY16

Figures

No table of figures entries found.

Tables

- Table 1: Listing of Documents in PCPS Enabler10
- Table 2: ERDEF for PCPS Client-side Requirements.....14
- Table 3: ERDEF for PCPS Server-side Requirements.....15

1. Scope

The scope of this document is given by the Enabler Release Definition of Push to Communicate for Public Safety (PCPS) enabler according to OMA Release process and the Enabler Release specification baseline listed in section 5.

The PCPS Enabler defines a service-level framework providing a standardized way to support Push-to-Talk services. This framework supports both the commercial push to talk services as well as the mission critical push to talk service for public safety envisioned in a later release.

The scope of the enabler covers all the requirements defined in OMA PoC V1.0, V2.0 and V2.1.

2. References

2.1 Normative References

- [PCPS_Document_Mgmt] “Push to Communicate for Public Safety Document Management”, Version 1.0, Open MobileAlliance™, OMA-PCPS-TS-Document_Management-V1_0, [URL: http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [PCPS_AD] “Push to Communicate for Public Safety Requirements”, Version 1.0, Open Mobile Alliance™, OMA-AD-PCPS-V1_0, [URL: http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [PCPS_CP] “Push to Communicate for Public Safety Control Plane”, Version 1.0, Open Mobile Alliance™, OMA-PCPS-TS-Control_Plane-V1_0, [URL: http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [PCPS_IM] “Push to Communicate for Public Safety Endorsement of OMA IM”, Version 1.0, Open Mobile Alliance™, OMA-PCPS-TS-Endorsement_OMA_IM-V1_0, [URL: http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [PCPS_INV] “Push to Communicate for Public Safety Invocation Descriptor”, Version 1.0, Open Mobile Alliance™, OMA-PCPS-TS-Invocation_Descriptor-V1_0, [URL: http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [PCPS_IWF] “Push to Communicate for Public Safety Interworking Service”, Version 1.0, Open Mobile Alliance™, OMA-PCPS-TS-Interworking_Service-V1_0, [URL: http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [PCPS_MC] “Push to Communicate for Public Safety Multicast”, Version 1.0, Open Mobile Alliance™, OMA-PCPS-TS-Multicast-V1_0, [URL: http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [PCPS_RD] “Push to Communicate for Public Safety Requirements”, Version 1.0, Open Mobile Alliance™, OMA-RD-PCPS-V1_0, [URL: http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [PCPS_SD] “Push to Communicate for Public Safety System Description”, Version 1.0, Open Mobile Alliance™, OMA-PCPS-TS-System_Description-V1_0, [URL: http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [PCPS_UP] “Push to Communicate for Public Safety User Plane”, Version 1.0, Open Mobile Alliance™, OMA-PCPS-TS-User_Plane-V1_0 , [URL: http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [PoC2_1_ERELD] “Enabler Release Definition for Push to talk over Cellular”, Version 2.1 Open Mobile Alliance™, ERELD-PoC-V2_1, [URL: http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [RFC2119] “Key words for use in RFCs to Indicate Requirement Levels”, S. Bradner, March 1997, [URL: http://www.ietf.org/rfc/rfc2119.txt](http://www.ietf.org/rfc/rfc2119.txt)
- [SCRRULES] “SCR Rules and Procedures”, Open Mobile Alliance™, OMA-ORG-SCR_Rules_and_Procedures, [URL: http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)

2.2 Informative References

- [OMADICT] “Dictionary for OMA Specifications”, Version 2.9, Open Mobile Alliance™, OMA-ORG-Dictionary-V2_9, [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)

3. Terminology and Conventions

3.1 Conventions

The key words “MUST”, “MUST NOT”, “REQUIRED”, “SHALL”, “SHALL NOT”, “SHOULD”, “SHOULD NOT”, “RECOMMENDED”, “MAY”, and “OPTIONAL” in this document are to be interpreted as described in [RFC2119].

All sections and appendixes, except “Scope”, "Release Version Overview" and “Conformance Requirements Notation Details”, are normative, unless they are explicitly indicated to be informative.

The formal notation convention used in sections 9 and 10 to formally express the structure and internal dependencies between specifications in the Enabler Release specification baseline is detailed in [SCRRULES].

3.2 Definitions

Enabler Release Collection of specifications that combined together form an enabler for a service area, e.g. a download enabler, a browsing enabler, a messaging enabler, a location enabler, etc. The specifications that are forming an enabler should combined fulfil a number of related market requirements.

Minimum Functionality Description Description of the guaranteed features and functionality that will be enabled by implementing the minimum mandatory part of the Enabler Release.

3.3 Abbreviations

3GPP	3 rd Generation Partnership Project
ERDEF	Enabler Requirement Definition
ERELD	Enabler Release Definition
LTE	Long Term Evolution
OMA	Open Mobile Alliance
OMNA	Open Mobile Naming Authority
PCPS	Push to Communicate for Public Safety
PoC	Push to talk Over Cellular

4. Release Version Overview

PCPS Enabler covers all OMA PoC V1.0, V2.0 and V2.1 requirements. The intention is to leverage all OMA PoC Enabler capabilities as the baseline. PCPS Enabler will also align with the current 3GPP R12 for its SIP/IP Core operations taking advantages of its support of LTE and other key relevant features (e.g. eMBMS). The vision is to position PCPS V1.0 Enabler to be ready for further development to support the new Mission Critical Push to Talk public safety requirements that are being developed for 3GPP R13.

4.1 Version 1.0 Functionality

PCPS Enabler V1.0 covers all functionality in OMA PoC V1.0, V2.0 and V2.1 with the use of the appropriate supporting OMA enablers. Its SIP/IP Core support will align with 3GPP R12 especially with the support of LTE and other key relevant features (e.g., eMBMS).

Refer to [PoC2_1_ERELED] for detail functionalities supported.

5. Document Listing for PCPS V1.0

This section is normative.

Doc Ref	Permanent Document Reference	Description
Requirement Document		
[PCPS_RD]	OMA-RD-PCPS-V1_0-20170124-A	Requirement Document for PCPS Enabler
Architecture Document		
[OMA-PCPS_AD]	OMA-AD-PCPS-V1_0-20170124-A	Architecture Document for PCPS Enabler
Technical Specifications		
[PCPS_SD]	OMA-PCPS-TS-System_Description-V1_0-20170124-A	Defines the system description of PCPS V1.0 including detailed descriptions of technologies and their uses.
[PCPS_CP]	OMA-PCPS-TS-Control_Plane-V1_0-20170124-A	Defines the PoC Control Plane signaling procedures of the PCPS Client and PCPS Server for Push to Communicate for Public Safety (PCPS) service including example detailed signaling flows for the reference points POC-1, POC-2, POC-9, POC-14 and IP-1.
[PCPS_UP]	OMA-PCPS-TS-User_Plane-V1_0-20170124-A	Defines the User Plane procedures for the Push to Communicate for Public Safety (PCPS) service over the POC-3, POC-4, POC-10, POC 12 and POC-15 reference points as defined in the reference [PCPS-AD]. When necessary, inter-working between the Control Plane [PCPS-CP] and User Plane is described. If necessary, requirements on the implementation of SIP / IP Core are included.
[PCPS_MC]	OMA-PCPS-TS-Multicast-V1_0-20170124-A	Defines the procedures of a PCPS Client and a PCPS Server over the POC-3, POC-16 and POC-17 reference points when using multicast/broadcast access technology in a Push to Communicate for Public Safety (PCPS) session to distribute Media.
[PCPS_INV]	OMA-PCPS-TS-Invocation_Descriptor-V1_0-20170124-A	Defines the browser-based PCPS Client invocation.
[PCPS_IWF]	OMA-PCPS-TS-Interworking_Service-V1_0-20170124-A	Provides the PCPS Service Interworking specification by means of endorsement of the [PCPS-CP], [PCPS-UP] and [PCPS_Document_Mgmt] and documentation of applicability and exceptions.
[PCPS_Document_Mgmt]	OMA-PCPS-TS-Document_Management-V1_0-20170124-A	Defines the PCPS Enabler specific usage of XML documents defined by the XDM Enabler and specifies the PCPS Enabler deviations and extensions to these documents.
[PCPS_IM]	OMA-PCPS-TS-Endorsement_OMA_IM-V1_0-20170124-A	Endorses the OMA IM SIMPLE service for the PCPS discrete media transport.
Supporting Files		
[PCPS_LST]	OMA-SUP-XSD_pcps_listService-V1_0-20170124-A	XML schema for PCPS List Service Working file in XML Schema directory: file: pcps_listService-v1_0.xsd path: http://www.openmobilealliance.org/tech/profiles
[PCPS_GA]	OMA-SUP-XSD_pcps_group_advertisement-V1_0-20170124-A	XML schema for Group Advertisement Working file in XML Schema directory: file: pcps_group_advertisement-v1_0.xsd path: http://www.openmobilealliance.org/tech/profiles/

[PCPS_USG]	OMA-SUP-XSD_pcps_pocusage-V1_0-20170124-A	XML schema for PCPS-specific URI List usage Working file in XML Schema directory: file: pcps_pocusage-v1_0.xsd path: http://www.openmobilealliance.org/tech/profiles
[POC2_RUL]	OMA-SUP-XSD_pcps_poc2_0Rules-V1_0-20170124-A	XML schema for PoC V2.0 extensions of PoC User access policy Working file in XML Schema directory: file: pcps_poc2_0Rules-v1_0.xsd path: http://www.openmobilealliance.org/tech/profiles
[PCPS_GAD]	OMA-SUP-XSD_pcps_dispatchInd-V1_0-20170124-A	XML schema for Group Advertisement Dispatch Attribute Working file in XML Schema directory: file: pcps_dispatchInd-v1_0.xsd path: http://www.openmobilealliance.org/tech/profiles/
[PCPS_ID]	OMA-SUP-XSD_pcps_FDCFO-V1_0-20170124-A	XML schema for Full Duplex Call Follow On Proceed postd Element Working file in XML Schema directory: file: pcps_FDCFO-v1_0.xsd path: http://www.openmobilealliance.org/tech/profiles
[POC2_SET]	OMA-SUP-XSD_pcps_poc2_0Settings-V1_0-20170124-A	XML schema for PoCv2.0 Service Settings Working file in XML Schema directory: file: pcps_poc2_0Settings-v1_0.xsd path: http://www.openmobilealliance.org/tech/profiles
[PCPS_SID]	OMA-SUP-XSD_pcps_sessionInvocationDescriptor-V1_0-20170124-A	XML schema for PCPSv1.0 Invocation descriptor Working file in XML Schema directory: file: pcps_sessionInvocationDescriptor-v1_0.xsd path: http://www.openmobilealliance.org/tech/profiles
[POC2_SGRP]	OMA-SUP-XSD_pcps_poc2_0SharedGroupExt-V1_0-20170124-A	XML schema for PoCv2.0 Shared Groups Working file in XML Schema directory: file: pcps_poc2_0SharedGroupExt-v1_0.xsd path: http://www.openmobilealliance.org/tech/profiles
[PCPS_FR]	OMA-SUP-XSD_pcps_finalReport-V1_0-20170124-A	XML schema for PCPSv1.0 Discrete Media Transfer Final Report file: pcps_finalReport-v1_0.xsd path: http://www.openmobilealliance.org/tech/profiles
[PCPS_DPR]	OMA-SUP-XSD_pcps_detProgressRep-V1_0-20170124-A	XML schema for PCPSv1.0 detailed Discrete Media Transfer Progress Report file: pcps_detProgressRep-v1_0.xsd path: http://www.openmobilealliance.org/tech/profiles
[PCPS_OPR]	OMA-SUP-XSD_pcps_optProgressRep-V1_0-20170124-A	XML schema for PCPSv1.0 optimized Discrete Media Transfer Progress Report file: pcps_optProgressRep-v1_0.xsd path: http://www.openmobilealliance.org/tech/profiles
[PCPS1_0_SES]	OMA-SUP-XSD_pcps_poc_sessions-V1_0-20170124-A	XML schema for PoC Session Search Working file in XML Schema directory: file: pcps_poc_sessions-v1_0.xsd path: http://www.openmobilealliance.org/tech/profiles

[PCPS1_0_LIPI]	OMA-SUP-XSD_pcps_limitedParticipantInfoReq-V1_0-20170124-A	XML schema for Limited Participant Information Request Working file in XML Schema directory: file: pcps_limitedParticipantInfoReq-v1_0.xsd path: http://www.openmobilealliance.org/tech/profiles
[POC2_1_PII]	OMA-SUP-XSD_pcps_poc2_1ParticipantInfoInd-V1_0-20170124-A	XML schema for PoCv2.1 Participant Information Indications Working file in XML Schema directory: file: pcps_poc2_1ParticipantInfoInd-v1_0.xsd path: http://www.openmobilealliance.org/tech/profiles
[POC2_1_SGRP]	OMA-SUP-XSD_pcps_poc2_1SharedGroupExt-V1_0-20170124-A	XML schema for PoCv2.1 extensions of Shared Groups Working file in XML Schema directory: file: pcps_poc2_1SharedGroupExt-v1_0.xsd path: http://www.openmobilealliance.org/tech/profiles
[POC2_1_SET]	OMA-SUP-XSD_pcps_poc2_1Settings-V1_0-20170124-A	XML schema for PoCv2.1 extensions of Service Settings Working file in XML Schema directory: file: pcps_poc2_1Settings-v1_0.xsd path: http://www.openmobilealliance.org/tech/profiles
[PCPS1_0_MO_DDF]	OMA-SUP-MO_oma_pcps-V1_0-20170124-A	Defines the PCPS Management Object Device Description Framework for PCPS 1.0 enabler file: oma_pcps-v1_0.ddf path: http://www.openmobilealliance.org/tech/omna/omna-dm_mo

Table 1: Listing of Documents in PCPS Enabler

6. OMNA Considerations

7. API Considerations

8. Conformance Requirements Notation Details

This section is informative

The tables in following chapters use the following notation:

- Item:** Entry in this column **MUST** be a valid `ScrItem` according to [SCRRULES].
- Feature/Application:** Entry in this column **SHOULD** be a short descriptive label to the **Item** in question.
- Requirement:** Expression in the column **MUST** be a valid `TerminalExpression` according to [SCRRULES] and it **MUST** accurately reflect the architectural requirement of the **Item** in question.

9. ERDEF for PCPS – Client Requirements

This section is normative.

Item	Feature / Application	Requirement
OMA-ERDEF-PCPS-C-001-M	PCPS V1.0 Client	

Table 2: ERDEF for PCPS Client-side Requirements

10.ERDEF for PCPS – Server Requirements

This section is normative.

Item	Feature / Application	Requirement
OMA-ERDEF-PCPS-S-001-M	PCPS V1.0 Server	

Table 3: ERDEF for PCPS Server-side Requirements

Appendix A. Change History

(Informative)

A.1 Approved Version History

Reference	Date	Description
OMA-ERELED-PCPS-V1_0-20170124-A	24 Jan 2017	Status changed to Approved by TP TP Ref # OMA-TP-2017-0001-INP_PCPS-V1_0_ERP_for_Final_Approval