

Parlay Service Access Architecture

Candidate Version 1.0 – 01 Dec 2009

Open Mobile Alliance

OMA-AD-Parlay_Service_Access-V1_0-20091201-C

Use of this document is subject to all of the terms and conditions of the Use Agreement located at http://www.openmobilealliance.org/UseAgreement.html.

Unless this document is clearly designated as an approved specification, this document is a work in process, is not an approved Open Mobile AllianceTM specification, and is subject to revision or removal without notice.

You may use this document or any part of the document for internal or educational purposes only, provided you do not modify, edit or take out of context the information in this document in any manner. Information contained in this document may be used, at your sole risk, for any purposes. You may not use this document in any other manner without the prior written permission of the Open Mobile Alliance. The Open Mobile Alliance authorizes you to copy this document, provided that you retain all copyright and other proprietary notices contained in the original materials on any copies of the materials and that you comply strictly with these terms. This copyright permission does not constitute an endorsement of the products or services. The Open Mobile Alliance assumes no responsibility for errors or omissions in this document.

Each Open Mobile Alliance member has agreed to use reasonable endeavors to inform the Open Mobile Alliance in a timely manner of Essential IPR as it becomes aware that the Essential IPR is related to the prepared or published specification. However, the members do not have an obligation to conduct IPR searches. The declared Essential IPR is publicly available to members and non-members of the Open Mobile Alliance and may be found on the "OMA IPR Declarations" list at http://www.openmobilealliance.org/ipr.html. The Open Mobile Alliance has not conducted an independent IPR review of this document and the information contained herein, and makes no representations or warranties regarding third party IPR, including without limitation patents, copyrights or trade secret rights. This document may contain inventions for which you must obtain licenses from third parties before making, using or selling the inventions. Defined terms above are set forth in the schedule to the Open Mobile Alliance Application Form.

NO REPRESENTATIONS OR WARRANTIES (WHETHER EXPRESS OR IMPLIED) ARE MADE BY THE OPEN MOBILE ALLIANCE OR ANY OPEN MOBILE ALLIANCE MEMBER OR ITS AFFILIATES REGARDING ANY OF THE IPR'S REPRESENTED ON THE "OMA IPR DECLARATIONS" LIST, INCLUDING, BUT NOT LIMITED TO THE ACCURACY, COMPLETENESS, VALIDITY OR RELEVANCE OF THE INFORMATION OR WHETHER OR NOT SUCH RIGHTS ARE ESSENTIAL OR NON-ESSENTIAL.

THE OPEN MOBILE ALLIANCE IS NOT LIABLE FOR AND HEREBY DISCLAIMS ANY DIRECT, INDIRECT, PUNITIVE, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES ARISING OUT OF OR IN CONNECTION WITH THE USE OF DOCUMENTS AND THE INFORMATION CONTAINED IN THE DOCUMENTS.

© 2009 Open Mobile Alliance Ltd. All Rights Reserved. Used with the permission of the Open Mobile Alliance Ltd. under the terms set forth above.

Contents

1.	SCOPE (INFORMATIVE)	4
2.	REFERENCES	5
2.		
2		5
	TERMINOLOGY AND CONVENTIONS	
3		
3.		
3.		
4.	INTRODUCTION (INFORMATIVE)	7
	.1 VERSION 1.0	
5.		
5.	.1 DEPENDENCIES	8
5.		8
5.		
5.	.4 SECURITY CONSIDERATIONS	9
API	PENDIX A. CHANGE HISTORY (INFORMATIVE)	10
A	A.1 APPROVED VERSION HISTORY	10
A	2.2 DRAFT/CANDIDATE VERSION 1.0 HISTORY	
Fi	gures	
Fig.	ure 1. DCA framework in DIACE context	Q

1. Scope

(Informative)

This document defines the architecture for the OMA Parlay Service Access (PSA) APIs v.1.0 in order to satisfy the requirements defined in [RFC2119].

The "Parlay/OSA(Open Service Access) In OMA Service Environment (PIOSE)" Error! Reference source not found. reference release and 3GPP "Open Service Access (OSA); Stage 2" [PIOSE] will be considered as input for this deliverable.

2. References

2.1 Normative References

[3GPP TS 23.198] "Open Service Access (OSA); Stage 2", TS23.198

URL: http://www.3gpp.org/ftp/Specs/html-info/23198.htm

[OSE] "OMA Service Environment", Open Mobile Alliance™,

URL: http://www.openmobilealliance.org/

[PIOSE] "Parlay in OSE Architecture", Open Mobile AllianceTM, OMA-RRP-PIOSE-V1 0-A,

URL:http://www.openmobilealliance.org/

[PSA RD] "Parlay Service Access Requirements", Open Mobile Alliance™, OMA-RD-Parlay_Service_Access-

V1 0, URL:http://www.openmobilealliance.org/

[RFC2119] "Key words for use in RFCs to Indicate Requirement Levels", S. Bradner, March 1997,

URL: http://www.ietf.org/rfc/rfc2119.txt

2.2 Informative References

[3GPP TS 22.127] "Service Requirement for the Open Services Access (OSA); Stage 1"

URL:http://www.3gpp.org/ftp/Specs/html-info/22127.htm

[3GPP TS 29.198] "Open Service Architecture (OSA) Application Programming Interface (API)"

URL:http://www.3gpp.org/ftp/Specs/html-info/29-series.htm

[3GPP TS 29.199] "Open Service Access (OSA); Parlay X web services"

URL:http://www.3gpp.org/ftp/Specs/html-info/29-series.htm

[OMADICT] "Dictionary for OMA Specifications", Version 2.7, Open Mobile AllianceTM,

OMA-ORG-Dictionary-V2 7-A, URL:http://www.openmobilealliance.org/

[OWSER-Core] "OMA Web Services Enabler (OWSER): Core Specifications", Open Mobile Alliance™, OMA-TS-

OWSER Core Specification-V1 1-A, URL:http://www.openmobilealliance.org/

[OWSER-WSDL] "OMA Web Services Enabler (OWSER) Best Practices: WSDL Style Guide", Open Mobile AllianceTM,

 $OMA-TS-OWSER-Best_Practice-WSDL_Style_Guide-V1_1-A,$

URL:http://www.openmobilealliance.org/

[PEEM] "OMA Policy Evaluation, Enforcement and Management Architecture V1.0", Open Mobile Alliance,

http://www.openmobilealliance.org/

[SEC-CF] "Enabler Release Package for Application Layer Security Common Functions", Open Mobile AllianceTM,

OMA-ERP-SEC_CF-V1_0-A, <u>URL:http://www.openmobilealliance.org/</u>

3. Terminology and Conventions

3.1 Conventions

The key words "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "MAY", and "OPTIONAL" in this document are to be interpreted as described in [Error! Reference source not found.].

All sections and appendixes, except "Scope" and "Introduction", are normative, unless they are explicitly indicated to be informative.

3.2 Definitions

OSA API See Parlay API

Parlay API A multi-part suite of API specifications, also referred to as OSA API, with which service application

developers can make use of network functionality, features and enablers through a secure, open, standardised interface, i.e. the Parlay/OSA APIs. The Parlay APIs are object-oriented in nature, and defined using UML as the methodology with which to specify interface classes, methods, parameters and state transition diagrams. This set of UML based APIs supports three different technology realizations as

described below.

Parlay - CORBA/IDL

Realization A realization of the Parlay UML model in OMG IDL.

Parlay - Java Realization A realization of the Parlay UML model in Java.. The Java realisation provides Java code for

JSE and JEE.

Parlay -Web Services

Realization

A realization of the Parlay UML in WSDL

Parlay X (API) Parlay X provides simple, abstracted Web Services-based use of network functionality, features and

enablers, consistent with the Parlay APIs and supplemented where necessary to meet the needs of Web Service developers. The Parlay X APIs are defined as WSDLs, which are not derived from the Parlay

UML, and conform to a defined Web Services styleguide [OWSER-WSDL].

3.3 Abbreviations

CORBA Common Object Request Broker Architecture

IDL Interface Definition Language

JEE Java Enterprise Edition

JSE Java Standard Edition

OMA Open Mobile Alliance

OMG Object Management Group

OSA Open Service Access

UML Unified Modeling Language

WSDL Web Services Description Language

4. Introduction

(Informative)

The 3GPP Open Service Access (OSA) defines an architecture that enables service application developers to make use of network functionality through open standardized interface, i.e. the OSA APIs and Parlay X APIs. Document [PIOSE] specifies the architecture of the Open Service Access (OSA).

This Architecture Document takes into account both [PIOSE] and Error! Reference source not found...

The Parlay In OSE (PIOSE) Enabler provides an OMA perspective on the use of Parlay and Parlay X as part of the OSE (**Error! Reference source not found.**). This perspective provides further background and analysis on Parlay architecture and principles.

4.1 Version 1.0

PSA version 1.0 completes the work on the 3GPP Release 8 requirements that have been transferred to OMA and addressed in PSA RD [RFC2119] as per OMA processes.

5. Architectural Model

The architecture for this enabler is specified in [PIOSE].

PIOSE AD (Error! Reference source not found.) positions the PSA framework enabler in the context of OSE ([Error! Reference source not found.]).

5.1 Dependencies

The PSA framework enabler is dependent on OSE ([Error! Reference source not found.]), on Parlay in OSE (Error! Reference source not found.), and on the following 3GPP Rel. 8 specifications:

- TS 22.127, "Service Requirement for the Open Services Access (OSA); Stage 1", [3GPP TS 22.127];
- TS 23.198, "Open Service Access (OSA); Stage 2", [PIOSE];
- TS 29.198-xx series, "Open Service Architecture (OSA) Application Programming Interface (API)", [3GPP TS 29.198];
- TS 29.199-xx series, "Open Service Access (OSA); Parlay X web services", [3GPP TS 29.199].

No other dependencies are identified.

5.2 Architectural Diagram

The figure below shows the PSA Framework scope:




Figure 1: PSA framework in PIOSE context

5.3 Functional Components and Interfaces/reference points definition

Document Error! Reference source not found. describes how the OSE relates to different resources including the OSA/Parlay Resources and OSA architecture components (OSA/Parlay is described in [PIOSE]).

In the PIOSE context, the PSA Framework is a PSA architectural element that gathers and provides mechanisms (i.e. Policy enforcement, evaluation, management; Accounting; Event management; Identity management) to facilitate the access from 3° parties to Parlay/ParlayX resources.

Implementation of the PSA Framework in real deployments of service environments allow the service provider to:

- 1) offer a single logical point of contact for all Applications accessing the service capability features in the service environment, and
- 2) be able to hide to the Applications the topology of the underlying network enabler.

The PSA framework enabler supports an interface to set policies on how to utilize the underlying network system (e.g. based on the need of load distribution).

The PSA framework enabler provides an interface to notify the application of events (including chargeable events) that have occurred in the network.

The requirement to manage and enforce policies on the access and usage of service capability features requested by the applications is supported through the Policy Enforcer in OSE ([Error! Reference source not found.]): in the PSA framework enabler, the OMA PEEM enabler [PEEM] may be used to realise these functionalities.

The PSA framework enabler provides an interface to inform about the usage of APIs: since the PE manages and enforces policies, log information provided by PE may be used to track usage of APIs.

PSA framework enabler is identified in PSA AD and can be implemented as a collection of 3GPP and OMA functionalities (e.g. PEEM can manage and enforce policies on the access and usage of APIs); it is FFS a detailed specification of it

5.4 Security Considerations

The PSA framework enabler may use security mechanisms as defined in [OWSER-Core] or [SEC-CF].

Appendix A. Change History

(Informative)

A.1 Approved Version History

Reference	Date	Description
n/a	n/a	No prior version –or- No previous version within OMA

A.2 Draft/Candidate Version 1.0 History

Document Identifier	Date	Sections	Description
Draft Versions:	24 Jun 2008	5	First draft version with two sentences in Section 5 (agreed during 20080624 OGSA F2F in Prague)
OMA-AD- Parlay_Service_Access-V1_0	18 Aug 2008	3.2 Definitions 3.3 Abbreviations 4. Introduction	See OMA-ARC-PSA-2008-0014R01- INP_Addition_of_Parlay_definitions_to_the_RD_and_AD (agreed during 20080818 OGSA F2F in Chicago)
		1. Scope	See OMA-ARC-2008-0168-INP_Scope_Section_for_PSA_AD (agreed during 20080818 OGSA F2F in Chicago)
		4. Introduction	See OMA-ARC-2008-0169R01- INP_Introduction_Section_for_PSA_AD (agreed during 20080818 OGSA F2F in Chicago)
		5.3 Functional Components and Interfaces/reference points definition	See OMA-ARC-2008-0171R01- INP_Func_comps_Policies_on_underlying_network_system_for_PS A_AD (agreed during 20080818 OGSA F2F in Chicago)
		5.3 Functional Components and Interfaces/reference points definition	See OMA-ARC-2008-0172R01- INP_Func_comps_Topology_hiding_for_PSA_AD (agreed during 20080818 OGSA F2F in Chicago)
		5.3 Functional Components and Interfaces/reference points definition	See OMA-ARC-2008-0174R01-INP_Func_comps_Event_notifications_for_PSA_AD (agreed during 20080818 OGSA F2F in Chicago)
		5.3 Functional Components and Interfaces/reference points definition	See OMA-ARC-2008-0175R01- INP_Func_comps_Policies_on_usage_of_service_capability_features _for_PSA_AD (agreed during 20080818 OGSA F2F in Chicago)
		5.3 Functional Components and Interfaces/reference points definition	See OMA-ARC-2008-0176R01- INP_Func_comps_Accounting_for_PSA_AD (agreed during 20080818 OGSA F2F in Chicago)
	23 Oct. 2008	5.3 Functional Components and Interfaces/reference points definition	See OMA-ARC-2008-0170R04- INP_Func_comps_Figure_Text_for_PSA_AD (agreed during 20081020 OGSA F2F in Osaka)
		Appendix A. Change History	Editorial changes: History box fixed
	04 Nov 2008	5.4 Security Considerations Appendix B. Flows	See OMA-ARC-PSA-2008-0027-INP_Apply_New_AD_Template (agreed during 20081104 ARC CC)
		2.1 Normative References 2.2 Informative	See OMA-ARC-PSA-2008-0030R01-INP_Add_Norm_Refs_to_AD (agreed during 20081104 ARC CC)
		References 3.1 Conventions	See OMA-ARC-PSA-2008-0031-INP_Fix_Section_3_1_in_AD (agreed during 20081104 ARC CC)
		4.1 Version 1.0 4.2 Version <x.y> and sub</x.y>	See OMA-ARC-PSA-2008-0032R01- INP_Populate_Section_4_1_in_AD (agreed during 20081104 ARC CC)
		5.1 Dependencies	See OMA-ARC-PSA-2008-0033-INP_Populate_Section_5_1_in_AD (agreed during 20081104 ARC CC)

Document Identifier	Date	Sections	Description
	16 Dec 2008	5.2 Architectural Diagram	See OMA-ARC-PSA-2008-0037R01-INP_PSA_FW_Figure_AD (agreed during 20081216 ARC F2F in Cancun)
		2.2 Informative References	See OMA-ARC-PSA-2008-0038-INP_HLF_005_AD (agreed during 20081216 ARC F2F in Cancun)
		5.3 Functional Components and Interfaces/reference points definition	
		5.3 Functional Components and Interfaces/reference points definition	See OMA-ARC-PSA-2008-0039R01-INP_HLF_006_AD (agreed during 20081216 ARC F2F in Cancun)
		5.3 Functional Components and Interfaces/reference points definition	See OMA-ARC-PSA-2008-0040R01-INP_SYS_002_003_AD (agreed during 20081216 ARC F2F in Cancun) Editorial clean-up
	09 Feb 2009	Editorial cleanup	See OMA-ARC-PSA-2009-0005-INP_AD_Cleanup. (agreed during 20090209 ARC F2F in Macau)
	31 Mar 2009	ADRR	See OMA-ADRR-Parlay_Service_Access-V1_0_0-20090316-D.doc
	17 Apr 2009	ADRR	See A009 email resolution on ARC reflector (20090416)
	21 Apr 2009	ADRR	Comment 11 resolution (agreed during 20090421 ARC F2F in Helsinki).
Candidate Version: OMA-AD-Parlay_Service_Access-V1_0	19 May 2009	All	Status changed to Candidate by TP: OMA-TP-2009-0194- INP_PSA_V1_0_AD_for_Candidate_Approval
Draft Version: OMA-AD-Parlay_Service_Access-V1_0	21 Oct 2009	3.2	Changes to resolve the CONRR issues
Candidate Version: OMA-AD-Parlay_Service_Access-V1_0	01 Dec 2009	All	Status changed to Candidate by TP: OMA-TP-2009-0520R01- INP_PSA_V1_0_RRP_for_Candidate_approval