



Enabler Release Definition for RESTful bindings for Parlay X Web Services

Candidate Version 1.0 – 24 Aug 2010

Open Mobile Alliance
OMA-ERELED-ParlayREST-V1_0-20100824-C

Use of this document is subject to all of the terms and conditions of the Use Agreement located at <http://www.openmobilealliance.org/UseAgreement.html>.

Unless this document is clearly designated as an approved specification, this document is a work in process, is not an approved Open Mobile Alliance™ specification, and is subject to revision or removal without notice.

You may use this document or any part of the document for internal or educational purposes only, provided you do not modify, edit or take out of context the information in this document in any manner. Information contained in this document may be used, at your sole risk, for any purposes. You may not use this document in any other manner without the prior written permission of the Open Mobile Alliance. The Open Mobile Alliance authorizes you to copy this document, provided that you retain all copyright and other proprietary notices contained in the original materials on any copies of the materials and that you comply strictly with these terms. This copyright permission does not constitute an endorsement of the products or services. The Open Mobile Alliance assumes no responsibility for errors or omissions in this document.

Each Open Mobile Alliance member has agreed to use reasonable endeavors to inform the Open Mobile Alliance in a timely manner of Essential IPR as it becomes aware that the Essential IPR is related to the prepared or published specification. However, the members do not have an obligation to conduct IPR searches. The declared Essential IPR is publicly available to members and non-members of the Open Mobile Alliance and may be found on the “OMA IPR Declarations” list at <http://www.openmobilealliance.org/ipr.html>. The Open Mobile Alliance has not conducted an independent IPR review of this document and the information contained herein, and makes no representations or warranties regarding third party IPR, including without limitation patents, copyrights or trade secret rights. This document may contain inventions for which you must obtain licenses from third parties before making, using or selling the inventions. Defined terms above are set forth in the schedule to the Open Mobile Alliance Application Form.

NO REPRESENTATIONS OR WARRANTIES (WHETHER EXPRESS OR IMPLIED) ARE MADE BY THE OPEN MOBILE ALLIANCE OR ANY OPEN MOBILE ALLIANCE MEMBER OR ITS AFFILIATES REGARDING ANY OF THE IPR'S REPRESENTED ON THE “OMA IPR DECLARATIONS” LIST, INCLUDING, BUT NOT LIMITED TO THE ACCURACY, COMPLETENESS, VALIDITY OR RELEVANCE OF THE INFORMATION OR WHETHER OR NOT SUCH RIGHTS ARE ESSENTIAL OR NON-ESSENTIAL.

THE OPEN MOBILE ALLIANCE IS NOT LIABLE FOR AND HEREBY DISCLAIMS ANY DIRECT, INDIRECT, PUNITIVE, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES ARISING OUT OF OR IN CONNECTION WITH THE USE OF DOCUMENTS AND THE INFORMATION CONTAINED IN THE DOCUMENTS.

© 2010 Open Mobile Alliance Ltd. All Rights Reserved.

Used with the permission of the Open Mobile Alliance Ltd. Under the terms set forth above.

Contents

- 1. SCOPE4
- 2. REFERENCES5
 - 2.1 NORMATIVE REFERENCES.....5
 - 2.2 INFORMATIVE REFERENCES.....5
- 3. TERMINOLOGY AND CONVENTIONS6
 - 3.1 CONVENTIONS.....6
 - 3.2 DEFINITIONS.....6
 - 3.3 ABBREVIATIONS.....6
- 4. RELEASE VERSION OVERVIEW7
 - 4.1 VERSION 1.0 FUNCTIONALITY7
- 5. DOCUMENT LISTING FOR PARLAYREST8
- 6. OMNA CONSIDERATIONS9
- 7. CONFORMANCE REQUIREMENTS NOTATION DETAILS10
- 8. ERDEF FOR PARLAYREST11
- APPENDIX A. CHANGE HISTORY (INFORMATIVE).....12
 - A.1 APPROVED VERSION HISTORY12
 - A.2 DRAFT/CANDIDATE VERSION 1.0 HISTORY12

Tables

- Table 1: Listing of Documents in ParlayREST Enabler8
- Table 2: OMNA Namespaces in the “rest” XML SchemaDomain9
- Table 3: ERDEF for ParlayREST11

1. Scope

The scope of this document is limited to the Enabler Release Definition of RESTful bindings for Parlay X Web Services (ParlayREST) according to OMA Release process and the Enabler Release specification baseline listed in section 5.

2. References

2.1 Normative References

- [PSA] “Reference Release Package for Parlay Service Access”, Version 1.0, Open Mobile Alliance™, OMA-RRP-PSA-V1_0, [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [REST_TS_Common] “RESTful bindings for Parlay X Web Services – Common”, Version 1.0, Open Mobile Alliance™, OMA-TS-ParlayREST_Common-V1_0, [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [REST_TS_SMS] “RESTful bindings for Parlay X Web Services –Short Messaging”, Version 1.0, Open Mobile Alliance™, OMA-TS-ParlayREST_ShortMessaging-V1_0, [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [REST_TS_MMS] “RESTful bindings for Parlay X Web Services – Multi Media Messaging”,Version 1.0, Open Mobile Alliance™, OMA-TS-ParlayREST_MultiMediaMessaging-V1_0, [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [REST_TS_Payment] “RESTful bindings for Parlay X Web Services – Payment”, Version 1.0, Open Mobile Alliance™, OMA-TS-ParlayREST_Payment-V1_0, [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [REST_TS_Location] “RESTful bindings for Parlay X Web Services – Terminal Location”, Version 1.0, Open Mobile Alliance™, OMA-TS-ParlayREST_TerminalLocation-V1_0, [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [REST_TS_OneAPI] “OneAPI Profile of ParlayREST Web Services”, Version 1.0, Open Mobile Alliance™, OMA-TS-ParlayREST_OneAPIProfile-V1_0, [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [REST_WP] “White Paper on Guidelines for ParlayREST API specifications” , Open Mobile Alliance™, OMA-WP-Guidelines_for_ParlayREST_API_specifications, [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [RFC2119] “Key words for use in RFCs to Indicate Requirement Levels”, S. Bradner, March 1997, [URL:http://www.ietf.org/rfc/rfc2119.txt](http://www.ietf.org/rfc/rfc2119.txt)
- [SCRRULES] “SCR Rules and Procedures”, Open Mobile Alliance™, OMA-ORG-SCR_Rules_and_Procedures, [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)

2.2 Informative References

- [OMADICT] “Dictionary for OMA Specifications”, Version 2.8, Open Mobile Alliance™, OMA-ORG-Dictionary-V2_8, [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)

3. Terminology and Conventions

3.1 Conventions

The key words “MUST”, “MUST NOT”, “REQUIRED”, “SHALL”, “SHALL NOT”, “SHOULD”, “SHOULD NOT”, “RECOMMENDED”, “MAY”, and “OPTIONAL” in this document are to be interpreted as described in [RFC2119].

All sections and appendixes, except “Scope”, “Release Version Overview” and “Conformance Requirements Notation Details”, are normative, unless they are explicitly indicated to be informative.

The formal notation convention used in sections 8 and **Error! Reference source not found.** to formally express the structure and internal dependencies between specifications in the Enabler Release specification baseline is detailed in [SCRRULES].

3.2 Definitions

Enabler Release Collection of specifications that combined together form an enabler for a service area, e.g. a download enabler, a browsing enabler, a messaging enabler, a location enabler, etc. The specifications that are forming an enabler should combined fulfil a number of related market requirements.

Minimum Functionality Description Description of the guaranteed features and functionality that will be enabled by implementing the minimum mandatory part of the Enabler Release.

3.3 Abbreviations

API	Application Programming Interface
ERDEF	Enabler Requirement Definition
ERELD	Enabler Release Definition
MMS	Multimedia Messaging Service
OMA	Open Mobile Alliance
OMNA	Open Mobile Naming Authority
REST	Representational State Transfer
SMS	Short Messaging Service
XML	Extensible Markup Language

4. Release Version Overview

The scope of this enabler release is to specify a REST Web Services binding for the set of Parlay X Web Services specifications in OMA. The REST protocol bindings are defined for an abstract API, based on existing OMA enablers.

4.1 Version 1.0 Functionality

ParlayREST V1_0 defines REST protocol bindings for the following APIs:

- Short Messaging Parlay X Web Services, as defined in PSA V1_0 [PSA]
- Multi Media Messaging Parlay X Web Services, as defined PSA V1_0 [PSA]
- Payment Parlay X Web Services, as defined in PSA V1_0 [PSA]
- Terminal Location Parlay X Web Services, as defined in PSA V1_0 [PSA]

5. Document Listing for ParlayREST

This section is normative. As ParlayREST is a so-called Fast Track enabler release, no separate Requirements Document and Architecture Document deliverables are produced.

Doc Ref	Permanent Document Reference	Description
Technical Specifications		
[REST_TS_Common]	OMA-TS-ParlayREST_Common-V1_0-20100824-C	RESTful bindings for Parlay X Web Services – Common
[REST_TS_SMS]	OMA-TS-ParlayREST_ShortMessaging-V1_0-20100824-C	RESTful bindings for Parlay X Web Services – Short Messaging Service
[REST_TS_MMS]	OMA-TS-ParlayREST_MultiMediaMessaging-V1_0-20100824-C	RESTful bindings for Parlay X Web Services – Multimedia Messaging Service
[REST_TS_Payment]	OMA-TS-ParlayREST_Payment-V1_0-20100824-C	RESTful bindings for Parlay X Web Services – Payment
[REST_TS_Location]	OMA-TS-ParlayREST_TerminalLocation-V1_0-20100824-C	RESTful bindings for Parlay X Web Services – Terminal Location
[REST_TS_OneAPI]	OMA-TS-ParlayREST_OneAPIProfile-V1_0-20100824-C	OneAPI Profile of ParlayREST Web Services
Supporting Files		
[REST_SUP_Common]	OMA-SUP-XSD_rest_common-V1_0-20100824-C	XML schema for ParlayREST – Common Working file in Schema directory: file: rest_common-v1_0.xsd path: http://www.openmobilealliance.org/tech/profiles/
[REST_SUP_SMS]	OMA-SUP-XSD_rest_sms-V1_0-20100824-C	XML schema for ParlayREST – SMS Working file in Schema directory: file: rest_sms-v1_0.xsd path: http://www.openmobilealliance.org/tech/profiles/
[REST_SUP_MMS]	OMA-SUP-XSD_rest_messaging-V1_0-20100824-C	XML schema for ParlayREST – MMS Working file in Schema directory: file: rest_mms-v1_0.xsd path: http://www.openmobilealliance.org/tech/profiles/
[REST_SUP_Payment]	OMA-SUP-XSD_rest_payment-V1_0-20100824-C	XML schema for ParlayREST – Payment Working file in Schema directory: file: rest_payment-v1_0.xsd path: http://www.openmobilealliance.org/tech/profiles/
[REST_SUP_Location]	OMA-SUP-XSD_rest_terminallocation-V1_0-20100824-C	XML schema for ParlayREST – Terminal Location Working file in Schema directory: file: rest_location-v1_0.xsd path: http://www.openmobilealliance.org/tech/profiles/
[REST_WP]	OMA-WP-Guidelines_for_ParlayREST_API_specifications-20100427-C	White Paper on Guidelines for ParlayREST API specifications

Table 1: Listing of Documents in ParlayREST Enabler

6. OMNA Considerations

The ParlayREST enabler introduces the following namespaces in the “rest” domain.

Note that in order to maintain compatibility between minor versions of the same major version, only the major version is reflected in the namespace identifier. Further note that subsequent minor versions of the same XML schema (e.g. 1.1) will be registered against the same namespace identifier.

Description	Registered URN	Schema Links
Common part	urn:oma:xml:rest:common:1	http://www.openmobilealliance.org/tech/profiles/rest_common-v1_0.xsd
SMS interface	urn:oma:xml:rest:sms:1	http://www.openmobilealliance.org/tech/profiles/rest_sms-v1_0.xsd
MMS interface	urn:oma:xml:rest:mms:1	http://www.openmobilealliance.org/tech/profiles/rest_mms-v1_0.xsd
Payment interface	urn:oma:xml:rest:payment:1	http://www.openmobilealliance.org/tech/profiles/rest_payment-v1_0.xsd
Terminal Location interface	urn:oma:xml:rest:location:1	http://www.openmobilealliance.org/tech/profiles/rest_location-v1_0.xsd

Table 2: OMNA Namespaces in the “rest” XML SchemaDomain

7. Conformance Requirements Notation Details

This section is informative

The tables in following chapters use the following notation:

- Item:** Entry in this column **MUST** be a valid ScrItem according to [SCRRULES].
- Feature/Application:** Entry in this column **SHOULD** be a short descriptive label to the **Item** in question.
- Requirement:** Expression in the column **MUST** be a valid TerminalExpression according to [SCRRULES] and it **MUST** accurately reflect the architectural requirement of the **Item** in question.

8. ERDEF for ParlayREST

This section is normative.

Item	Feature / Application	Requirement
OMA-ERDEF-PARLAYREST-001-M	SMS REST Interface	[REST_TS_SMS]
OMA-ERDEF-PARLAYREST-002-M	MMS REST Interface	[REST_TS_MMS]
OMA-ERDEF-PARLAYREST-003-M	Payment REST Interface	[REST_TS_Payment]
OMA-ERDEF-PARLAYREST-004-M	Terminal Location REST Interface	[REST_TS_Location]

Table 3: ERDEF for ParlayREST

Appendix A. Change History (Informative)

A.1 Approved Version History

Reference	Date	Description
n/a	n/a	No prior version –or- No previous version within OMA

A.2 Draft/Candidate Version 1.0 History

Document Identifier	Date	Sections	Description
Draft Versions: OMA-ERELED-ParlayREST-V1_0	10 Aug 2009	All	Initial draft baseline document
	19 Nov 2009	2.1, 4.1, 5, 6, 8, 9	Implement agreed CR: OMA-ARC-REST-2009-0062R01 <ul style="list-style-type: none"> Reflect priority 1 list (SMS, MMS, Payment, Terminal Location)
	2 Dec 2009	8	Implement agreed CR: OMA-ARC-REST-2009-0107
	16 Dec 2009	5	Document listing updated as per latest documents History table fixed
	04 Feb 2010	6	Implement OMA-ARC-REST-0046
	05 Mar 2010	All	Clerical updates in preparation for submissions for candidate approval
	11 Mar 2010	2	Clerical update following the March 11 REST Walk-through CC
	30 Mar 2010	5	Document listing updated with latest documents
Candidate Version: OMA-ERELED-ParlayREST-V1_0	27 Apr 2010	All	Status changed to Candidate by TP: OMA-TP-2010-0186- INP_ParlayREST_V1_0_ERP_for_Candidate_Approval
Draft Version: OMA-ERELED-ParlayREST-V1_0	21 Jul 2010	5	Document listing updated with latest documents
Candidate Version: OMA-ERELED-ParlayREST-V1_0	24 Aug 2010	All	Status changed to Candidate by TP: OMA-TP-2010-0359- INP_ParlayREST_V1_0_ERP_for_Candidate_reapproval