



Enabler Release Definition for Push

Candidate Version 2.1 – 22 Nov 2005

Open Mobile Alliance
OMA-ERELED-Push-V2_1-20051122-C

Use of this document is subject to all of the terms and conditions of the Use Agreement located at <http://www.openmobilealliance.org/UseAgreement.html>.

Unless this document is clearly designated as an approved specification, this document is a work in process, is not an approved Open Mobile Alliance™ specification, and is subject to revision or removal without notice.

You may use this document or any part of the document for internal or educational purposes only, provided you do not modify, edit or take out of context the information in this document in any manner. Information contained in this document may be used, at your sole risk, for any purposes. You may not use this document in any other manner without the prior written permission of the Open Mobile Alliance. The Open Mobile Alliance authorizes you to copy this document, provided that you retain all copyright and other proprietary notices contained in the original materials on any copies of the materials and that you comply strictly with these terms. This copyright permission does not constitute an endorsement of the products or services. The Open Mobile Alliance assumes no responsibility for errors or omissions in this document.

Each Open Mobile Alliance member has agreed to use reasonable endeavors to inform the Open Mobile Alliance in a timely manner of Essential IPR as it becomes aware that the Essential IPR is related to the prepared or published specification. However, the members do not have an obligation to conduct IPR searches. The declared Essential IPR is publicly available to members and non-members of the Open Mobile Alliance and may be found on the “OMA IPR Declarations” list at <http://www.openmobilealliance.org/ipr.html>. The Open Mobile Alliance has not conducted an independent IPR review of this document and the information contained herein, and makes no representations or warranties regarding third party IPR, including without limitation patents, copyrights or trade secret rights. This document may contain inventions for which you must obtain licenses from third parties before making, using or selling the inventions. Defined terms above are set forth in the schedule to the Open Mobile Alliance Application Form.

NO REPRESENTATIONS OR WARRANTIES (WHETHER EXPRESS OR IMPLIED) ARE MADE BY THE OPEN MOBILE ALLIANCE OR ANY OPEN MOBILE ALLIANCE MEMBER OR ITS AFFILIATES REGARDING ANY OF THE IPR'S REPRESENTED ON THE “OMA IPR DECLARATIONS” LIST, INCLUDING, BUT NOT LIMITED TO THE ACCURACY, COMPLETENESS, VALIDITY OR RELEVANCE OF THE INFORMATION OR WHETHER OR NOT SUCH RIGHTS ARE ESSENTIAL OR NON-ESSENTIAL.

THE OPEN MOBILE ALLIANCE IS NOT LIABLE FOR AND HEREBY DISCLAIMS ANY DIRECT, INDIRECT, PUNITIVE, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES ARISING OUT OF OR IN CONNECTION WITH THE USE OF DOCUMENTS AND THE INFORMATION CONTAINED IN THE DOCUMENTS.

© 2005 Open Mobile Alliance Ltd. All Rights Reserved.

Used with the permission of the Open Mobile Alliance Ltd. under the terms set forth above.

Contents

1. SCOPE	4
2. REFERENCES	5
2.1 NORMATIVE REFERENCES.....	5
2.2 INFORMATIVE REFERENCES.....	5
3. TERMINOLOGY AND CONVENTIONS	6
3.1 CONVENTIONS.....	6
3.2 DEFINITIONS.....	6
3.3 ABBREVIATIONS	7
4. INTRODUCTION	8
5. ENABLER RELEASE SPECIFICATION BASELINE.....	9
6. MINIMUM FUNCTIONALITY DESCRIPTION FOR PUSH.....	10
7. CONFORMANCE REQUIREMENTS NOTATION DETAILS	11
8. ERDEF FOR PUSH - CLIENT REQUIREMENTS.....	12
9. ERDEF FOR PUSH - SERVER REQUIREMENTS.....	13
APPENDIX A. CHANGE HISTORY (INFORMATIVE).....	14
A.1 APPROVED VERSION HISTORY	14
A.2 DRAFT/CANDIDATE VERSION HISTORY	14

Figures

Figure 1: The Push Framework.....	8
-----------------------------------	---

1. Scope

The scope of this document is limited to the Enabler Release Definition of Push according to OMA Release process and the Enabler Release specification baseline listed in section 5.

The Push enabler release defines the application level protocols, syntax and behaviours of client and server for the fulfilment of push services. Push service is defined as communication of content toward a client without an explicit request.

2. References

2.1 Normative References

- [IOPPROC] "OMA Interoperability Policy and Process", Version 1.1, Open Mobile Alliance™, OMA-IOP-Process-V1_1, [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [PPGService] "Push Proxy Gateway Service Specification". Open Mobile Alliance™. OMA-WAP-TS-PPGService-V2_1. [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [PushCO] "Cache Operation". Open Mobile Alliance™. WAP-175-CacheOp. [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [PushCO-SIN] "Cache Operaton-Specification Information Note". Open Mobile Alliance™. WAP-175_102-CacheOp [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [PushETR] "Push 2.1 Enabler Test Requirements". Open Mobile Alliance™. OMA-ETR-Push-V2_1 [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [PushOTA] "Push OTA Protocol Specification". Open Mobile Alliance™. OMA-WAP-TS-PushOTA-V2_1. [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [PushPAP] "Push Access Protocol Specification". Open Mobile Alliance™. OMA-WAP-TS-PAP-V2_1 [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [PushMsg] "Push Message Specification". Open Mobile Alliance™. WAP-251-PushMessage [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [PushSI] "Service Indication". Open Mobile Alliance™. WAP-167-ServiceInd [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [PushSI-SIN] "Service Indication-Specification Information Note". Open Mobile Alliance™. WAP-167_103-ServiceInd [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [PushSL] "Service Load". Open Mobile Alliance™. WAP-168-ServiceLoad [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [PushSL-SIN] "Service Load-Specification Information Note". Open Mobile Alliance™. WAP-168_103-ServiceLoad [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [RFC2119] "Key words for use in RFCs to Indicate Requirement Levels", S. Bradner, March 1997, [URL:http://www.ietf.org/rfc/rfc2119.txt](http://www.ietf.org/rfc/rfc2119.txt)

2.2 Informative References

- [BrowsingStack] "Browser Protocol Stack V2_1", Open Mobile Alliance™. OMA-Browser_Protocol_Stack-V2_1-20050204-C [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [EMN] "Email Notification" Version 1.0. OMA-Push-EMN-V1_0, Open Mobile Alliance™. [URL: http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [EMNEnabler] "Enabler Release Definition Email Notification" Version 1.0. OMA-ERELD-EMN-V1_0, Open Mobile Alliance™. [URL: http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [OMNA] "OMA Naming Authority". Open Mobile Alliance™. [URL: http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [PushArch] "Push Architectural Overview". WAP Forum™. WAP-250-PushArchOverview [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)

3. Terminology and Conventions

3.1 Conventions

The key words “MUST”, “MUST NOT”, “REQUIRED”, “SHALL”, “SHALL NOT”, “SHOULD”, “SHOULD NOT”, “RECOMMENDED”, “MAY”, and “OPTIONAL” in this document are to be interpreted as described in [RFC2119].

All sections and appendixes, except “Scope” and “Introduction”, are normative, unless they are explicitly indicated to be informative.

The formal notation convention used in sections 8 and 9 to formally express the structure and internal dependencies between specifications in the Enabler Release specification baseline is detailed in [IOPPROC].

3.2 Definitions

Enabler Release	Collection of specifications that combined together form an enabler for a service area, e.g. a download enabler, a browsing enabler, a messaging enabler, a location enabler, etc. The specifications that are forming an enabler should combined fulfil a number of related market requirements.
Minimum Functionality Description	Description of the guaranteed features and functionality that will be enabled by implementing the minimum mandatory part of the Enabler Release
Push Access Protocol	A protocol used for conveying content that should be pushed to a client, and push related control information, between a Push Initiator and a Push Proxy/Gateway
Push Framework	The entire WAP push system. The push framework encompasses the protocols, service interfaces, and software entities that provide the means to push data to user agents in the WAP client.
Push Initiator	The entity that originates push content and submits it to the push framework for delivery to a user agent on a client.
Push OTA Protocol	A protocol used for conveying content between a Push Proxy/Gateway and a certain user agent on a client.
Push Proxy Gateway	A proxy gateway that provides push proxy services.

3.3 Abbreviations

CO	Cache Operation
DTD	Document Type Definition
EMN	Email Notification
ERDEF	Enabler Requirement Definition
ERELD	Enabler Release Definition
OMA	Open Mobile Alliance
OMNA	OMA Naming Authority
OTA	Over The Air
OTA-HTTP	Over the Air Protocol Variant (HTTP)
OTA-WSP	Over the Air Protocol Variant (Wireless Session Protocol)
PAP	Push Access Protocol
PPG	Push Proxy Gateway
PI	Push Initiator
SI	Service Indication
SL	Service Load

4. Introduction

This document outlines the Enabler Release Definition for Push and the respective conformance requirements for clients and servers implementing claiming compliance to it as defined by Open Mobile Alliance across the specification baseline.

A push operation in OMA is accomplished by allowing a *Push Initiator* (PI) to transmit *push content* and *delivery instructions* to a *Push Proxy Gateway* (PPG), which then delivers the push content to the WAP client (henceforth referred to as "client" or "terminal") according to the delivery instructions.

The PI is typically an application that runs on an ordinary web server. It communicates with the PPG using the *Push Access Protocol* (PAP). The PPG uses the *Push Over-The-Air* (OTA) *Protocol* to deliver the push content to the client. The protocol framework is dependent on the protocol stack defined in the Browsing Protocol Stack Enabler [BrowsingStack].

Figure 1 illustrates the push framework:




Figure 1: The Push Framework

PAP is based on standard Internet protocols; XML is used to express the delivery instructions, and the push content can be any MIME media type. These standards help make WAP Push flexible and extensible.

As mentioned, the **PPG** is responsible for delivering the push content to the client. In doing so it potentially may need to translate the client address provided by the PI into a format understood by the mobile network, transform the push content to adapt it to the client's capabilities, store the content if the client is currently unavailable, etc. The PPG does more than deliver messages. For example, it may notify the PI about the final outcome of a push submission and optionally handle cancellation, replace, or client capability requests from the PI.

The **OTA** protocol provides both connectionless and connection-oriented services. While the (mandatory) connectionless service relies upon Wireless Session Protocol (WSP), the (optional) connection-oriented service may be provided in conjunction with both WSP (OTA-WSP) and HTTP (OTA-HTTP) [using Wireless profiled HTTP (W-HTTP)

The push specification suite also encompasses content types which can be pushed. These specifications define the syntax, semantics and transport optimized forms of the content types. The content types are **Service Indication** (SI), **Service Load** (SL), **Cache Operation** (CO) and **Email Notification** (EMN).

5. Enabler Release Specification Baseline

This section is normative.

The following list of specifications form the total set of specifications for Push 2.1 as defined by the OMA.

- Push Architecture [PushArch]
- Push Proxy Gateway Service [PPGService]
- Push Application Protocol (PAP) [PushPAP]
- Push Over the Air (OTA) [PushOTA]
- Push Message Specification [PushMsg]
- Push Service Indication [PushSI]
- Push Service Load [PushSL]
- Push Cache Operation [PushCO]

Email Notification [EMN] is managed under a separate enabler release, OMA Email Notification [EMNEnabler].

The following list of DTDs are also included as part of this overall enabler:

- Push Access Protocol : pap_2.1.dtd
- Service Indication DTD : si_1.0.dtd
- Service Load DTD : sl_1.0.dtd
- Cache Operation DTD: co_1.0.dtd

In addition the Enabler Test Requirements are included as part of this enabler [PushETR].

This enabler release continues on the work of the WAP Forum in the area of Push. This enabler release has been created to acknowledge changes to the push specifications which have been:

- Approved but not formally released by the WAP Forum
 - WAP 1 - Push ; understood as Push using WSP protocol services [BrowsingStack]
 - WAP 2 – Push; understood as Push using WSP or W-HTTP protocol services [BrowsingStack]
- Approved as part of the on-going maintenance of the suite of specifications.

Henceforth it was agreed that this enabler be Push 2.1, indicating it as an extension of push services previously specified and owned by the WAP Forum.

6. Minimum Functionality Description for Push

This section is informative.

The minimum functionality required for push service is divided into client and server requirements.

On the server side it is a minimum that the following is supported:

- Push Access Protocol, mandatory elements
- Push proxy gateway service mandatory service
- Service Indication content type
- Over the Air – Wireless Session Protocol Connectionless Push Service.

Connection-Orientated push, if supported on the server, must be either (or both) of the *OTA-WSP* type or the *OTA-HTTP* type as defined in [PushOTA].

On the client side it is a minimum that the following is supported:

- Service Indication content type
- Over the Air – Wireless Session Protocol Connectionless Push Service.

Connection-Orientated push, if supported on the client, must be either (or both) of the *OTA-WSP* type or the *OTA-HTTP* type as defined in [PushOTA].

7. Conformance Requirements Notation Details

This section is informative

The tables in following chapters use the following notation:

Item:	Entry in this column MUST be a valid ScrItem according to [IOPPROC].
Feature/Application:	Entry in this column SHOULD be a short descriptive label to the Item in question.
Status:	Entry in this column MUST accurately reflect the architectural status of the Item in question. <ul style="list-style-type: none">• M means the Item is mandatory for the class• O means the Item is optional for the class• NA means the Item is not applicable for the class
Requirement:	Expression in the column MUST be a valid TerminalExpression according to [IOPPROC] and it MUST accurately reflect the architectural requirement of the Item in question.

8. ERDEF for Push - Client Requirements

This section is normative.

Item	Feature / Application	Status	Requirement
OMA-ERDEF-Push-C-001	Push Client	M	[PushOTA]: MCF AND [PushMsg]: MCF AND [PushSI]: MCF

Table 1 ERDEF for Push Client-side Requirements

9. ERDEF for Push - Server Requirements

This section is normative.

Item	Feature / Application	Status	Requirement
OMA-ERDEF-Push-S-001	Push Server	M	[PAP]:MCF AND [PPGService]:MCF AND [PushOTA]: MCF AND [PushMsg]: MCF AND [PushSI]: MCF AND

Table 2 ERDEF for Push Server-side Requirements

Appendix A. Change History (Informative)

A.1 Approved Version History

Reference	Date	Description
n/a	n/a	No prior version –or- No previous version within OMA

A.2 Draft/Candidate Version History

Document Identifier	Date	Sections	Description
Draft Version: OMA-ERELED-Push-V1_0	14 July 2005		New Enabler for Push defined in OMA
Draft Version: OMA-ERELED-Push-V2.1	11 Oct 2005		Updated enabler after consistency review
Candidate Version OMA-ERELED-Push-V2_1	22 Nov 2005		Approved as Candidate by TP Ref# OMA-TP-2005-0352-INP_Push_V2_1_for_Candidate_approval