



Enabler Release Definition for the RESTful Network API for OMA Push

Approved Version 1.0 – 29 Oct 2013

Open Mobile Alliance
OMA-ERELED-REST_NetAPI_Push-V1_0-20131029-A

Use of this document is subject to all of the terms and conditions of the Use Agreement located at <http://www.openmobilealliance.org/UseAgreement.html>.

Unless this document is clearly designated as an approved specification, this document is a work in process, is not an approved Open Mobile Alliance™ specification, and is subject to revision or removal without notice.

You may use this document or any part of the document for internal or educational purposes only, provided you do not modify, edit or take out of context the information in this document in any manner. Information contained in this document may be used, at your sole risk, for any purposes. You may not use this document in any other manner without the prior written permission of the Open Mobile Alliance. The Open Mobile Alliance authorizes you to copy this document, provided that you retain all copyright and other proprietary notices contained in the original materials on any copies of the materials and that you comply strictly with these terms. This copyright permission does not constitute an endorsement of the products or services. The Open Mobile Alliance assumes no responsibility for errors or omissions in this document.

Each Open Mobile Alliance member has agreed to use reasonable endeavors to inform the Open Mobile Alliance in a timely manner of Essential IPR as it becomes aware that the Essential IPR is related to the prepared or published specification. However, the members do not have an obligation to conduct IPR searches. The declared Essential IPR is publicly available to members and non-members of the Open Mobile Alliance and may be found on the “OMA IPR Declarations” list at <http://www.openmobilealliance.org/ipr.html>. The Open Mobile Alliance has not conducted an independent IPR review of this document and the information contained herein, and makes no representations or warranties regarding third party IPR, including without limitation patents, copyrights or trade secret rights. This document may contain inventions for which you must obtain licenses from third parties before making, using or selling the inventions. Defined terms above are set forth in the schedule to the Open Mobile Alliance Application Form.

NO REPRESENTATIONS OR WARRANTIES (WHETHER EXPRESS OR IMPLIED) ARE MADE BY THE OPEN MOBILE ALLIANCE OR ANY OPEN MOBILE ALLIANCE MEMBER OR ITS AFFILIATES REGARDING ANY OF THE IPR'S REPRESENTED ON THE “OMA IPR DECLARATIONS” LIST, INCLUDING, BUT NOT LIMITED TO THE ACCURACY, COMPLETENESS, VALIDITY OR RELEVANCE OF THE INFORMATION OR WHETHER OR NOT SUCH RIGHTS ARE ESSENTIAL OR NON-ESSENTIAL.

THE OPEN MOBILE ALLIANCE IS NOT LIABLE FOR AND HEREBY DISCLAIMS ANY DIRECT, INDIRECT, PUNITIVE, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES ARISING OUT OF OR IN CONNECTION WITH THE USE OF DOCUMENTS AND THE INFORMATION CONTAINED IN THE DOCUMENTS.

© 2013 Open Mobile Alliance Ltd. All Rights Reserved.

Used with the permission of the Open Mobile Alliance Ltd. under the terms set forth above.

Contents

1. SCOPE.....	4
2. REFERENCES	5
2.1 NORMATIVE REFERENCES.....	5
2.2 INFORMATIVE REFERENCES.....	5
3. TERMINOLOGY AND CONVENTIONS	6
3.1 CONVENTIONS.....	6
3.2 DEFINITIONS.....	6
3.3 ABBREVIATIONS	6
4. RELEASE VERSION OVERVIEW	7
4.1 OMA PUSH VERSION 2.3 ABOUT.....	7
4.2 PUSH NETWORK API VERSION 1.0 FUNCTIONALITY	8
5. DOCUMENT LISTING FOR THE RESTFUL NETWORK API FOR PUSH V1.0	9
6. OMNA CONSIDERATIONS	10
7. CONFORMANCE REQUIREMENTS NOTATION DETAILS	11
8. ERDEF FOR THE RESTFUL NETWORK API FOR OMA PUSH.....	12
APPENDIX A. CHANGE HISTORY (INFORMATIVE).....	13
A.1 APPROVED VERSION HISTORY	13

Figures

Figure 1: OMA Push service environment	7
--	---

Tables

Table 1: Listing of Documents in Push Network API Enabler	9
Table 2: OMNA Namespaces in the “rest” Schema Domain	10
Table 3: ERDEF for the RESTful Network API for OMA Push.....	12

1. Scope

The scope of this document is limited to the Enabler Release Definition for the RESTful Network API for OMA Push V1.0 according to OMA Release process and the Enabler Release specification baseline listed in section 5.

This enabler release defines a RESTful API for OMA Push using HTTP protocol bindings for the OMA Push Access Protocol (PAP). The RESTful Network API for Push is based upon PAP as defined in the OMA Push [Push2.3] enabler release.

2. References

2.1 Normative References

- [PAP] "Push Access Protocol Specification". Open Mobile Alliance™. OMA-WAP-TS-PAP-V2_3, [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [Push_NetAPI_TS] "RESTful Network API for OMA Push. Open Mobile Alliance™. OMA-TS-REST_NetAPI_Push-V1_0, [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [REST_TS_Common] "Common definitions for OMA RESTful Network APIs", Open Mobile Alliance™, OMA-TS-REST_NetAPI_Common-V1_0, [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [RFC2119] "Key words for use in RFCs to Indicate Requirement Levels", S. Bradner, March 1997, [URL:http://www.ietf.org/rfc/rfc2119.txt](http://www.ietf.org/rfc/rfc2119.txt)
- [SCRRULES] "SCR Rules and Procedures", Open Mobile Alliance™, OMA-ORG-SCR_Rules_and_Procedures, [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [SCRRULES] "SCR Rules and Procedures", Open Mobile Alliance™, OMA-ORG-SCR_Rules_and_Procedures, [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [SUP_Push] "XML schema for the RESTful Network API for OMA Push". Open Mobile Alliance™. OMA-SUP-XSD_rest_netapi_push-V1_0. [URL: http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)

2.2 Informative References

- [OMADICT] "Dictionary for OMA Specifications", Version 2.8, Open Mobile Alliance™, OMA-ORG-Dictionary-V2_8, [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [OMNA] "OMA Naming Authority". Open Mobile Alliance™, [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [REST_WP] "Guidelines for RESTful Network API specifications", Open Mobile Alliance™, OMA-WP-Guidelines_for_RESTful_Network_API_specifications-20110415-D, [URL: http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)

3. Terminology and Conventions

3.1 Conventions

The key words “MUST”, “MUST NOT”, “REQUIRED”, “SHALL”, “SHALL NOT”, “SHOULD”, “SHOULD NOT”, “RECOMMENDED”, “MAY”, and “OPTIONAL” in this document are to be interpreted as described in [RFC2119].

All sections and appendixes, except “Scope” and “Introduction”, are normative, unless they are explicitly indicated to be informative.

The formal notation convention used in sections 7 and 8 to formally express the structure and internal dependencies between specifications in the Enabler Release specification baseline is detailed in [SCRRULES].

3.2 Definitions

Enabler Release Collection of specifications that combined together forms an enabler for a service area, e.g. a download enabler, a browsing enabler, a messaging enabler, a location enabler, etc. The specifications that are forming an enabler should combined fulfil a number of related market requirements.

Minimum Functionality Description Description of the guaranteed features and functionality that will be enabled by implementing the minimum mandatory part of the Enabler Release

3.3 Abbreviations

API	Application Programming Interface
ERDEF	Enabler Requirement Definition
ERELD	Enabler Release Definition
HTTP	HyperText Transfer Protocol
JSON	JavaScript Object Notation
MIME	Multipurpose Internet Mail Extensions
OMA	Open Mobile Alliance
OMNA	Open Mobile Naming Authority
REST	REpresentational State Transfer
SCR	Static Conformance Requirements
TS	Technical Specification
URI	Uniform Resource Identifier
URL	Uniform Resource Locator
WAP	Wireless Application Protocol
WP	White Paper
XML	eXtensible Markup Language
XSD	XML Schema Definition

4. Release Version Overview

This document provides the Enabler Release Definition for the RESTful Network API for OMA Push V1.0 and the respective conformance requirements for clients and servers implementing / claiming compliance to it as defined by Open Mobile Alliance across the specification baseline.

The RESTful Network API for OMA Push V1.0 specification defines an HTTP protocol binding for the OMA Push Access Protocol [PAP], using the REST architectural style. The specification provides resource definitions, the HTTP verbs applicable for each of these resources, and the element data structures, as well as support material including flow diagrams and examples using the various supported message body formats (i.e. XML and JSON).

4.1 OMA Push Version 2.3 About

The service environment enabled by OMA Push is illustrated in Figure 1, which shows the two main options for Push service deployment:

- A service/content provider, acting as Push Initiator, requests the OMA Push-based delivery of content to a user through a Push Proxy Gateway (PPG)
- An Application Server directly uses OMA Push to deliver content to a user.




Figure 1: OMA Push service environment

OMA Push defines interfaces allowing a *Push Initiator* (PI) to transmit *push content* and *delivery instructions* to a *Push Proxy Gateway* (PPG), and delivery of the push content to the Push Client according to the delivery instructions. The Push Client subsequently delivers the push content to an OMA enabler user-agent or application in the device (hereafter referred to as the “client application”). The PPG and Push Client are the two architectural entities specified by the OMA Push enabler.

The PI may be an application that runs on an ordinary web server, an OMA enabler entity (e.g. multimedia messaging server, device management server,...), or any other application designed to deliver content to users via OMA Push. It communicates with the PPG using the *Push Access Protocol* (PAP). The PPG uses the *Push Over-The-Air* (OTA) *Protocol* to deliver the push content to the Push Client. Note the name Push-OTA is based upon the historical focus of OMA Push on mobile data services, but the protocol is also usable over wired connections. Push-OTA is also directly usable by OMA enabler entities or application servers acting directly as a Push Server.

Client applications may be OMA enabler user agents (e.g. browsers, multimedia messaging clients, instant messaging clients, etc) or other device-resident applications that are supported by the Push Client.

4.2 Push Network API Version 1.0 Functionality

This enabler release continues on the OMA Push v2.3 and defines an associated RESTful Network API that supports the following operations.

The Push Initiator (PI) is able to initiate the following operations to the Push Proxy Gateway (PPG):

- Push Submission
- Push Submission with Replace
- Push Cancellation
- Status Query
- Client Capabilities Query

The PPG is able to initiate the following message to the PI:

- Result Notification

5. Document Listing for the RESTful Network API for Push V1.0

This section is normative. As the RESTful Network API for Push is a Fast Track enabler release, no separate Requirements Document and Architecture Document deliverables are produced.

Doc Ref	Permanent Document Reference	Description
Technical Specifications		
[Push_NetAPI_TS]	OMA-TS-REST_NetAPI_Push-V1_0-20131029-A	RESTful Network API for OMA Push
Supporting Files		
[SUP_Push]	OMA-SUP-XSD_rest_netapi_push-V1_0-20131029-A	XML schema for the RESTful Network API for OMA Push Working file in Schema directory: file: rest_netapi_push_v1_0.xsd path: http://www.openmobilealliance.org/tech/profiles/

Table 1: Listing of Documents in Push Network API Enabler

6. OMNA Considerations

The RESTful Network API for OMA Push V1.0 enabler introduces the following OMNA items in the “rest” domain:

Description	Registered URN	Schema Links
Push Network API	urn:oma:xml:rest:netapi:push:1	http://www.openmobilealliance.org/tech/profiles/rest_netapi_push-v1_0.xsd

Table 2: OMNA Namespaces in the “rest” Schema Domain

7. Conformance Requirements Notation Details

This section is informative

The tables in following chapters use the following notation:

- Item:** Entry in this column **MUST** be a valid `ScrItem` according to [SCRRULES].
- Feature/Application:** Entry in this column **SHOULD** be a short descriptive label to the **Item** in question.
- Requirement:** Expression in the column **MUST** be a valid `TerminalExpression` according to [SCRRULES] and it **MUST** accurately reflect the architectural requirement of the **Item** in question.

8. ERDEF for the RESTful Network API for OMA Push

This section is normative.

Item	Feature / Application	Requirement
REST-PUSH-SUPPORT-S-001-M	Push Network API as defined in [Push_NetAPI_TS]	

Table 3: ERDEF for the RESTful Network API for OMA Push

Appendix A. Change History

(Informative)

A.1 Approved Version History

Reference	Date	Description
OMA-ERELED-REST_NetAPI_Push-V1_0-20131029-A	29 Oct 2013	Status changed to Approved by TP TP Ref # OMA-TP-2013-0335-INP_PushREST_V1_0_for_final_Approval