

### **Enabler Test Specification for RCS-e Conformance**

Candidate Version 1.2 - 12 Feb 2013

Open Mobile Alliance OMA-ETS-RCS-e-CON-V1\_2-20130212-C

Use of this document is subject to all of the terms and conditions of the Use Agreement located at <a href="http://www.openmobilealliance.org/UseAgreement.html">http://www.openmobilealliance.org/UseAgreement.html</a>.

Unless this document is clearly designated as an approved specification, this document is a work in process, is not an approved Open Mobile Alliance<sup>TM</sup> specification, and is subject to revision or removal without notice.

You may use this document or any part of the document for internal or educational purposes only, provided you do not modify, edit or take out of context the information in this document in any manner. Information contained in this document may be used, at your sole risk, for any purposes. You may not use this document in any other manner without the prior written permission of the Open Mobile Alliance. The Open Mobile Alliance authorizes you to copy this document, provided that you retain all copyright and other proprietary notices contained in the original materials on any copies of the materials and that you comply strictly with these terms. This copyright permission does not constitute an endorsement of the products or services. The Open Mobile Alliance assumes no responsibility for errors or omissions in this document.

Each Open Mobile Alliance member has agreed to use reasonable endeavors to inform the Open Mobile Alliance in a timely manner of Essential IPR as it becomes aware that the Essential IPR is related to the prepared or published specification. However, the members do not have an obligation to conduct IPR searches. The declared Essential IPR is publicly available to members and non-members of the Open Mobile Alliance and may be found on the "OMA IPR Declarations" list at <a href="http://www.openmobilealliance.org/ipr.html">http://www.openmobilealliance.org/ipr.html</a>. The Open Mobile Alliance has not conducted an independent IPR review of this document and the information contained herein, and makes no representations or warranties regarding third party IPR, including without limitation patents, copyrights or trade secret rights. This document may contain inventions for which you must obtain licenses from third parties before making, using or selling the inventions. Defined terms above are set forth in the schedule to the Open Mobile Alliance Application Form.

NO REPRESENTATIONS OR WARRANTIES (WHETHER EXPRESS OR IMPLIED) ARE MADE BY THE OPEN MOBILE ALLIANCE OR ANY OPEN MOBILE ALLIANCE MEMBER OR ITS AFFILIATES REGARDING ANY OF THE IPR'S REPRESENTED ON THE "OMA IPR DECLARATIONS" LIST, INCLUDING, BUT NOT LIMITED TO THE ACCURACY, COMPLETENESS, VALIDITY OR RELEVANCE OF THE INFORMATION OR WHETHER OR NOT SUCH RIGHTS ARE ESSENTIAL OR NON-ESSENTIAL.

THE OPEN MOBILE ALLIANCE IS NOT LIABLE FOR AND HEREBY DISCLAIMS ANY DIRECT, INDIRECT, PUNITIVE, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES ARISING OUT OF OR IN CONNECTION WITH THE USE OF DOCUMENTS AND THE INFORMATION CONTAINED IN THE DOCUMENTS.

© 2013 Open Mobile Alliance Ltd. All Rights Reserved. Used with the permission of the Open Mobile Alliance Ltd. under the terms set forth above.

#### **Contents**

l.	SCOPE	·	7
2.	REFER	RENCES	8
-		DRMATIVE REFERENCES	
		FORMATIVE REFERENCES	
3.		INOLOGY AND CONVENTIONS	
		NVENTIONS	
		FINITIONS	
		BREVIATIONS	
1.		DUCTION	
5.		CLIENT CONFORMANCE TEST CASES	
	5.1 GE	NERAL	11
	<b>5.2</b> Co	ONFIGURATION	
	5.2.1	RCS-e-1.2-con-001 First-time unsuccessful configuration - Subscriber unauthorized (Auto-Configuration)	n
	Server)	11	
	5.2.2	Void	
	5.2.3 5.2.4	Void	12
		EP ALIVE	
	5.3.1	RCS-e-1.2-con-020 Keep-Alive for SIPoUDP (STUN) (Includes Optional Features)	
	5.4 Mo	OBILE ORIGINATED CAPABILITY DISCOVERY	13
	5.4.1	RCS-e-1.2-con-030 Mobile Originated Capability Discovery – Successful	13
	5.4.2	RCS-e-1.2-con-031 Mobile Originated Capability Discovery – Unsuccessful – 480 Temporarily	
		able	_
	5.4.3	RCS-e-1.2-con-032 Mobile Originated Capability Discovery – Unsuccessful –408 Request Timeout	
	5.4.4 5.4.5	RCS-e-1.2-con-033 Mobile Originated Capability Discovery – Unsuccessful – 404 Not Found	
		1.2-con-035 Mobile Originated Capability Discovery – Successful (IMS registered, does not support RCS-	
		1.2-con-033 Widdie Originated Capability Discovery – Successful (IWB fegistered, does not support Res-	
		OBILE TERMINATED CAPABILITY DISCOVERY	
	5.5.1	RCS-e-1.2-con-040 Mobile Terminated Capability Discovery – Correct Presentation of Remote	
		ities	16
	5.5.2	RCS-e-1.2-con-041 Mobile Terminated Capability Discovery – Learning Unknown New Users RCS-e ities	16
		PABILITY UPDATE	
	5.6.1	RCS-e-1.2-con-050 Capability update during a MO call for video /image sharing (Includes Optional	1,
	Features		
	5.6.2	RCS-e-1.2-con-051 Capability update during a MT call for video /image sharing	17
	5.6.3	RCS-e-1.2-con-052 Capability update during initiation of an MO voice call - fails as other end has no	
		ty (Includes Optional Features)	
	5.6.4	RCS-e-1.2-con-053 Capability Exchange Optimization during a Call	
	<b>5.7 M</b> ( 5.7.1	DBILE ORIGINATED 1-TO-1 CHAT	19
		tion	10
	5.7.2	RCS-e-1.2-con-101 Mobile Originated 1-to-1 Chat - session establishment – Mobile Terminated session	
		tion	
	5.7.3	RCS-e-1.2-con-102 Mobile Originated 1-to-1 Chat – display notification (Includes Optional Features)	20
	5.7.4	RCS-e-1.2-con-103 Mobile Originated 1-to-1 Chat-duplicate session.	
	5.7.5	RCS-e-1.2-con-104 Mobile Originated 1-to-1 Chat - race condition	
	5.7.6	RCS-e-1.2-con-105 Mobile Originated 1-to-1 Chat – inactivity timeout	
	5.7.7	RCS-e-1.2-con-106 Mobile Originated 1-to-1 Chat - store and forward – sender still in active IM session	1
	570	PCS a 1.2 con 107 Mobile Originated 1 to 1 Chat, store and forward, conder still online	24
	5.7.8 <b>5.8 M</b> (	RCS-e-1.2-con-107 Mobile Originated 1-to-1 Chat - store and forward – sender still online  DBILE TERMINATED 1-TO-1 CHAT	
	5.8.1	RCS-e-1.2-con-120 Mobile Terminated 1-to-1 Chat - session establishment – Mobile Terminated session	
		tion	
	5.8.2	RCS-e-1.2-con-121 Mobile Terminated 1-to-1 Chat - session establishment – Mobile Originated session	
	termina	tion	

5.8.3	RCS-e-1.2-con-122 Mobile Terminated 1-to-1 Chat – spam/blacklist	27
5.8.4	RCS-e-1.2-con-123 Mobile Terminated 1-to-1 Chat – display notification	27
5.8.5	RCS-e-1.2-con-124 Mobile Terminated 1-to-1 Chat- duplicate session	
5.8.6	RCS-e-1.2-con-125 Mobile Terminated 1-to-1 Chat - race condition	
5.8.7	RCS-e-1.2-con-126 Mobile Terminated 1-to-1 Chat - store and forward	
<b>5.9 M</b> ( 5.9.1	DBILE ORIGINATED GROUP CHAT  RCS-e-1.2-con-130 Mobile Originated Group Chat - establishment – Originating User leaves the session	
3.9.1	30	<i>)</i> 11
5.9.2	RCS-e-1.2-con-131 Mobile Originated Group Chat - non-originating Users leave the session	30
5.9.3	RCS-e-1.2-con-132 Mobile Originated Group Chat - adding new User to the session	
	OBILE TERMINATED GROUP CHAT	
5.10.1	RCS-e-1.2-con-140 Mobile Terminated Group Chat - establishment – Terminating User leaves the sess	
	32	
5.11 GR	OUP CHAT	
5.11.1	RCS-e-1.2-con-145 Group Chat automatic re-join	
5.11.2	RCS-e-1.2-con-146 Group Chat re-start: 404 (Not Found)	33
5.11.3	RCS-e-1.2-con-147 Group Chat re-start: 403 (Forbidden)	34
5.11.4	RCS-e-1.2-con-148 Group Chat: Concurrent sessions	
5.12 MC 5.12.1	DBILE ORIGINATED FILE TRANSFERRCS-e-1.2-con-200 Mobile Originated File Transfer (Includes Optional Features)	
5.12.1	RCS-e-1.2-con-201 Mobile Originated File Transfer – Rejected (Includes Optional Features)	
	DBILE TERMINATED FILE TRANSFER	
5.13.1	RCS-e-1.2-con-210 Mobile Terminated File Transfer (Includes Optional Features)	
5.13.2	RCS-e-1.2-con-211 Mobile Terminated File Transfer – Rejected (Includes Optional Features)	
5.13.3	RCS-e-1.2-con-212 Mobile Terminated File Transfer – File Size Limit (Includes Optional Features)	
5.13.4	RCS-e-1.2-con-213 Mobile Terminated File Transfer – File Size Warn Limit (Includes Optional Featur	
	39	
5.14 MG	OBILE ORIGINATED IMAGE SHARING	
5.14.1	RCS-e-1.2-con-250 Mobile Originated Image Sharing Session Establishment – Mobile Originated Session	
	tion (Includes Optional Features)	40
5.14.2	RCS-e-1.2-con-251 Mobile Originated Image Sharing - Session Establishment - rejected (Includes	40
	1 Features)	
5.15 MC	DBILE TERMINATED IMAGE SHARING	41
0.10.1	Termination (Includes Optional Features)	41
5.15.2	RCS-e-1.2-con-271 Mobile Terminated Image Sharing - Session Establishment - rejected (Includes	. 71
	Features)	41
	DBILE ORIGINATED VIDEO SHARING	
	RCS-e-1.2-con-300 Mobile Originated Video Sharing - Session Establishment – Mobile Originated	
Session	Termination (Includes Optional Features)	42
5.16.2	RCS-e-1.2-con-301 Mobile Originated Video Sharing - Session Establishment – Mobile Terminated	
	Termination (Includes Optional Features)	42
5.16.3	RCS-e-1.2-con-302 Mobile Originated Video Sharing - Session Establishment - Rejected (Includes	
	l Features)	
	DBILE TERMINATED VIDEO SHARING	. 43
5.17.1 Session	RCS-e-1.2-con-320 Mobile Terminated Video Sharing - Session Establishment – Mobile Terminated Termination (Includes Optional Features)	11
5.17.2	RCS-e-1.2-con-321 Mobile Terminated Video Sharing - Session Establishment – Mobile Originated	. 44
	Termination (Includes Optional features)	44
5.17.3	RCS-e-1.2-con-322 Mobile Terminated Video Sharing - Session Establishment - Rejected (Includes	• • •
Optional	1 Features)	45
APPENDIX	A. CHANGE HISTORY (INFORMATIVE)	. 46
	PROVED VERSION HISTORY	
	AFT/CANDIDATE VERSION 1.0 HISTORY	
APPENDIX		
	TRODUCTION	
	IENT TEST CASES TESTING ONLY MANDATORY FEATURES	
B.3 AP	PLICABILITY	
B.3.2	Client IXIT	

B.3.3	Server ICS	50
B.3.4	Server IXIT	
	IENT ICS TO TEST CASE MAPPING	
PPENDIX	C. DEFAULT PROCEDURES	52
	PABILITY EXCHANGE	
C.1 CA	Mobile Originated Capability Exchange	
C.1.1 C.1.2	Mobile Terminated Capability Exchange	
	SION ESTABLISHMENT	
C.2.1	Mobile Originated Session Establishment: Video share, Image share, File share, basic 1-to-1 Chat	
C.2.2	Mobile Terminated Session Establishment: Video share, Image share, File share, basic 1-to-1 Chat	
C.2.3	Mobile Originated Session Establishment: 1-to-1 Chat with display notification	
C.2.4	Mobile Terminated Session Establishment: 1-to-1 Chat with display notification	
C.2.5	Mobile Originated Session Establishment - 1-to-1 Chat with two messages	
C.2.6	Mobile Terminated Session Establishment: 1-to-1 Chat with two messages	
C.2.7	Mobile Terminated Session Establishment: Spam	
C.2.8	Mobile Originated Session Establishment: simultaneous INVITEs	54
C.2.9	Mobile Terminated Session Establishment: new INVITE race	
C.2.10	Mobile Originated Session: Store and Forward - Receiver offline	
C.2.11	Mobile Originated Session: Store and Forward - deferred delivery	
C.2.12	Mobile Terminated Session: Store and Forward - deferred delivery	
C.2.13	Mobile Originated Session Establishment: Group Chat	
C.2.14	Mobile Terminated Session Establishment: Group Chat	
C.2.15	Group Chat automatic re-join	
C.2.16	Group Chat re-start: 404 Not Found	
C.2.17	Group Chat re-start: 403 Forbidden	
C.2.18	Group Chet auto-start. Mahila Taminatad	
C.2.19 C.2.20	Group Chat re-start: Mobile Terminated	
C.2.20 C.2.21	Auto-accept Group Chat	
	SION TERMINATION	
C.3 SES	Mobile Originated Session Termination: Video share, Image share, File share, 1-to-1 sessions	
C.3.1 C.3.2	Mobile Terminated Session Termination: Video share, Image share, File share, 1-to-1 sessions	
C.3.3	Mobile Originated Session Termination: Group chat	
C.3.4	Mobile Terminated Session Termination: Group chat	
	SION REJECTION	
C.4.1	Mobile Originated Session - Reject	
C.4.2	Mobile Terminated Session - Reject	
C.5 OT	HER PROCEDURES	
C.5.1	Participant List Update	57
C.5.2	Inviting new User to Group Chat	57
C.6 AU	TOCONFIGURATION PROCEDURES	58
C.6.1	HTTP	
	RP SESSION	
C.7.1	MSRP Session Message	
C.7.2	MSRP Session Message with Display Notification	
C.7.3	MSRP Session Store and Forward	
C.7.4	MSRP Session Store and Forward Message Delivered	
C.7.5	MSRP Session Store and Forward Final Message Delivered	
C.7.6	MSRP Group Session Message	
PPENDIX		
	MESSAGE CONTENT	
D.1.1	INVITE message	
D.1.2	200 OK for INVITE message	
D.1.3	OPTIONS message	
D.1.4	200 OK for OPTIONS message	
	TP AUTOCONFIGURATION MESSAGE CONTENT	
D.2.1	Initial HTTP request	63
D.2.2	200 OK for the initial HTTP request	
D.2.3	Initial HTTPS request	
D.2.4	200 OK for the initial HTTPS request	04

D.3.1 D.3.2	SRP MESSAGE CONTENT	. <b>64</b> . 64 . 64
Figure No table of figures entries found Tables	nd.	
Table 1		

#### 1. Scope

This document describes in detail the conformance test cases for the deployment suite of RCS-e 1.2.2 as described in reference [RCS-e] together with the RCS-e Implementation Guidelines [RIG].

The test cases are split into two categories, conformance and interoperability test cases. The interoperability test cases are defined in a separate interoperability ETS.

The conformance test cases are aimed to verify the adherence to the requirements described in the technical specifications.

#### 2. References

#### 2.1 Normative References

[OMA\_IM\_TS] "Instant Messaging Requirements", Version 1.0, Open Mobile Alliance<sup>TM</sup>, OMA-RD-IM-V1\_0,

URL:http://www.openmobilealliance.org/

[OMA\_IM\_XDM] "IM XDM Specification", Version 1.0, Open Mobile Alliance™, OMA-TS-IM\_XDM-V1\_0,

URL:http://www.openmobilealliance.org/

[RFC2119] "Key words for use in RFCs to Indicate Requirement Levels", S. Bradner, March 1997,

URL:http://www.ietf.org/rfc/rfc2119.txt

#### 2.2 Informative References

[OMADICT] "Dictionary for OMA Specifications", Version 2.9, Open Mobile Alliance<sup>TM</sup>,

OMA-ORG-Dictionary-V2\_9,

URL:http://www.openmobilealliance.org/

[RCS-e] "RCS-e – Advanced Communications: Services and Client Specification", v1.2.2, July 2012, GSM

Association, RCS\_e\_Specification\_Document\_1\_2\_2,

URL:http://www.gsma.com/rcs/wp-content/uploads/2012/03/rcseadvanced comms specification v1 2 2 approved.pdf

[RIG] "GSMA RCS IOT RCS-e Implementation Guidelines", Version 3.1, 21 August 2012,

URL:http://www.gsma.com/rcs/wp-content/uploads/2012/11/RCS-

e Implementation guidelines v3 1 clean.pdf

#### 3. Terminology and Conventions

#### 3.1 Conventions

The key words "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "MAY", and "OPTIONAL" in this document are to be interpreted as described in [RFC2119].

All sections and appendixes, except "Scope", are normative, unless they are explicitly indicated to be informative.

The following numbering scheme is used:

#### xxx-y.z-con-number where:

xxx Name of enabler, e.g. MMS or Browsing
 y.z Version of enabler release, e.g. 1.2 or 1.2.1
 'con' Indicating this test is a conformance test case

number Leap number for the test case

Or

#### xxx-y.z-int-number where:

xxx Name of enabler, e.g. MMS or Browsing
 y.z Version of enabler release, e.g. 1.2 or 1.2.1
 'int' Indicating this test is a interoperability test case

number Leap number for the test case

#### 3.2 Definitions

Auto-Configuration A component of RCS-e functionality that provides an interoperable way to provision RCS-e

Service configuration information from a Service Provider to an RCS-e Client.

Client Uses definition from [OMADICT].

Component Uses definition from [OMADICT].

RCS-e Client A Client which adheres and conforms to GSMA RCS-e specifications and is capable to receive RCS-e

service.

Service Uses definition from [OMADICT].
Service Provider Uses definition from [OMADICT].

#### 3.3 Abbreviations

RCS-e Rich Communications Suite-enhanced

SIM Subscriber Identity Module

USIM Universal Subscriber Identity Module

UX User eXperience

#### 4. Introduction

The purpose of this document is to provide conformance test cases for RCS-e version 1.2.2.

The implementation of some features is optional for the Clients and/or the Servers in the RCS-e Enabler. The tests associated with these optional features are marked as "(Includes Optional Features)" in the test specification.

#### 5. RCS-e Client Conformance Test Cases

#### 5.1 General

In this section, the following conventions apply:

- Client A is the client on the device-under-test and User A is the notional user of the device.
- All other Users and Clients are simulated in the Test Tool.
- When User A triggers an action or sends or receives a message, file, image, video etc. this shall be performed or verified either on the UI of the device-under-test or via some test-automation interface to the device.

The common procedures used by some test cases are defined in Appendix C.

The message content for most messages is defined in Appendix D.

For tests requiring "video share", video from any of the following, as defined in [RCS-e] section 3.3, may be used:

- The front camera ("me")
- The rear camera ("what I see")
- A file ("video streaming")

For tests requiring "image share", image from any of the following, as defined in [RCS-e] section 3.3, may be used:

- A picture taken using the front camera ("me")
- A picture taken using the rear camera ("what I see")
- A file ("send stored image")

#### 5.2 Configuration

## 5.2.1 RCS-e-1.2-con-001 First-time unsuccessful configuration - Subscriber unauthorized (Auto-Configuration Server)

Test Case Id	RCS-e-1.2-con-001
Test Object	RCS-e Client
<b>Test Case Description</b>	First-time unsuccessful configuration: Subscriber unauthorized
<b>Specification Reference</b>	RCS-e 2.2.2.1.2
SCR Reference	
Test code	Verified TTCN-3 code
Preconditions	User A NOT IMS registered for RCS-e
Test Procedure	1. Handset is powered on
	2. Execute "Successful autoconfiguration" (C.6.1.1). In step 4 set the version in the XML body to "0".
	3. Reboot the handset.
	4. Execute "Successful autoconfiguration" (C.6.1.1).
Pass-Criteria	1. After step 2 RCS-e UX elements are not enabled (i.e. handset exhibits non RCS-e UX).
	2. At step 4 of the test procedure in step 3 of C.6.1.1 "vers" parameter SHALL be 0.
	3. After step 4 RCS-e UX elements are enabled again.

#### 5.2.2 Void

#### 5.2.3 Void

## 5.2.4 RCS-e-1.2-con-004 Configuration - RCS-e re-configuration successful

Test Case Id	RCS-e-1.2-con-004
Test Object	RCS-e Client
Test Case Description	Successful re-configuration: RCS-e configuration enableRcseSwitch first set to 'true' and then set to 'false'
Specification Reference	RCS-e 2.10 (and A.2.6)
SCR Reference	
Test code	Verified TTCN-3 code
Preconditions	RCS-e services previously configured on the phone/(U)SIM pair
Test Procedure	1. User A's handset is powered on.
	2. Execute "Successful autoconfiguration" (C.6.1.1). In step 4 set the enableRcseSwitch to true in the XML body.
	3. User A's RCS-e client performs IMS registration.
	4. User A's handset is power cycled.
	5. Execute "Successful autoconfiguration" (C.6.1.1). In step 4 set the enableRcseSwitch to false in the XML body.
	6. User A's RCS-e client performs IMS registration.
Pass-Criteria	1. After step 3 User A's handset, RCS-e UX provides the following control elements:
	'RCS-e Service while roaming' enabled/disabled switch; and
	'RCS-e Service' enabled/disabled switch.
	2. After step 6 User A's handset, RCS-e UX does not provide the following control element:
	'RCS-e Service' enabled/disabled switch.

### 5.3 Keep Alive

## 5.3.1 RCS-e-1.2-con-020 Keep-Alive for SIPoUDP (STUN) (Includes Optional Features)

Test Case Id	RCS-e-1.2-con-020
Test Object	RCS-e Client
<b>Test Case Description</b>	Keep-alive for SIPoUDP (STUN)
<b>Specification Reference</b>	RCS-e 2.8
SCR Reference	
Test code	Verified TTCN-3 code
Preconditions	The client A is a registered RCS-e user.
	The client A's handset coverage is Wi-Fi.
	Applicability:
	• ics_stun_udp

<b>Test Procedure</b>	1) The client A exchanges initial STUN message.
	2) The client A's handset registers for the RCS-e service.
	3) The client A's constantly sends keep-alive message.
Pass-Criteria	1) During the step 3, the test tool receives STUN keep-alive messages from the client A.

#### **5.4 Mobile Originated Capability Discovery**

### 5.4.1 RCS-e-1.2-con-030 Mobile Originated Capability Discovery – Successful

Test Case Id	RCS-e-1.2-con-030
Test Object	RCS-e Client
<b>Test Case Description</b>	Mobile Originated Capability Discovery - Successful
<b>Specification Reference</b>	RCS-e 2.3.1
SCR Reference	
Test code	Verified TTCN-3 code
Preconditions	• User A is IMS registered for RCS-e
	<ul> <li>User A's RCS-e device is provisioned for RCS-e</li> </ul>
<b>Test Procedure</b>	1. User A triggers a capability discovery procedure towards User B at User A's device. This can be done by one of the following:
	a. Adding new User B entry (RCS-e user) to User A's address book; or
	b. Refreshing User B's status (RCS-e user) manually
	2. Execute "Mobile Originated Capability Exchange" (C.1.1)
	3. Check that User B is shown as available for RCS-e on User A's RCS-e client
Pass-Criteria	1. At step 3 User A's RCS-e client shows User B as available.

### 5.4.2 RCS-e-1.2-con-031 Mobile Originated Capability Discovery – Unsuccessful – 480 Temporarily Unavailable

Test Case Id	RCS-e-1.2-con-031
Test Object	RCS-e Client
<b>Test Case Description</b>	Mobile Originated Capability Discovery – Unsuccessful – 480 Temporarily Unavailable
<b>Specification Reference</b>	RCS-e 2.3.1
SCR Reference	
Test code	Verified TTCN-3 code
Preconditions	User A is IMS registered for RCS-e
	User A's RCS-e device is provisioned for RCS-e

Test Procedure	User A triggers a capability discovery procedure towards User B on User     A's device. This can be done by one of the following:
	a. Adding new User B entry (RCS-e user) to User A's address book; or
	b. Refreshing User B's (RCS-e user) status manually
	2. Execute step 1 of "Mobile Originated Capability Exchange" (C.1.1).
	3. The test tool responds with a 480 TEMPORARILY UNAVAILABLE towards User A's RCS-e client.
	4. Check that User B is shown as not available for RCS-e on User A's RCS-e client
Pass-Criteria	1. At step 4 User A's RCS-e client shows User B as not available.

## 5.4.3 RCS-e-1.2-con-032 Mobile Originated Capability Discovery – Unsuccessful –408 Request Timeout

Test Case Id	RCS-e-1.2-con-032
Test Object	RCS-e Client
Test Case Description	Mobile Originated Capability Discovery – Unsuccessful –408 Request Timeout
<b>Specification Reference</b>	RCS-e 2.3.1
SCR Reference	
Test code	Verified TTCN-3 code
Preconditions	User A is IMS registered for RCS-e
	User A's RCS-e device is provisioned for RCS-e
<b>Test Procedure</b>	User A triggers a capability discovery procedure towards User B on User     A's device. This can be done by one of the following:
	a. Adding new User B entry (RCS-e user) to User A's address book; or
	b. Refreshing User B's (RCS-e user) status manually
	2. Execute step 1 of "Mobile Originated Capability Exchange" (C.1.1).
	3. The test tool responds with a 408 REQUEST TIMEOUT towards the RCS-e client.
	4. Check that User B is shown as not available for RCS-e on User A's RCS-e client
Pass-Criteria	1. At step 4 User A's RCS-e client shows User B as not available.

## 5.4.4 RCS-e-1.2-con-033 Mobile Originated Capability Discovery – Unsuccessful – 404 Not Found

Test Case Id	RCS-e-1.2-con-033
Test Object	RCS-e Client
<b>Test Case Description</b>	Mobile Originated Capability discovery – Unsuccessful – 404 Not Found
<b>Specification Reference</b>	RCS-e 2.3.1
SCR Reference	
Test code	Verified TTCN-3 code
Preconditions	User A is IMS registered for RCS-e
	User A's RCS-e device is provisioned for RCS-e

Test Procedure	User A triggers a capability discovery procedure towards User B on User     A's device. This can be done by one of the following:
	a. Adding new User B entry (RCS-e user) to User A's address book; or
	b. Refreshing User B's (RCS-e user) status manually
	2. Execute step 1 of "Mobile Originated Capability Exchange" (C.1.1).
	3. The test tool responds with a 404 NOT FOUND towards User A's RCS-e client.
	4. Check that User B is shown as not available for RCS-e on User A's RCS-e client
Pass-Criteria	1. At step 4 User A's RCS-e client shows User B as not available.

## 5.4.5 RCS-e-1.2-con-034 Mobile Originated Capability Discovery – Successful – Multiple Identities

Test Case Id	RCS-e-1.2-con-034
Test Object	RCS-e Client
<b>Test Case Description</b>	Mobile Originated Capability Discovery – Successful – Multiple Identities
<b>Specification Reference</b>	RCS-e 2.3.1
SCR Reference	
Test code	Verified TTCN-3 code
Preconditions	User A is IMS registered for RCS-e
	User A's RCS-e device is provisioned for RCS-e
	User A's address book contains an entry for User C with a SIP-URI as contact and a phone number
<b>Test Procedure</b>	User A triggers a capability discovery procedure towards User C on User     A's device. This can be done by the following:
	a. Refreshing User C's status manually
	2. Execute step 1 of "Mobile Originated Capability Exchange" (C.1.1) twice with the following difference in the Request URI (D.1.3):
	a. SIP-URI of User C.
	b. MSISDN of User C
	3. The test tool responds with 200 OK towards User A's RCS-e client for each OPTIONS message.
	4. Check that User C's two identities are shown as available for RCS-e on User A's RCS-e client
Pass-Criteria	1. At step 4 User A's RCS-e client shows User C's two identities as available.

## RCS-e-1.2-con-035 Mobile Originated Capability Discovery – Successful (IMS registered, does not support RCS-e)

Test Case Id	RCS-e-1.2-con-035
Test Object	RCS-e Client
<b>Test Case Description</b>	Mobile Originated Capability Discovery - Successful
<b>Specification Reference</b>	RCS-e 2.3.1
SCR Reference	
Test code	Verified TTCN-3 code

Preconditions	User A is IMS registered for RCS-e
	User A's RCS-e device is provisioned for RCS-e
	User B is IMS registered, but does not support RCS-e
<b>Test Procedure</b>	1. User A triggers a capability discovery procedure towards User B at User A's device. This can be done by one of the following:
	a. Adding new User B entry (RCS-e user) to User A's address book; or
	b. Refreshing User B's (RCS-e user) status manually
	2. Execute "Mobile Originated Capability Exchange" (C.1.1) with exception to not sending feature param tag in the contact header of 200 OK.
	3. Check that User B is shown as unavailable for RCS-e on User A's RCS-e client
Pass-Criteria	1. At step 3 User A's RCS-e client shows User B as unavailable.

#### 5.5 Mobile Terminated Capability Discovery

## 5.5.1 RCS-e-1.2-con-040 Mobile Terminated Capability Discovery – Correct Presentation of Remote Capabilities

Test Case Id	RCS-e-1.2-con-040
Test Object	RCS-e Client
Test Case Description	Mobile Terminated Capability Discovery – Correct Presentation of Remote Capabilities
<b>Specification Reference</b>	RCS-e 2.4.1
SCR Reference	
Test code	Verified TTCN-3 code
Preconditions	User A is IMS registered for RCS-e
	User A's RCS-e device is provisioned for RCS-e
	User B is stored in User A's address book
Test Procedure	1. Execute "Mobile Terminated Capability Exchange" (C.1.2)
	2. Check that User B is shown as available for RCS-e on User A's RCS-e client.
Pass-Criteria	1. At step 2 User A's RCS-e client shows User B as available for RCS-e.

## 5.5.2 RCS-e-1.2-con-041 Mobile Terminated Capability Discovery – Learning Unknown New Users RCS-e Capabilities

Test Case Id	RCS-e-1.2-con-041
Test Object	RCS-e Client
Test Case Description	Mobile Terminated Capability Discovery – Learning Unknown New Users RCS-e Capabilities
<b>Specification Reference</b>	RCS-e 2.4.1
SCR Reference	
Test code	Verified TTCN-3 code
Preconditions	User A is IMS registered for RCS-e
	User A's RCS-e device is provisioned for RCS-e
	User X is not in User A's address book

Test Procedure	<ol> <li>Execute "Mobile Terminated Capability Exchange" (C.1.2) with User X as sender and condition B4 in D.1.4.</li> <li>Check that User X is shown as temporarily available for RCS-e on User A's RCS-e client.</li> </ol>
Pass-Criteria	1. At step 2 User A's RCS-e client shows User X as temporarily available for RCS-e.

#### 5.6 Capability Update

## 5.6.1 RCS-e-1.2-con-050 Capability update during a MO call for video /image sharing (Includes Optional Features)

Test Case Id	RCS-e-1.2-con-050
Test Object	RCS-e Client
<b>Test Case Description</b>	When a voice call is established the participants have to update their capabilities
Specification Reference	RCS-e 3.3.1
SCR Reference	
Test code	Verified TTCN-3 code
Preconditions	User A is IMS registered for RCS-e
	User A's RCS-e device is provisioned for RCS-e
	User A's RCS-e device as 3G, HSPA or Wi-Fi connectivity
	Applicability:
	ics_imageShare OR ics_videoShare
Test Procedure	1. User A initiates a voice call to User B at User A's device.
	2. Execute "Mobile Originated Capability Exchange" (C.1.1).
	3. Check that User B is shown as available for video and/or image sharing on User A's RCS-e client as supported by User A's RCS-e client.
Pass-Criteria	1. At step 3 User A's RCS-e client shows User B as available for video / image sharing as matching User A's RCS-e client's capabilities.

## 5.6.2 RCS-e-1.2-con-051 Capability update during a MT call for video /image sharing

Test Case Id	RCS-e-1.2-con-051
Test Object	RCS-e Client
Test Case Description	When a voice call is established the participants have to update their capabilities
<b>Specification Reference</b>	RCS-e 3.3.1
SCR Reference	
Test code	Verified TTCN-3 code
Preconditions	User A is IMS registered for RCS-e
	User A's RCS-e device is provisioned for RCS-e
	User A's RCS-e device as 3G, HSPA or Wi-Fi connectivity

Test Procedure	1. User A accepts a voice call from User B at User A's device.
	2. Execute "Mobile Terminated Capability Exchange" (C.1.2).
	3. Check that User B's capabilities for video and image sharing are shown as available on User A's RCS-e client matching User A's RCS-e client's capabilities according to ICS.
Pass-Criteria	1. At step 3 User B's capabilities for video and image sharing are shown as available on User A's RCS-e client matching User A's RCS-e client's capabilities according to ICS.

# 5.6.3 RCS-e-1.2-con-052 Capability update during initiation of an MO voice call - fails as other end has no capability (Includes Optional Features)

Test Case Id	RCS-e-1.2-con-052
Test Object	RCS-e Client
Test Case Description	When a voice call is initiated the call participants have to update their capabilities. The <b>recipient</b> should not be shown as available for video / image share if the corresponding tags are not included in the 200 OK response
<b>Specification Reference</b>	RCS-e 3.3.1
SCR Reference	
Test code	Verified TTCN-3 code
Preconditions	User A is IMS registered for RCS-e
	User A's RCS-e device is provisioned for RCS-e
	User A's RCS-e device as 3G, HSPA or Wi-Fi connectivity
	Applicability:
	ics_imageShare OR ics_videoShare
Test Procedure	1. User A initiates a voice call to User B at User A's device.
	2. Execute "Mobile Originated Capability Exchange" (C.1.1) and do not use condition B1 and B2 in step 2 (D.1.4).
	3. Check that User B is shown as not available for video and image sharing on User A's RCS-e client.
Pass-Criteria	1. At step 3 User A's RCS-e client shows User B as not available for video and image sharing.

### 5.6.4 RCS-e-1.2-con-053 Capability Exchange Optimization during a Call

Test Case Id	RCS-e-1.2-con-053
Test Object	RCS-e Client
<b>Test Case Description</b>	Capability exchange optimization during a call
<b>Specification Reference</b>	Sec 2.3.1 of GSMA RCS-e 1.2.2 specifications
SCR Reference	
Test code	Verified TTCN-3 code

Preconditions	The client A is RCS-e registered user.
	The client A's handset is in an on-going voice call with a test tool (simulating an RCS-e user) and the test tool delivers its RCS-e capabilities to the client A.
	The client A's handset is under 3G coverage.
	The displayed capabilities on the client A's handset for the current call include both image and video share.
Test Procedure	1) The client A's handset's coverage is changed to HSPA.
	2) Wait for 15 seconds.
	3) The client A's handset's coverage is changed to 3G.
	4) Wait for 15 seconds.
Pass-Criteria	1. Client A is not sending SIP OPTIONS message at the step #2 and the step #4.

#### 5.7 Mobile Originated 1-to-1 Chat

## 5.7.1 RCS-e-1.2-con-100 Mobile Originated 1-to-1 Chat - session establishment – Mobile Originated session termination

Test Case Id	RCS-e-1.2-con-100
Test Object	RCS-e Client
<b>Test Case Description</b>	Verifies Mobile Originated 1-to-1 Chat session establishment with Mobile Originated session termination
<b>Specification Reference</b>	RCS-e 3.2.4
SCR Reference	
Test code	Verified TTCN-3 code
Preconditions	User A's device is provisioned for RCS-e
	User A is IMS registered for RCS-e
	User A's device is configured not to request notification of display
<b>Test Procedure</b>	1. User A initiates a 1-to-1 Chat session with User B on his device with the message "Hello B".
	2. Execute "Mobile Originated Session Establishment" (C.2.1") with the message "Hello B"
	3. User A receives an indication that the message "Hello B" has been delivered.
	4. Execute "MSRP Session Message" (C.7.1) with the message "Hello A" from the Test Tool
	5. User A receives an "Is Composing" indication from User B.
	6. User A receives "Hello A" from User B.
	7. User A sends the message "Bye B" to User B.
	8. Execute "MSRP Session Message" (C.7.1) with the message "Bye B" from client A.
	9. User A receives an indication that the message "Bye B" has been delivered.
	10. User A terminates the session.
	11. Execute "Mobile Originated Session Termination" (C.3.1)

Pass-Criteria	1. At step 3 User A receives an indication that the message "Hello B" has been delivered.
	2. At step 5 User A receives an "Is Composing" indication from User B.
	3. At step 6 User A receives "Hello A" from User B.
	4. At step 9 User A receives an indication that the message "Bye B" has been delivered.

### 5.7.2 RCS-e-1.2-con-101 Mobile Originated 1-to-1 Chat - session establishment – Mobile Terminated session termination

Test Case Id	RCS-e-1.2-con-101
Test Object	RCS-e Client
<b>Test Case Description</b>	Verifies Mobile Originated 1-to-1 Chat session establishment with Mobile Terminated session termination
<b>Specification Reference</b>	RCS-e 3.2.4
SCR Reference	
Test code	Verified TTCN-3 code
Preconditions	User A's device is provisioned for RCS-e
	User A is IMS registered for RCS-e
	User A's device is configured not to request notification of display
Test Procedure	1. User A initiates a 1-to-1 Chat session with User B on his device with the message "Hello B".
	2. Execute "Mobile Originated Session Establishment" (C.2.1) with the message "Hello B"
	3. User A receives an indication that the message "Hello B" has been delivered.
	4. Execute "MSRP Session Message" (C.7.1) with the message "Hello A" from the Test Tool
	5. User A receives an "Is Composing" indication from User B.
	6. User A receives "Hello A" from User B.
	7. User A sends the message "Bye B" to User B.
	8. Execute "MSRP Session Message" (C.7.1) with the message "Bye B" from client A.
	9. User A receives an indication that the message "Bye B" has been delivered.
	10. Execute "Mobile Terminated Session Termination" (C.3.2)
Pass-Criteria	1. At step 3 User A receives an indication that the message "Hello B" has been delivered.
	2. At step 5 User A receives an "Is Composing" indication from User B.
	3. At step 6 User A receives "Hello A" from User B.
	4. At step 9 User A receives an indication that the message "Bye B" has been delivered.

## 5.7.3 RCS-e-1.2-con-102 Mobile Originated 1-to-1 Chat – display notification (Includes Optional Features)

Test Case Id	RCS-e-1.2-con-102
Test Object	RCS-e Client

<b>Test Case Description</b>	Verifies display notification in Mobile Originated 1-to-1 Chat session
<b>Specification Reference</b>	RCS-e 3.2.2.4
SCR Reference	
Test code	Verified TTCN-3 code
Preconditions	User A's device is provisioned for RCS-e
	User A is IMS registered for RCS-e
	User A's device is configured to request display notifications
	Applicability:
	ics_request_displayNotifications
Test Procedure	1. User A initiates a 1-to-1 Chat session with User B on his device with the message "Hello B".
	2. Execute "Mobile Originated Session: 1-to-1 Chat with display notification" (C.2.3) with the message "Hello B"
	3. User A receives an indication that the message "Hello B" has been delivered.
	4. User A receives an indication that the message "Hello B" has been displayed.
	5. Execute "MSRP Session Message" (C.7.1) with the message "Hello A" from the Test Tool
	6. User A receives "Hello A" from User B.
	7. User A sends the message "Bye B" to User B.
	8. Execute "MSRP Session Message with Display Notification" (C.7.2) with the message "Bye B" from client A.
	9. User A receives an indication that the message "Bye B" has been delivered.
	10. User A receives an indication that the message "Bye B" has been displayed.
	11. User A terminates the session.
	12. Execute "Mobile Originated Session Termination" (C.3.1)
Pass-Criteria	1. At step 3 User A receives an indication that the message "Hello B" has been delivered.
	2. At step 4 User A receives an indication that the message "Hello B" has been displayed.
	3. At step 9 User A receives an indication that the message "Bye B" has been delivered.
	4. At step 10 User A receives an indication that the message "Bye B" has been displayed.

## 5.7.4 RCS-e-1.2-con-103 Mobile Originated 1-to-1 Chat- duplicate session

Test Case Id	RCS-e-1.2-con-103
Test Object	RCS-e Client
<b>Test Case Description</b>	Verifies a duplicate session in a Mobile Originated 1-to-1 Chat session
<b>Specification Reference</b>	RCS-e 3.2.4.1
SCR Reference	
Test code	Verified TTCN-3 code

Preconditions	User A's device is provisioned for RCS-e
	User A is IMS registered for RCS-e
	User A's device is configured not to request notification of display
Test Procedure	1. User A initiates a 1-to-1 Chat session with User B on his device with the first message "Hello B".
	2. Execute "Mobile Originated Session Establishment - 1-to-1 Chat with two messages" (C.2.5) with the first message "Hello B"
	3. User A receives an indication that the message "Hello B" has been delivered.
	4. User A sends the second message "Wake up B" to User B.
	5. Continue to execute "Mobile Originated Session Establishment - 1-to-1 Chat with two messages" (C.2.5) with the second message "Wake up B"
	6. User A receives an indication that the message "Wake up B" has been delivered.
	7. Execute "MSRP Session Message" (C.7.1) with the message "Hello A" from the Test Tool
	8. User A receives "Hello A" from User B.
	9. User A terminates the session.
	10. Execute "Mobile Originated Session Termination" (C.3.1)
Pass-Criteria	1. At step 3 User A receives an indication that the message "Hello B" has been delivered.
	2. At step 6 User A receives an indication that the message "Wake up B" has been delivered.
	3. At step 8 User A receives "Hello A" from User B.

#### 5.7.5 RCS-e-1.2-con-104 Mobile Originated 1-to-1 Chat - race condition

Test Case Id	RCS-e-1.2-con-104
Test Object	RCS-e Client
Test Case Description	Verifies Mobile Originated 1-to-1 Chat session race condition with two simultaneous invites
<b>Specification Reference</b>	RCS-e 3.2.4.18.1
SCR Reference	
Test code	Verified TTCN-3 code
Preconditions	User A's device is provisioned for RCS-e
	User A is IMS registered for RCS-e
	User A's device is configured not to request notification of display

Test Procedure	1. User A initiates a 1-to-1 Chat session with User B on his device with the message "Hello B".
	2. Execute "Mobile Originated Session Establishment: simultaneous INVITEs" (C.2.8) with the messages "Hello B" from User A and "Hello A" from User B
	3. User A receives "Hello A" from User B.
	4. User A receives an indication that the message "Hello B" has been delivered.
	5. User A sends the message "Quick B" to User B.
	6. Execute "MSRP Session Message" (C.7.1) with the message "Quick B" from client A.
	7. Execute "MSRP Session Message" (C.7.1) with the message "Yes A" from the Test Tool
	8. User A receives "Yes A" from User B.
	9. User A receives an indication that the message "Quick B" has been delivered.
	10. User A terminates the session.
	11. Execute "Mobile Originated Session Termination" (C.3.1)
Pass-Criteria	1. At step 3 User A receives "Hello A" from User B.
	2. At step 4 User A receives an indication that the message "Hello B" has been delivered.
	3. At step 8 User A receives "Yes A" from User B.
	4. At step 9 User A receives an indication that the message "Quick B" has been delivered.

## 5.7.6 RCS-e-1.2-con-105 Mobile Originated 1-to-1 Chat – inactivity timeout

Test Case Id	RCS-e-1.2-con-105
Test Object	RCS-e Client
<b>Test Case Description</b>	Verifies 1-to-1 Chat inactivity timeout
<b>Specification Reference</b>	RCS-e 3.2.4.8
SCR Reference	
Test code	Verified TTCN-3 code
Preconditions	User A's device is provisioned for RCS-e
	User A is IMS registered for RCS-e
	User A's device is configured not to request notification of display
<b>Test Procedure</b>	1. User A initiates a 1-to-1 Chat session with User B on his device with the message "Hello B".
	2. Execute "Mobile Originated Session Establishment" (C.2.1) with the message "Hello B"
	3. User A receives an indication that the message "Hello B" has been delivered.
	4. Execute "MSRP Session Message" (C.7.1) with the message "Hello A" from the Test Tool
	5. User A receives "Hello A" from User B.
	6. User A waits until the chat inactivity timeout occurs (TBD) and Client A then terminates the session
	7. Execute "Mobile Originated Session Termination" (C.3.1)

Pass-Criteria	1. At step 7 Client A terminates the session.
---------------	---

## 5.7.7 RCS-e-1.2-con-106 Mobile Originated 1-to-1 Chat - store and forward – sender still in active IM session

Test Case Id	RCS-e-1.2-con-106
Test Object	RCS-e Client
<b>Test Case Description</b>	Verifies Mobile Originated 1-to-1 Chat session with store and forward when the sender is still in active IM session (with MSRP session still active) when the recipient comes back online.
<b>Specification Reference</b>	RCS-e 3.2.4.11
SCR Reference	
Test code	Verified TTCN-3 code
Preconditions	User A's device is provisioned for RCS-e
	User A is IMS registered for RCS-e
	User A's device is configured not to request notification of display
<b>Test Procedure</b>	1. User A initiates a 1-to-1 Chat session with User B on his device with the message "Hello B". (User B is offline)
	2. Execute "Mobile Originated Session: Store and Forward - Receiver offline" (C.2.10) with the message "Hello B"
	3. User A sends the message "Again B" to User B. (User B is offline)
	4. Execute "MSRP Session Store and Forward" (C.7.3) with the message "Again B" from Client A.
	5. (User A keeps chat session open and User B comes back online)
	6. Execute "MSRP Session Store and Forward Message Delivered" (C.7.4) for the message "Hello B" from Client A.
	7. User A receives an indication that the message "Hello B" has been delivered.
	8. Execute "MSRP Session Store and Forward Final Message Delivered" (C.7.5) for the message "Again B" from Client A.
	9. User A receives an indication that the message "Again B" has been delivered.
Pass-Criteria	1. At step 7 User A receives an indication that the message "Hello B" has been delivered.
	2. At step 9 User A receives an indication that the message "Again B" has been delivered.

## 5.7.8 RCS-e-1.2-con-107 Mobile Originated 1-to-1 Chat - store and forward – sender still online

Test Case Id	RCS-e-1.2-con-107
Test Object	RCS-e Client
Test Case Description	Verifies Mobile Originated 1-to-1 Chat session with store and forward when the sender is still online when the recipient comes back online. The same call-flow is also used for delivery of deferred notifications when the sender goes offline and then comes back on line later.
<b>Specification Reference</b>	RCS-e 3.2.4.11
SCR Reference	
Test code	Verified TTCN-3 code

Preconditions	User A's device is provisioned for RCS-e
	User A is IMS registered for RCS-e
	User A's device is configured not to request notification of display
Test Procedure	1. User A initiates a 1-to-1 Chat session with User B on his device with the message "Hello B". (User B is offline)
	2. Execute "Mobile Originated Session Store and Forward - Receiver offline" (C.2.10) with the message "Hello B"
	3. User A sends the message "Again B" to User B. (User B is offline)
	4. Execute "MSRP Session Store and Forward" (C.7.3) with the message "Again B" from Client A.
	5. User A terminates the session.
	6. Execute "Mobile Originated Session Termination" (C.3.1)
	7. (User A stays online and User B comes back online)
	8. Execute "Mobile Originated Session Store and Forward - deferred delivery" (C.2.11)
	9. Execute "MSRP Session Store and Forward Message Delivered" (C.7.4) for the message "Hello B" from Client A.
	10. Client A auto-accepts and User A receives an indication that the message "Hello B" has been delivered.
	11. Execute "MSRP Session Store and Forward Final Message Delivered" (C.7.5) for the message "Again B" from Client A.
	12. User A receives an indication that the message "Again B" has been delivered.
Pass-Criteria	1. At step 10 User A receives an indication that the message "Hello B" has been delivered.
	2. At step 12 User A receives an indication that the message "Again B" has been delivered.

#### 5.8 Mobile Terminated 1-to-1 Chat

### 5.8.1 RCS-e-1.2-con-120 Mobile Terminated 1-to-1 Chat - session establishment – Mobile Terminated session termination

Test Case Id	RCS-e-1.2-con-120
Test Object	RCS-e Client
<b>Test Case Description</b>	Verifies Mobile Terminated 1-to-1 Chat session establishment with Mobile Terminated session termination
<b>Specification Reference</b>	RCS-e 3.2.4
SCR Reference	
Test code	Verified TTCN-3 code
Preconditions	User A's RCS-e device is provisioned for RCS-e
	User A is IMS registered for RCS-e

<b>Test Procedure</b>	1. Execute "Mobile Terminated Session Establishment" (C.2.2) with the message "Hello A" from User B
	2. User A receives "Hello A" from User B.
	3. User A sends the message "Hello B" to User B before the session times out.
	4. Execute "MSRP Session Message" (C.7.1) with the message "Hello B" from client A.
	5. Execute "MSRP Session Message" (C.7.1) with the message "Bye A" from the Test Tool
	6. User A receives an "Is Composing" indication from User B.
	7. User A receives "Bye A" from User B.
	8. Execute "Mobile Terminated Session Termination" (C.3.2)
Pass-Criteria	1. At step 2 User A receives "Hello A" from User B.
	2. At step 6 User A receives an "Is Composing" indication from User B.
	3. At step 7 User A receives "Bye A" from User B.

## 5.8.2 RCS-e-1.2-con-121 Mobile Terminated 1-to-1 Chat - session establishment – Mobile Originated session termination

Test Case Id	RCS-e-1.2-con-121
Test Object	RCS-e Client
<b>Test Case Description</b>	Verifies Mobile Terminated 1-to-1 Chat session establishment with Mobile Originated session termination
<b>Specification Reference</b>	RCS-e 3.2.4
SCR Reference	
Test code	Verified TTCN-3 code
Preconditions	User A's RCS-e device is provisioned for RCS-e
	User A is IMS registered for RCS-e
Test Procedure	1. Execute "Mobile Terminated Session Establishment" (C.2.2) with the message "Hello A" from User B
	2. User A receives "Hello A" from User B.
	3. User A sends the message "Hello B" to User B before the session times out.
	4. Execute "MSRP Session Message" (C.7.1) with the message "Hello B" from client A.
	5. Execute "MSRP Session Message" (C.7.1) with the message "Bye A" from the Test Tool
	6. User A receives an "Is Composing" indication from User B.
	7. User A receives "Bye A" from User B.
	8. User A terminates the session.
	9. Execute "Mobile Originated Session Termination" (C.3.1)
Pass-Criteria	1. At step 2 User A receives "Hello A" from User B.
	2. At step 6 User A receives an "Is Composing" indication from User B.
	3. At step 7 User A receives "Bye A" from User B.

## 5.8.3 RCS-e-1.2-con-122 Mobile Terminated 1-to-1 Chat – spam/blacklist

Test Case Id	RCS-e-1.2-con-122
Test Object	RCS-e Client
Test Case Description	Verifies Mobile Terminated 1-to-1 Chat session establishment when the sender is on the spam/blacklist
<b>Specification Reference</b>	RCS-e 3.2.4.15
SCR Reference	
Test code	Verified TTCN-3 code
Preconditions	User A's RCS-e device is provisioned for RCS-e
	User A is IMS registered for RCS-e
	User A has User S listed in the spam/blacklist
Test Procedure	1. Execute "Mobile Terminated Session Establishment: Spam" (C.2.7) with the message "Spam for A" from User S
	2. User A does not receive the message from User S.
	3. The message "Spam for A" is available in the spam filter.
Pass-Criteria	1. During step 1 Client A sends a delivery notification with status "delivered" to Client S.
	2. At step 2 User A does not receive the message from User S.
	3. At step 3 the message "Spam for A" is available in the spam filter.

## 5.8.4 RCS-e-1.2-con-123 Mobile Terminated 1-to-1 Chat – display notification

Test Case Id	RCS-e-1.2-con-123
Test Object	RCS-e Client
<b>Test Case Description</b>	Verifies display notification in Mobile Terminated 1-to-1 Chat session
Specification Reference	RCS-e 3.2.2.4
SCR Reference	
Test code	Verified TTCN-3 code
Preconditions	User A's RCS-e device is provisioned for RCS-e
	User A is IMS registered for RCS-e
	<ul> <li>User A's device is configured to respond to display notification requests</li> </ul>
<b>Test Procedure</b>	1. Execute "Mobile Terminated Session Establishment: 1-to-1 Chat with display notification" (C.2.4) with the message "Hello A" from User B
	2. User A receives "Hello A" from User B.
	3. User A sends the message "Hello B" to User B before the session times out.
	4. Execute "MSRP Session Message" (C.7.1) with the message "Hello B" from client A.
	5. Execute "MSRP Session with Display Notification" (C.7.2) with the message "Bye A" from the Test Tool
	6. User A receives "Bye A" from User B.
	7. User A displays "Bye A" from User B.
	8. Execute "Mobile Terminated Session Termination" (C.3.2)

Pass-Criteria	1. The pass-criteria are completely contained in the message flows in
	Appendix C

### 5.8.5 RCS-e-1.2-con-124 Mobile Terminated 1-to-1 Chat- duplicate session

Test Case Id	RCS-e-1.2-con-124
Test Object	RCS-e Client
<b>Test Case Description</b>	Verifies a duplicate session in a Mobile Terminated 1-to-1 Chat session
<b>Specification Reference</b>	RCS-e 3.2.4.1
SCR Reference	
Test code	Verified TTCN-3 code
Preconditions	User A's RCS-e device is provisioned for RCS-e
	User A is IMS registered for RCS-e
Test Procedure	1. Execute "Mobile Terminated Session Establishment: 1-to-1 Chat with two messages" (C.2.6) with the first message "Hello A" from User B and the second message "Wake up A" from User B.
	2. User A receives "Hello A" from User B (but performs no action).
	3. User A receives "Wake up A" from User B.
	4. User A sends the message "Hello B" to User B before the session times out.
	5. Execute "MSRP Session Message" (C.7.1) with the message "Hello B" from client A.
	6. Execute "MSRP Session Message" (C.7.1) with the message "Bye A" from the Test Tool
	7. User A receives "Bye A" from User B.
	8. Execute "Mobile Terminated Session Termination" (C.3.2)
Pass-Criteria	1. At step 2 User A receives "Hello A" from User B.
	2. At step 3 User A receives "Wake up A" from User B.
	3. At step 7 User A receives "Bye A" from User B.

### 5.8.6 RCS-e-1.2-con-125 Mobile Terminated 1-to-1 Chat - race condition

Test Case Id	RCS-e-1.2-con-125
Test Object	RCS-e Client
<b>Test Case Description</b>	Verifies Mobile Terminated 1-to-1 Chat session race condition with new invite received after previous invite has been accepted
<b>Specification Reference</b>	RCS-e 3.2.4.18.2
SCR Reference	
Test code	Verified TTCN-3 code
Preconditions	User A's RCS-e device is provisioned for RCS-e
	User A is IMS registered for RCS-e

Test Procedure	1. Execute "Mobile Terminated Session Establishment: new INVITE race" (C.2.9) with the first message "Hello A" from User B and the second message "Again A" from User B
	2. User A receives "Hello A" from User B.
	3. User A receives "Again A" from User B.
	4. User A sends the message "Two B" to User B before the session times out.
	5. Execute "MSRP Session Message" (C.7.1) with the message "Two B" from client A.
	6. Execute "MSRP Session Message" (C.7.1) with the message "Bye A" from the Test Tool
	7. User A receives "Bye A" from User B.
	8. Execute "Mobile Terminated Session Termination" (C.3.2)
Pass-Criteria	1. At step 2 User A receives "Hello A" from User B.
	2. At step 3 User A receives "Again A" from User B.
	3. At step 7 User A receives "Bye A" from User B.

## 5.8.7 RCS-e-1.2-con-126 Mobile Terminated 1-to-1 Chat - store and forward

Test Case Id	RCS-e-1.2-con-126
Test Object	RCS-e Client
<b>Test Case Description</b>	Verifies delivery of deferred messages in a Mobile Terminated 1-to-1 Chat session.
<b>Specification Reference</b>	RCS-e 3.2.4.11, RCS-e 3.2.4.19
SCR Reference	
Test code	Verified TTCN-3 code
Preconditions	User A's RCS-e device is provisioned for RCS-e
	User A is IMS registered for RCS-e
	User A is offline
Test Procedure	1. User A comes online.
	2. Execute "Mobile Terminated Session Store and Forward - deferred delivery" (C.2.12) with the first stored message "Hello A" from User B and the second stored message "Again A" from User B.
	3. User A receives an indication of the stored message "Hello A" from User B and may optionally receive an indication of the stored message "Again A" from User B. User A opens the chat window.
	4. Execute "MSRP Session Store and Forward Final Message Delivered" (C.7.5) with the stored message "Yet again A" from User B.
	5. User A receives the stored message "Again A" from User B if not already received and then the message "Yet again A" from User B and the session is closed.
Pass-Criteria	1. At step 3 User A receives an indication of the stored message "Hello A" from User B and optionally receives an indication of the stored message "Again A" from User B.
	2. At step 5 User A receives the stored message "Again A" from User B if not already received and then receives the stored message "Yet again A" from User B and the session is closed.

#### 5.9 Mobile Originated Group Chat

## 5.9.1 RCS-e-1.2-con-130 Mobile Originated Group Chat - establishment - Originating User leaves the session

Test Case Id	RCS-e-1.2-con-130
Test Object	RCS-e Client
Test Case Description	Verifies Mobile Originated Group Chat session establishment and Originating User leaves the session
<b>Specification Reference</b>	RCS-e 3.2.5
SCR Reference	
Test code	Verified TTCN-3 code
Preconditions	User A's device is provisioned for RCS-e
	User A is IMS registered for RCS-e
<b>Test Procedure</b>	1. User A initiates a Group Chat session with User B, User C and User D on his device with the subject "Test".
	2. Execute "Mobile Originated Session Establishment: Group Chat" (C.2.13) with the subject "Test" and participants list with User B and User C as accepted (User D does not accept).
	3. User A receives the participant list and the status for each one
	4. User A sends the message "Hello group" to the group.
	5. Execute "MSRP Group Session Message" (C.7.6) with the message "Hello group" from Client A.
	6. Execute "MSRP Group Session Message" (C.7.6) with the message "Hello A" from the Test Tool from User B
	7. User A receives "Hello A" from User B.
	8. User A leaves the Group Chat session.
	9. Execute "Mobile Originated Session Termination" (C.3.1)
Pass-Criteria	1. At step 3 User A receives the participant list and the status for each one
	2. At step 7 User A receives "Hello A" from User B.

#### 5.9.2 RCS-e-1.2-con-131 Mobile Originated Group Chat - nonoriginating Users leave the session

Test Case Id	RCS-e-1.2-con-131
Test Object	RCS-e Client
<b>Test Case Description</b>	Verifies Mobile Originated Group Chat session when non-originating Users leave the session and the session is closed
<b>Specification Reference</b>	RCS-e 3.2.5
SCR Reference	
Test code	Verified TTCN-3 code
Preconditions	User A's device is provisioned for RCS-e
	User A is IMS registered for RCS-e

Test Procedure	1. User A initiates a Group Chat session with User B, User C and User D on his device with the subject "Test".
	2. Execute "Mobile Originated Session Establishment: Group Chat" (C.2.13) with the subject "Test" and participants list with User B and User C as accepted (User D does not accept).
	3. Execute "MSRP Group Session Message" (C.7.6) with the message "B going" from the Test Tool from User B
	4. User A receives the message "B going" from User B.
	5. Execute "Participant List Update" (C.5.1) with User B as offline (and User C as accepted).
	6. User A receives the participant list and the status for each one (User B as offline and User C as accepted).
	7. Execute "MSRP Group Session Message" (C.7.6) with the message "C going" from the Test Tool from User C
	8. User A receives the message "C going" from User C.
	9. Execute "Participant List Update" (C.5.1) with User C as offline.
	10. User A receives the participant list and the status for each one (User C as offline).
	11. Execute "Mobile Terminated Session Termination" (C.3.2).
Pass-Criteria	1. At step 4 User A receives the message "B going" from User B.
	2. At step 6 User A receives the participant list and the status for each one (User B as offline and User C as accepted).
	3. At step 8 User A receives the message "C going" from User C.
	4. At step 10 User A receives the participant list and the status for each one (User C as offline).

## 5.9.3 RCS-e-1.2-con-132 Mobile Originated Group Chat - adding new User to the session

Test Case Id	RCS-e-1.2-con-132
Test Object	RCS-e Client
<b>Test Case Description</b>	Verifies Group Chat when a new User is added to the session
<b>Specification Reference</b>	RCS-e 3.2.5.5.4
SCR Reference	
Test code	Verified TTCN-3 code
Preconditions	User A's device is provisioned for RCS-e
	User A is IMS registered for RCS-e

Test Procedure	1. User A initiates a Group Chat session with User B and User C on his device with the subject "Test".
	2. Execute "Mobile Originated Session Establishment: Group Chat" (C.2.13) with the subject "Test" and participants list with User B and User C as accepted.
	3. User A selects User D to add to the session
	4. Execute "Inviting new User to Group Chat" (C.5.2) with new User D added to the Group Chat
	5. User A receives the participant list and the status for each one (User D as added/accepted and User B and User C as accepted).
	6. User A leaves the Group Chat session.
	7. Execute "Mobile Originated Session Termination" (C.3.1)
Pass-Criteria	1. At step 5 User A receives the participant list and the status for each one (User D as added/accepted and User B and User C as accepted).

#### 5.10 Mobile Terminated Group Chat

## 5.10.1 RCS-e-1.2-con-140 Mobile Terminated Group Chat - establishment – Terminating User leaves the session

Test Case Id	RCS-e-1.2-con-140
Test Object	RCS-e Client
<b>Test Case Description</b>	Verifies Mobile Terminated Group Chat session establishment and Terminating User leaves the session
<b>Specification Reference</b>	RCS-e 3.2.5
SCR Reference	
Test code	Verified TTCN-3 code
Preconditions	User A's RCS-e device is provisioned for RCS-e
	User A is IMS registered for RCS-e
<b>Test Procedure</b>	1. Execute "Mobile Terminated Session Establishment: Group Chat" (C.2.14) with User B as the initiator and User C also invited
	2. User A receives the invitation and the participant list.
	3. User A accepts the invitation.
	4. Continue to execute "Mobile Terminated Session Establishment: Group Chat" (C.2.14) (TBD: Does this include a "get participants" session?)
	5. Execute "MSRP Group Session Message" (C.7.6) with the message "Hello group" from the Test Tool from Client B.
	6. User A receives the message "Hello group" from User B.
	7. User A sends the message "Hello BC" to the Group.
	8. Execute "MSRP Group Session Message" (C.7.6) with the message "Hello BC" from User A to the Group
	9. User A leaves the Group Chat session.
	10. Execute "Mobile Originated Session Termination" (C.3.1)
Pass-Criteria	1. At step 2 User A receives the invitation and the participant list (User B and User C).
	2. At step 6 User A receives the message "Hello group" from User B.

#### 5.11 Group Chat

#### 5.11.1 RCS-e-1.2-con-145 Group Chat automatic re-join

Test Case Id	RCS-e-1.2-con-145
Test Object	RCS-e Client
<b>Test Case Description</b>	Verifies Group Chat automatic re-join when a participant leaves the session due to loss of connectivity.
Specification Reference	RCS-e 3.2.5.5.6, RIG ID_4_21_2
SCR Reference	
Test code	Verified TTCN-3 code
Preconditions	User A's RCS-e device is provisioned for RCS-e
	User A is IMS registered for RCS-e
Test Procedure	1. User A, User B and User C are in an established Group Chat session initiated by User B. (Execute "Mobile Terminated Session Establishment: Group Chat" (C.2.14) with User B as the initiator and User A and User C also invited).
	2. User A leaves the Group Chat involuntarily. Simulate by e.g. severely attenuating the cellular signal from the Test Tool to the device under test and waiting XX seconds.
	3. Connectivity with the device under test is restored by re-establishing the cellular signal from the Test Tool.
	4. Client A re-registers with the IMS core (Test Tool).
	5. Client A automatically re-joins the original Group Chat session using the original Contribution ID. Execute: "Group Chat automatic re-join" (C.2.15) with User A as the initiator.
	6. Execute "MSRP Group Session Message" (C.7.6) with the message "Hello again A" from User B to the Group.
	7. User A receives the message "Hello again A" from User B.
	8. User A leaves the Group Chat session.
	9. Execute "Mobile Originated Session Termination" (C.3.1)
Pass-Criteria	1. At step 5 Client A automatically re-joins the original Group Chat
	2. At step 7 User A receives the message "Hello again A" from User B.

#### 5.11.2 RCS-e-1.2-con-146 Group Chat re-start: 404 (Not Found)

Test Case Id	RCS-e-1.2-con-146
Test Object	RCS-e Client
Test Case Description	Verifies correct behaviour after a Group Chat times out and a participant attempts to re-start the session and receives a 404 Not Found response from the IM server.
<b>Specification Reference</b>	RCS-e 3.2.5.5.6, RIG ID_4_21_3
SCR Reference	
Test code	Verified TTCN-3 code
Preconditions	User A's RCS-e device is provisioned for RCS-e
	User A is IMS registered for RCS-e

Test Procedure	1. User A, User B and User C are in an established Group Chat session initiated by User B. (Execute "Mobile Terminated Session Establishment: Group Chat" (C.2.14) with User B as the initiator and User A and User C also invited). Set the XX timer to YY value.
	2. Wait ZZ until the Group Chat session times out.
	3. User A sends the message "Restart" to the original Group.
	4. Client A attempts to automatically re-join the original Group Chat session using the original Contribution ID. This fails as the session has expired and the IM server (Test Tool) sends 404 Not Found. Execute: "Group Chat restart: 404 Not Found" (C.2.16) with User A as the initiator.
	5. Client A automatically starts a new Group Chat session using the original Contribution ID and participant list. Execute: "Group Chat auto-start" (C.2.18) with User A as the initiator and User B and User C as the other members of the previous group session participants list.
	6. Execute "MSRP Group Session Message" (C.7.6) with the message "Restart" from Client A.
	7. User A leaves the Group Chat session.
	8. Execute "Mobile Originated Session Termination" (C.3.1)
Pass-Criteria	1. At step 4 Client A attempts to automatically re-join the original Group Chat.
	2. At step 5 Client A automatically starts a new Group Chat session using the original Contribution ID and participant list.

#### 5.11.3 RCS-e-1.2-con-147 Group Chat re-start: 403 (Forbidden)

Test Case Id	RCS-e-1.2-con-147
Test Object	RCS-e Client
<b>Test Case Description</b>	Verifies correct behaviour after a Group Chat times out and a participant attempts to re-start the session but receives a 403 Forbidden response from the IM server.
<b>Specification Reference</b>	RIG ID_4_21_3
SCR Reference	
Test code	Verified TTCN-3 code
Preconditions	User A's RCS-e device is provisioned for RCS-e
	User A is IMS registered for RCS-e

Test Procedure	<ol> <li>User A, User B and User C are in an established Group Chat session initiated by User B. (Execute "Mobile Terminated Session Establishment: Group Chat" (C.2.14) with User B as the initiator and User A and User C also invited). Set the XX timer to YY value.</li> <li>Wait ZZ until the Group Chat session times out.</li> <li>User A sends the message "Restart" to the original Group.</li> <li>Client A attempts to automatically re-join the original Group Chat using</li> </ol>
	the original Contribution ID. This fails as the session has expired and the IM server (Test Tool) sends 403 Forbidden. Execute: "Group Chat re-start: 403 Forbidden" (C.2.17) with User A as the initiator.
	5. Client A either:
	<ul> <li>a) Abandons the attempt to start a Group Chat and sends no new messages.</li> </ul>
	Or
	b) Starts a new Group Chat in which case execute "Mobile Originated Session Establishment: Group Chat" (C.2.13) with User A as the initiator, with the subject "Restart" and participants list with User B and User C. Then User A leaves the Group Chat session. Execute "Mobile Originated Session Termination" (C.3.1)
Pass-Criteria	1. At step 4 Client A attempts to automatically re-join the original Group Chat.
	2. At step 5 Client A either:
	a) Sends no messages.
	Or
	b) Starts a new Group Chat.

#### 5.11.4 RCS-e-1.2-con-148 Group Chat: Concurrent sessions

Test Case Id	RCS-e-1.2-con-148
Test Object	RCS-e Client
Test Case Description	Verifies correct behaviour after a Group Chat is re-started more than once leading to two concurrent sessions.
<b>Specification Reference</b>	RIG ID_4_21_3
SCR Reference	
Test code	Verified TTCN-3 code
Preconditions	User A's RCS-e device is provisioned for RCS-e
	User A is IMS registered for RCS-e

Test Procedure	1. User A, User B, User C and User D are in a re-started Group Chat session (session 1), re-started by User B. (Execute "Mobile Terminated Session Establishment: Group Chat" (C.2.14) with User B as the initiator and User A and User C and User D also invited). User C does not re-join (as is offline).
	2. Wait XX seconds (??).
	3. User C (the Test Tool) re-starts the same Group Chat using the same Contribution ID (session 2). (User C was offline at step 1 and also was not aware that User D was a member of the Group Chat). Execute: "Group Chat re-start: Mobile Terminated" (C.2.19) with User C as the initiator and User A and User B (only) as the other members of the participants list.
	4. Client A auto-accepts the group session request from step 3. Execute: "Auto-accept Group Chat" (C.2.20).
	5. Client A auto-invites Client D to the Group Chat (session 2). Execute: "Auto-invite Group Chat" (C.2.21).
	6. User A sends the message "Hello again" to the group using session 2.
	7. Execute "MSRP Group Session Message" (C.7.6) (session 2) with the message "Hello again" from Client A.
	8. (User B (the Test Tool) did not receive the second re-start (session 2) at step 3 and so when he sends a message Client B uses session 1). Execute "MSRP Group Session Message" (C.7.6) with the message "Back again" from the Test Tool from Client B using session 1.
	9. User A receives the message "Back again" from User B.
	10. Client A auto-invites Client B to the Group Chat (session 2). Execute: "Auto-invite Group Chat" (C.2.21).
	11. User A leaves the Group Chat session.
	12. Execute "Mobile Originated Session Termination" (C.3.1).
Pass-Criteria	1. At step 4 Client A auto-accepts the group session request.
	2. At step 5 Client A auto-invites Client D to the Group Chat session 2.
	3. At step 7 the MSRP Group Session uses session 2.
	4. At step 9 User A receives the message "Back again" from User B.
	5. At step 10 Client A auto-invites Client B to the Group Chat session 2.

#### **5.12 Mobile Originated File transfer**

## 5.12.1 RCS-e-1.2-con-200 Mobile Originated File Transfer (Includes Optional Features)

Test Case Id	RCS-e-1.2-con-200
Test Object	RCS-e Client
<b>Test Case Description</b>	Mobile Originated File Transfer
<b>Specification Reference</b>	RCS-e 3.4.1
SCR Reference	
Test code	Verified TTCN-3 code
Preconditions	RCS-e device is configured for IETF mode
	User A's RCS-e device is provisioned for RCS-e
	User A is IMS registered for RCS-e

Test Procedure	1. User A initiates a File Transfer towards User B on his device.
	2. Execute "Mobile Originated Session Establishment" (C.2.1)
	3. User A's RCS-e client sends a file in an MSRP session.
	4. Execute "Mobile Originated Session Termination" (C.3.1)
	Applicability:
	ics_fileTransfer
Pass-Criteria	1. At step 3 the MSRP session is setup correctly and a file is transferred successfully.

# 5.12.2 RCS-e-1.2-con-201 Mobile Originated File Transfer – Rejected (Includes Optional Features)

Test Case Id	RCS-e-1.2-con-201
Test Object	RCS-e Client
<b>Test Case Description</b>	Mobile originated file transfer – Rejected
<b>Specification Reference</b>	RCS-e 3.4.3
SCR Reference	
Test code	Verified TTCN-3 code
Preconditions	RCS-e device is configured for IETF mode
	User A's RCS-e device is provisioned for RCS-e
	User A is IMS registered for RCS-e
	Applicability:
	ics_fileTransfer
Test Procedure	1. User A initiates a File Transfer towards User B on his device.
	2. Execute "Mobile Originated Session – Reject" (C.4.1)
Pass-Criteria	1. At step 2 User A's RCS-e client shows User B rejected the file sharing session.

#### **5.13 Mobile Terminated File transfer**

# 5.13.1 RCS-e-1.2-con-210 Mobile Terminated File Transfer (Includes Optional Features)

Test Case Id	RCS-e-1.2-con-210
Test Object	RCS-e Client
<b>Test Case Description</b>	Mobile Terminated File Transfer
<b>Specification Reference</b>	RCS-e 3.4.1
SCR Reference	
Test code	Verified TTCN-3 code
Preconditions	RCS-e device is configured for IETF mode
	User A's RCS-e device is provisioned for RCS-e
	User A is IMS registered for RCS-e
	Applicability:
	ics_fileTransfer

Test Procedure	1. Execute "Mobile Terminated Session Establishment" (C.2.2)
	2. The test tool sends a file in an MSRP session to User A's RCS-e client.
	3. Execute "Mobile Terminated Session Termination" (C.3.2)
Pass-Criteria	1. At step 2 User A's RCS-e client receives the file.

# 5.13.2 RCS-e-1.2-con-211 Mobile Terminated File Transfer – Rejected (Includes Optional Features)

Test Case Id	RCS-e-1.2-con-211
Test Object	RCS-e Client
<b>Test Case Description</b>	Mobile terminated file transfer – Rejected
<b>Specification Reference</b>	RCS-e 3.4.3
SCR Reference	
Test code	Verified TTCN-3 code
Preconditions	RCS-e device is configured for IETF mode
	User A's RCS-e device is provisioned for RCS-e
	User A is IMS registered for RCS-e
	Applicability:
	ics_fileTransfer
Test Procedure	1. Execute "Mobile Terminated Session – Reject" (C.4.2)
Pass-Criteria	1. At step 1 on User A's RCS-e client shows no ongoing file transfer.

# 5.13.3 RCS-e-1.2-con-212 Mobile Terminated File Transfer – File Size Limit (Includes Optional Features)

Test Case Id	RCS-e-1.2-con-212
Test Object	RCS-e Client
<b>Test Case Description</b>	File size limit
<b>Specification Reference</b>	RCS-e 3.4.6
SCR Reference	
Test code	Verified TTCN-3 code
Preconditions	User A is IMS registered for RCS-e
	User A's RCS-e device is provisioned for RCS-e
	<ul> <li>User A's RCS-e device is configured with a non-zero value of FT MAX SIZE</li> </ul>
	User A's RCS-e device as 3G, HSPA or Wi-Fi connectivity
	Applicability:
	ics_fileTransfer
	ixit:
	ixit_FTMAXSIZE

Test Procedure	<ol> <li>Execute steps 1 to 3 of "Mobile Terminated Session Establishment: File Transfer" (C.2.2) from User B, for a file of size larger than FT MAX SIZE (i.e. maximum file size User A's RCS-e client is allowed to receive, given by ixit_FTMAXSIZE).</li> <li>User A's RCS-e client auto-rejects the file transfer invitation request with</li> </ol>
	a 603 DECLINE towards User B (and User A receives a warning message).
	3. The test tool sends a SIP ACK message to User A's RCS-e client
Pass-Criteria	1. At step 2 User A's RCS-e client auto-rejects the file transfer invitation request.
	2. At step 2 User A receives a warning message indicating file size too large.

# 5.13.4 RCS-e-1.2-con-213 Mobile Terminated File Transfer – File Size Warn Limit (Includes Optional Features)

Test Case Id	RCS-e-1.2-con-213
Test Object	RCS-e Client
<b>Test Case Description</b>	File size warning
<b>Specification Reference</b>	RCS-e 3.4.6
SCR Reference	
Test code	Verified TTCN-3 code
Preconditions	User A is IMS registered for RCS-e
	User A's RCS-e device is provisioned for RCS-e
	User A's RCS-e device is configured with a non-zero value of FT WARN SIZE
	User A's RCS-e device as 3G, HSPA or Wi-Fi connectivity
	Applicability:
	ics_fileTransfer
	ixit:
	ixit_FTWARNSIZE
Test Procedure	1. Execute steps 1 to 3 of "Mobile Terminated Session Establishment: File Transfer" (C.2.2) from User B, for a file of size larger than FT WARN SIZE (i.e. maximum file size User A's RCS-e client is allowed to receive, given by ixit_FTMAXSIZE, before a warning requesting confirmation is required).
	User A's RCS-e client determines file is of size larger than FT WARN SIZE and User A receives a warning message requesting confirmation.
	3. User A accepts the confirmation request.
	4. Continue to execute steps 6 to 8 of "Mobile Terminated Session Establishment: File Transfer" (C.2.2).
Pass-Criteria	1. At step 2 User A receives a warning message requesting confirmation.
	2. At step 4 the file is transferred successfully.

## 5.14 Mobile Originated Image sharing

# 5.14.1 RCS-e-1.2-con-250 Mobile Originated Image Sharing Session Establishment – Mobile Originated Session Termination (Includes Optional Features)

Test Case Id	RCS-e-1.2-con-250
Test Object	RCS-e Client
<b>Test Case Description</b>	Mobile Originated Image sharing session – Mobile originated Session termination
<b>Specification Reference</b>	RCS-e 3.3.8
SCR Reference	
Test code	Verified TTCN-3 code
Preconditions	RCS-e device is configured for IETF mode
	User A's RCS-e device is provisioned for RCS-e
	User A is IMS registered for RCS-e
	Applicability:
	ics_imageShare
Test Procedure	1. User A establishes a CS Voice call to User B.
	2. Execute "Mobile Originated Capability Exchange" (C.1.1)
	3. User A initiates an Image Share session towards User B on his device.
	4. Execute "Mobile Originated Session Establishment" (C.2.1)
	5. User A's RCS-e client sends an image in an MSRP session.
	6. Execute "Mobile Originated Session Termination" (C.4.1)
	7. Execute "Mobile Terminated Capability Exchange" (C.1.2)
Pass-Criteria	1. At step 5 the MSRP session is setup correctly and an image is transferred successfully.
	2. At step 7 on User A's RCS-e client shows User B still as available for image sharing.

# 5.14.2 RCS-e-1.2-con-251 Mobile Originated Image Sharing - Session Establishment - rejected (Includes Optional Features)

Test Case Id	RCS-e-1.2-con-251
Test Object	RCS-e Client
<b>Test Case Description</b>	Mobile originated image sharing session establishment – Rejected
<b>Specification Reference</b>	RCS-e 3.3.11
SCR Reference	
Test code	Verified TTCN-3 code
Preconditions	RCS-e device is configured for IETF mode
	User A's RCS-e device is provisioned for RCS-e
	User A is IMS registered for RCS-e
	Applicability:
	ics_imageShare

Test Procedure	1. User A establishes a CS Voice call to User B.
	2. Execute "Mobile Originated Capability Exchange" (C.1.1)
	3. User A initiates an Image Share session towards User B on his device.
	4. Execute "Mobile Originated Call – Reject" (C.4.1)
Pass-Criteria	1. At step 4 User A's RCS-e client shows User B rejected the image sharing session.

## 5.15 Mobile Terminated Image sharing

# 5.15.1 RCS-e-1.2-con-270 Mobile Terminated Image Sharing - Session Establishment – Mobile Terminated Session Termination (Includes Optional Features)

Test Case Id	RCS-e-1.2-con-270
Test Object	RCS-e Client
<b>Test Case Description</b>	Mobile Terminated Image sharing session – Mobile Terminated session termination
Specification Reference	RCS-e 3.3.8
SCR Reference	
Test code	Verified TTCN-3 code
Preconditions	RCS-e device is configured for IETF mode
	User A's RCS-e device is provisioned for RCS-e
	User A is IMS registered for RCS-e
	Applicability:
	ics_imageShare
Test Procedure	1. User A establishes a CS Voice call to User B.
	2. Execute "Mobile Originated Capability Exchange" (C.1.1)
	3. Execute "Mobile Terminated Session Establishment" (C.2.2)
	4. The test tool sends an image in an MSRP session to User A's RCS-e client.
	5. Execute "Mobile Terminated Session Termination" (C.4.2)
	6. Execute "Mobile Originated Capability Exchange" (C.1.1)
Pass-Criteria	1. At step 4 User A's RCS-e client receives the image.
	2. At step 6 User A's RCS-e client shows User B still as available for image sharing.

# 5.15.2 RCS-e-1.2-con-271 Mobile Terminated Image Sharing - Session Establishment - rejected (Includes optional Features)

Test Case Id	RCS-e-1.2-con-271	
Test Object	RCS-e Client	
<b>Test Case Description</b>	Mobile terminated Image sharing session establishment – Rejected	
Specification Reference RCS-e 3.3.11		
SCR Reference		
Test code	Verified TTCN-3 code	

Preconditions	RCS-e device is configured for IETF mode					
	User A's RCS-e device is provisioned for RCS-e					
	User A is IMS registered for RCS-e					
	Applicability:					
	ics_imageShare					
Test Procedure	1. User A establishes a CS Voice call to User B.					
	2. Execute "Mobile Originated Capability Exchange" (C.1.1)					
	3. Execute "Mobile Terminated Session – Reject" (C.4.2)					
Pass-Criteria	1. At step 3 on User A's RCS-e client shows no ongoing image share					
	session.					

## 5.16 Mobile Originated Video sharing

# 5.16.1 RCS-e-1.2-con-300 Mobile Originated Video Sharing - Session Establishment – Mobile Originated Session Termination (Includes Optional Features)

Test Case Id	RCS-e-1.2-con-300					
Test Object	RCS-e Client					
<b>Test Case Description</b>	Mobile Originated Video sharing session – Mobile originated termination					
<b>Specification Reference</b>	RCS-e 3.3.4					
SCR Reference						
Test code	Verified TTCN-3 code					
Preconditions	RCS-e device is configured for IETF mode					
	User A's RCS-e device is provisioned for RCS-e					
	User A is IMS registered for RCS-e					
	Applicability:					
	ics_videoShare					
<b>Test Procedure</b>	1. User A establishes a CS Voice call to User B.					
	2. Execute "Mobile Originated Capability Exchange" (C.1.1)					
	3. User A initiates a Video Share session towards User B on his device.					
	4. Execute "Mobile Originated Session Establishment" (C.2.1)					
	5. User A terminates the Video Share session.					
	6. Execute "Mobile Originated Session Termination" (C.4.1)					
	7. Execute "Mobile Terminated Capability Exchange" (C.1.2)					
Pass-Criteria	1. At step 4 the test tool receives an RTP video stream from User a's RCS-e device.					
	2. At step 7 User A's RCS-e client shows User B still as available for video sharing.					

# 5.16.2 RCS-e-1.2-con-301 Mobile Originated Video Sharing - Session Establishment – Mobile Terminated Session Termination (Includes Optional Features)

Test Case Id	RCS-e-1.2-con-301	
Test Object	RCS-e Client	

m . c . b . t .t	1617 m 1771 - 1 1617 m						
Test Case Description	Mobile Terminated Video sharing session – Mobile Terminated Session termination						
	termination						
<b>Specification Reference</b>	RCS-e 3.3.5						
SCR Reference							
Test code	Verified TTCN-3 code						
Preconditions	RCS-e device is configured for IETF mode						
	User A's RCS-e device is provisioned for RCS-e						
	User A is IMS registered for RCS-e						
	Applicability:						
	ics_videoShare						
Test Procedure	1. User A establishes a CS Voice call to User B.						
	2 Execute "Mobile Originated Capability Exchange" (C.1.1)						
	3. User A initiates a Video Share session towards User B on his device.						
	4. Execute "Mobile Originated Session Establishment" (C.2.1)						
	5. Execute "Mobile Terminated Session Termination" (C.4.2)						
	6. Execute "Mobile Originated Capability Exchange" (C.1.1)						
Pass-Criteria	1. At step 3 the test tool receives an RTP video stream from User a's RCS-e device.						
	2. At step 5 User A's RCS-e client shows User B still as available for video sharing.						

# 5.16.3 RCS-e-1.2-con-302 Mobile Originated Video Sharing - Session Establishment - Rejected (Includes Optional Features)

Test Case Id	RCS-e-1.2-con-302					
Test Object	RCS-e Client					
<b>Test Case Description</b>	Unsuccessful mobile originated video sharing session establishment					
<b>Specification Reference</b>	RCS-e 3.3.11					
SCR Reference						
Test code	Verified TTCN-3 code					
Preconditions	RCS-e device is configured for IETF mode					
	User A's RCS-e device is provisioned for RCS-e					
	User A is IMS registered for RCS-e					
	Applicability:					
	ics_videoShare					
Test Procedure	1. User A establishes a CS Voice call to User B.					
	2. Execute "Mobile Originated Capability Exchange" (C.1.1)					
	3. User A initiates a Video Share session towards User B on his device.					
	4. Execute "Mobile Originated Session – Reject" (C.4.1)					
Pass-Criteria	1. At step 4 User A's RCS-e client shows User B rejected the video sharing session.					

# 5.17 Mobile Terminated Video sharing

# 5.17.1 RCS-e-1.2-con-320 Mobile Terminated Video Sharing - Session Establishment – Mobile Terminated Session Termination (Includes Optional Features)

Test Case Id	RCS-e-1.2-con-320						
Test Object	RCS-e Client						
Test Case Description	Mobile Terminated Video sharing session – Mobile Terminated Session termination						
Specification Reference	RCS-e 3.3.4						
SCR Reference							
Test code	Verified TTCN-3 code						
Preconditions	RCS-e device is configured for IETF mode						
	User A's RCS-e device is provisioned for RCS-e						
	User A is IMS registered for RCS-e						
	Applicability:						
	ics_videoShare						
Test Procedure	1. User A establishes a CS Voice call to User B.						
	2. Execute "Mobile Originated Capability Exchange" (C.1.1)						
	3. Execute "Mobile Terminated Session Establishment" (C.2.2)						
	4. The test tool sends a video stream to User A's RCS-e client.						
	5. Execute "Mobile Terminated Session Termination" (C.4.2)						
	6. Execute "Mobile Originated Capability Exchange" (C.1.1)						
Pass-Criteria	1. At step 4 on User A's RCS-e client the video stream received from User B can be seen.						
	2. At step 6 User A's RCS-e client shows User B still as available for video sharing.						

# 5.17.2 RCS-e-1.2-con-321 Mobile Terminated Video Sharing - Session Establishment – Mobile Originated Session Termination (Includes Optional features)

Test Case Id	RCS-e-1.2-con-321			
Test Object	RCS-e Client			
Test Case Description	Mobile Terminated Video sharing session – Mobile Originated session termination			
<b>Specification Reference</b>	RCS-e 3.3.5			
SCR Reference				
Test code	Verified TTCN-3 code			
Preconditions	RCS-e device is configured for IETF mode			
	User A's RCS-e device is provisioned for RCS-e			
	User A is IMS registered for RCS-e			
	Applicability:			
	ics_videoShare			

Test Procedure	1. User A establishes a CS Voice call to User B.				
	2. Execute "Mobile Originated Capability Exchange" (C.1.1)				
	3. Execute "Mobile Terminated Session Establishment" (C.2.2)				
	4. The test tool sends a video stream to User A's RCS-e client.				
	5. User A terminates the Video Share session.				
	6. Execute "Mobile Originated Session Termination" (C.4.1)				
	7. Execute "Mobile Terminated Capability Exchange" (C.1.2)				
Pass-Criteria	1. At step 4 on User A's RCS-e client the video stream received from User B can be seen.				
	2. At step 7 User A's RCS-e client shows User B still as available for video sharing.				

# 5.17.3 RCS-e-1.2-con-322 Mobile Terminated Video Sharing - Session Establishment - Rejected (Includes Optional Features)

Test Case Id	RCS-e-1.2-con-322					
Test Object	RCS-e Client					
<b>Test Case Description</b>	Unsuccessful mobile terminated video sharing session establishment					
<b>Specification Reference</b>	RCS-e 3.3.11					
SCR Reference						
Test code	Verified TTCN-3 code					
Preconditions	RCS-e device is configured for IETF mode					
	User A's RCS-e device is provisioned for RCS-e					
	User A is IMS registered for RCS-e					
	Applicability:					
	ics_videoShare					
Test Procedure	1. User A establishes a CS Voice call to User B.					
	2. Execute "Mobile Originated Capability Exchange" (C.1.1)					
	3. Execute "Mobile Terminated Session – Reject" (C.4.2)					
Pass-Criteria	1. At step 3 User A's RCS-e client shows User B as still available for video sharing.					

# Appendix A. Change History

# (Informative)

# A.1 Approved Version History

Reference		Date	Description
	n/a	n/a	No prior version

# A.2 Draft/Candidate Version 1.0 History

Document Identifier	Date	Sections	Description
Draft Versions OMA-ETS-RCS-e-CON-V1_2	19 Sep 2012	All	New separate conformance specification created from previous combined specification, as agreed in OMA-IOP-MEC-2012-0108-
	20.5. 2012	A 11	CR_RCS_e_conformance_ETS
	20 Sep 2012	All	Incorporated CRs: OMA-IOP-MEC-2012-0101R03-
			CR_RCS_e_more_videoshare_test_cases
			OMA-IOP-MEC-2012-0102R01-
			CR_RCS_e_image_share_conformance_test_cases
			OMA-IOP-MEC-2012-0104R01-CR_RCS_e_default_procedures
	25 Sep 2012	All	Incorporated CRs:
			OMA-IOP-MEC-2012-0105R01-CR_RCS_e_default_message_content
			OMA-IOP-MEC-2012-0109- CR_RCS_e_1_to_1_chat_basic_conformance_test_cases
			OMA-IOP-MEC-2012-0112R01-CR_RCS_e_file_transfer
			OMA-IOP-MEC-2012-0113R03-CR_RCS_e_CON_ETS_update
	18 Oct 2012	All	Incorporated CRs:
			OMA-IOP-MEC-2012-0120-CR_RCS_e_CON_ETS_addition
			OMA-IOP-MEC-2012-0117-CR_RCSe_removeDuplicateCO
			OMA-IOP-MEC-2012-0116-CR_RCSe_enableRCSeSwitch
	07 Nov 2012	5	Incorporates CRs:
			OMA-IOP-MEC-2012-0126R02-
			CR_RCS_e_CON_ETS_new_chat_test_cases
			OMA-IOP-MEC-2012-0127R01- CR_RCS_e_CON_ETS_new_store_and_forward_test_cases
			OMA-IOP-MEC-2012-0128-
			CR_RCS_e_CON_ETS_new_group_chat_test_cases
			OMA-IOP-MEC-2012-0130-
			CR_RCS_e_CON_ETS_new_default_procedures
	08 Nov 2012	5, C	Re-application of:
			OMA-IOP-MEC-2012-0126R02- CR_RCS_e_CON_ETS_new_chat_test_cases
			OMA-IOP-MEC-2012-0130-
			CR_RCS_e_CON_ETS_new_default_procedures
	20 Nov 2012	1, 2.2, 5.6,	Incorporates CRs:
		App C and D	OMA-IOP-MEC-2012-0147R01-
			CR_RCS_e_CON_ETS_addition_of_Implementation_Guidelines OMA-IOP-MEC-2012-0148R01-
			CR_RCS_e_default_procedures_for_autoconfiguration
			OMA-IOP-MEC-2012-0151R01-
			CR_RCS_e_capability_discovery_conformance_test_cases_update
	21 Nov 2012	All	Incorporates CRs:
			OMA-IOP-MEC-2012-0143R01-
			CR_RCS_e_CON_ETS_addition_of_ICS_for_optional_features OMA-IOP-MEC-2012-0150R01-
			CR_RCS_e_autoconfiguration_correction.
			Re-application of OMA-IOP-MEC-2012-0151R01 in CON-041.
			Font set to black in D 2.4.
			Formatting of bullets.
			Latest template applied to cover page in clean version.
			Language set to English UK.
	27 Nov 2012	All	Fixed erroneous automatical numbering of lists in test cases.
	20 Dec 2012	All	Incorporates CR:
			OMA-IOP-MEC-2012-0166-CR_RCS_e_CON_ETS_minor_updates

Document Identifier	Date	Sections	Description	
	21 Jan 2013	All	Incorporates CRs:	
			OMA-IOP-MEC-2012-0168R01-	
			CR_RCS_e_CON_ETS_MSRP_session_details	
			OMA-IOP-MEC-2013-0001R01-	
			CR_RCS_e_CON_ETS_further_minor_updates	
			OMA-IOP-MEC-2013-0003R01-	
			CR_RCS_e_CON_ETS_additional_group_chat_test_cases	
			OMA-IOP-MEC-2013-0004-	
			CR_RCS_e_CON_ETS_correction_con_132	
			OMA-IOP-MEC-2013-0005R04-CR_RCSe_Con_Minor_Update	
			OMA-IOP-MEC-2013-0007-CR_RCS_e_CON_ETS_removal_TBDs	
			OMA-IOP-MEC-2013-0010-CR_RCSe_Con_Updates	
Draft Version	31 Jan 2013	All	Incorporates CR:	
OMA-ETS-RCS-e-CON-V1_2			OMA-IOP-MEC-2013-0015-CR_RCSe_CON_ETS_minor_corrections	
			Normative references sorted in alphabetical order	
Candidate Version	12 Feb 2013	n/a	Status changed to Candidate by TP	
OMA-ETS-RCS-e-CON-V1_2			Ref # OMA-TP-2013-0034-	
			INP_RCS_e_V1_2_CON_ETS_for_Candidate_approval	

## Appendix B. Conformance Test Case applicability

#### **B.1** Introduction

This appendix allows implementers of RCS-e clients or servers to select the appropriate Conformance test cases that are applicable to the features implemented.

This appendix lists:

- All test cases testing only mandatory features as described in [RCS-e] section 1.2.2 "Conformance",
- ICS (Implementation Conformance Statement)
- IXIT (Implementation eXtra Information for testing)
- The mapping from ICS/IXIT to the applicable optional test cases.

## **B.2** Client Test Cases testing only mandatory features

These Client Conformance test cases are independent from any applicability and are testing only mandatory features and SHALL be run with every implementation.

Client Test Cases
RCS-e-1.2-con-001 First-time unsuccessful configuration: Subscriber unauthorized (Auto-Configuration Server)
RCS-e-1.2-con-004 Configuration: RCS-e re-configuration successful
RCS-e-1.2-con-030 Mobile Originated Capability Discovery – Successful
RCS-e-1.2-con-031 Mobile Originated Capability Discovery – Unsuccessful – 480 Temporary Unavailable
RCS-e-1.2-con-032 Mobile Originated Capability Discovery – Unsuccessful –408 Request Timeout
RCS-e-1.2-con-033 Mobile Originated Capability discovery – Unsuccessful – 404 Not Found
RCS-e-1.2-con-034 Mobile Originated Capability Discovery – Successful – Multiple Identities
RCS-e-1.2-con-035 Mobile Originated Capability Discovery – Successful (IMS registered, does not support RCS-e)
RCS-e-1.2-con-040 Mobile Terminated Capability Discovery – Correct Presentation of Remote Capabilities
RCS-e-1.2-con-041 Mobile Terminated Capability Discovery – Learning Unknown New Users RCS-e Capabilities
RCS-e-1.2-con-051 Capability update during a MT call for video /image sharing
RCS-e-1.2-con-053 Capability Exchange Optimization During a Call
RCS-e-1.2-con-100 Mobile Originated 1-to-1 Chat - session establishment – Mobile Originated session termination
RCS-e-1.2-con-101 Mobile Originated 1-to-1 Chat - session establishment – Mobile Terminated session termination
RCS-e-1.2-con-103 Mobile Originated 1-to-1 Chat – duplicate session
RCS-e-1.2-con-104 Mobile Originated 1-to-1 Chat - session race condition
RCS-e-1.2-con-105 Mobile Originated 1-to-1 Chat – inactivity timeout
RCS-e-1.2-con-106 Mobile Originated 1-to-1 Chat session - store and forward – sender still in active IM session

RCS-e-1.2-con-107 Mobile Originated 1-to-1 Chat - session store and forward - sender still online

RCS-e-1.2-con-120 Mobile Terminated 1-to-1 Chat - session establishment – Mobile Terminated session termination

RCS-e-1.2-con-121 Mobile Terminated 1-to-1 Chat session establishment – Mobile Originated session termination

RCS-e-1.2-con-122 Mobile Terminated 1-to-1 Chat - spam/blacklist

RCS-e-1.2-con-123 Mobile Terminated 1-to-1 Chat- display notification

RCS-e-1.2-con-124 Mobile Terminated 1-to-1 Chat- duplicate session

RCS-e-1.2-con-125 Mobile Terminated 1-to-1 Chat - race condition

RCS-e-1.2-con-126 Mobile Terminated 1-to-1 Chat - store and forward

RCS-e-1.2-con-130 Mobile Originated Group Chat - session establishment –Originating User leaves the session

RCS-e-1.2-con-131 Mobile Originated Group Chat - non-originating Users leave the session

RCS-e-1.2-con-132 Mobile Originated Group Chat - adding new User to the session

RCS-e-1.2-con-140 Mobile Terminated Group Chat - session establishment – Terminating User leaves the session

RCS-e-1.2-con-145 Group Chat automatic re-join

RCS-e-1.2-con-146 Group Chat re-start: 404 (Not Found)

RCS-e-1.2-con-147 Group Chat re-start: 403 (Forbidden)

RCS-e-1.2-con-148 Group Chat: Concurrent sessions

Table 1

## **B.3** Applicability

#### B.3.1 Client ICS

ICS	Description	Reference(s)	Supported (yes/no)
ics_fileTransfer	Support of file transfer	1.2.2	
ics_imageShare	Support of in-call image share	1.2.2	
ics_videoShare	Support of in-call video share	1.2.2	
ics_request_displayNotifications	Support of requesting display notifications	3.2.2.2	
ics_stun_udp	Support of STUN when using SIP/UDP	2.8	

Table 2

#### B.3.2 Client IXIT

IXIT		Unit	Value
	Description	<(Range of values)>	
ixit_FTMAXSIZE	Value of FT MAX SIZE	<any non-zero="" value="">Kbytes</any>	
lxit_FTWARNSIZE	Value of FT WARN SIZE	<any non-zero="" value="">Kbytes</any>	

Table 3

#### B.3.3 Server ICS

ICS	Description	Reference(s)	Supported (yes/no)

Table 4

#### **B.3.4** Server IXIT

IXIT		Unit	Value
	Description	<(Range of values)>	

Table 5

# **B.4** Client ICS to test case mapping

According to the Client ICS described above the applicable optional Client test cases can be derived from the following table.

Applicability	Client Test Cases
ics_imageShare OR ics_videoShare	RCS-e-1.2-con-050 Capability update during a MO call for video /image sharing
	RCS-e-1.2-con-052 Capability update during a MO voice call fails as other end has no capability
ics_request_displayNotification s	RCS-e-1.2-con-102 Mobile Originated 1-to-1 Chat- display notification

ics_fileTransfer	RCS-e-1.2-con-200 Mobile Originated File Transfer
	RCS-e-1.2-con-201 Mobile Originated File Transfer – Rejected
	RCS-e-1.2-con-210 Mobile Terminated File Transfer
	RCS-e-1.2-con-211 Mobile Terminated File Transfer – Rejected
	RCS-e-1.2-con-212 Mobile Terminated File Transfer - File Size Limit (receiver)
	RCS-e-1.2-con-213 Mobile Terminated File Transfer - File Size Warn Limit (receiver)
ics_imageShare	RCS-e-1.2-con-250 Mobile Originated Image Sharing - Session Establishment – Mobile Originated Session Termination
	RCS-e-1.2-con-251 Mobile Originated Image Sharing - Session Establishment – rejected
	RCS-e-1.2-con-270 Mobile Terminated Image Sharing - Session Establishment – Mobile Terminated Session Termination
	RCS-e-1.2-con-271 Mobile Terminated Image sharing - Session Establishment - rejected
ics_videoShare	RCS-e-1.2-con-300 Mobile Originated Video Sharing Session Establishment – Mobile Originated Session Termination
	RCS-e-1.2-con-301 Mobile Originated Video Sharing Session Establishment – Mobile Terminated Session Termination
	RCS-e-1.2-con-302 Mobile Originated Video Sharing Session Establishment – Rejected
	RCS-e-1.2-con-320 Mobile Terminated Video Sharing Session Establishment  – Mobile Terminated Session Termination
	RCS-e-1.2-con-321 Mobile Terminated Video Sharing Session Establishment  – Mobile Originated Session Termination
	RCS-e-1.2-con-322 Mobile Terminated Video Sharing Session Establishment - Rejected
ics_stun_udp	RCS-e-1.2-con-020 Keep-Alive for SIPoUDP (STUN)

## **Appendix C.** Default Procedures

This Appendix provides the details of some re-occurring RCS-e signalling procedures.

## C.1 Capability Exchange

#### C.1.1 Mobile Originated Capability Exchange

- 1. User A's RCS-e client sends a SIP OPTIONS (see D.1.3) message towards User B.
- 2. The test tool responds with a 200 OK (D.1.4) towards User A's RCS-e client.

#### C.1.2 Mobile Terminated Capability Exchange

- 1. The test tool sends a SIP OPTIONS (see D.1.3) message towards User A's RCS-e client.
- 2. User A's RCS-e client responds with a 200 OK (D.1.4) towards User B.

#### C.2 Session Establishment

This section SHALL serve with default procedures to establish one of the following session types:

Video Sharing

**Image Sharing** 

File Sharing

Group Chat

IM 1-1 Chat

# C.2.1 Mobile Originated Session Establishment: Video share, Image share, File share, basic 1-to-1 Chat

- 1. User A's RCS-e client sends a SIP INVITE message (D.1.1) towards User B to start the session.
- 2. The test tool responds with a SIP 183 SESSION PROGRESS towards User A's RCS-e client.
- 3. The test tool responds with a 180 RINGING towards User A's RCS-e client.
- 4. (1-to-1 chat only) The test tool responds with a SIP MESSAGE (D.1.X) (message delivered) towards User A's RCS-e client.
- 5. (1-to-1 chat only) User A's RCS-e client responds with a 200 OK (D.1.X) towards User B.
- 6. The test tool responds with a 200 OK (D.1.2) towards User A's RCS-e client.
- 7. User A's RCS-e client sends a SIP ACK message towards User B.

# C.2.2 Mobile Terminated Session Establishment: Video share, Image share, File share, basic 1-to-1 Chat

- 1. The test tool sends a SIP INVITE message (D.1.1) towards User A's RCS-e client to start the session.
- 2. (Optional) User A's RCS-e client responds with a 100 TRYING.
- 3. User A's RCS-e client responds with a 180 RINGING.
- 4. (1-to-1 chat only) User A's RCS-e client sends a SIP MESSAGE (D.1.X) (message delivered) towards the test tool.

- 5. (1-to-1 chat only) The test tool responds with a 200 OK (D.1.X) towards User A's RCS-e client.
- 6. User A accepts the incoming session request.
- 7. User A's RCS-e client responds with a 200 OK (D.1.2).
- 8. The test tool sends a SIP ACK message.

# C.2.3 Mobile Originated Session Establishment: 1-to-1 Chat with display notification

1. Repeat steps 1 to 7 of C.2.1 Mobile Originated Session Establishment: Video share, Image share, File share, basic 1-to-1 Chat.

# C.2.4 Mobile Terminated Session Establishment: 1-to-1 Chat with display notification

1. Repeat steps 1 to 8 of C.2.2 Mobile Originated Session Establishment: Video share, Image share, File share, basic 1-to-1 Chat.

# C.2.5 Mobile Originated Session Establishment - 1-to-1 Chat with two messages

- 1. Repeat steps 1 to 5 of C.2.1 Mobile Originated Session Establishment: Video share, Image share, File share, basic 1-to-1 Chat with the first message.
- 2. User A's RCS-e client sends a SIP INVITE message (D.1.1) with the second message towards User B.
- 3. The test tool responds with a SIP 183 SESSION PROGRESS towards User A's RCS-e client.
- 4. The test tool responds with a 180 RINGING towards User A's RCS-e client.
- 5. The test tool responds with a SIP MESSAGE (D.1.X) (second message delivered) towards User A's RCS-e client.
- 6. User A's RCS-e client responds with a 200 OK (D.1.X) towards User B.
- 7. The test tool responds with a 486 BUSY HERE (D.1.X) for the first INVITE towards User A's RCS-e client.
- 8. User A's RCS-e client sends a SIP ACK message towards User B
- 9. The test tool responds with a 200 OK (D.1.2) for the second INVITE towards User A's RCS-e client.
- 10. User A's RCS-e client sends a SIP ACK message towards User B

# C.2.6 Mobile Terminated Session Establishment: 1-to-1 Chat with two messages

- 1. Repeat steps 1 to 5 of C.2.2 Mobile Terminated Session Establishment: Video share, Image share, File share, basic 1-to-1 Chat with the first message.
- 2. (User A ignores the incoming session request.)
- 3. The test tool sends a SIP INVITE message (D.1.1) with the second message towards User A's RCS-e client.
- 4. (Optional) User A's RCS-e client responds with a 100 TRYING.
- 5. User A's RCS-e client responds with a 180 RINGING.
- 6. User A's RCS-e client sends a SIP MESSAGE (D.1.X) (second message delivered) towards the test tool.
- 7. The test tool responds with a 200 OK (D.1.X) towards User A's RCS-e client.
- 8. User A's RCS-e client sends a 486 BUSY HERE (D.1.X) for the first INVITE towards the test tool.
- 9. The test tool sends a SIP ACK message.

- 10. User A accepts the incoming session request.
- 11. User A's RCS-e client responds with a 200 OK (D.1.2) for the second INVITE towards the test tool.
- 12. The test tool sends a SIP ACK message.

#### C.2.7 Mobile Terminated Session Establishment: Spam

- 1. Repeat steps 1 to 5 of C.2.2 Mobile Terminated Session Establishment: Video share, Image share, File share, basic 1-to-1 Chat.
- 2. User A's RCS-e client responds with a 486 BUSY HERE.
- 3. The test tool sends a SIP ACK message.

# C.2.8 Mobile Originated Session Establishment: simultaneous INVITEs

- 1. User A's RCS-e client sends a SIP INVITE message (D.1.1) with message one towards User B to start the session.
- 2. The test tool responds with a SIP 183 SESSION PROGRESS towards User A's RCS-e client.
- 3. The test tool responds with a 180 RINGING towards User A's RCS-e client.
- 4. The test tool sends a SIP INVITE message (D.1.1) with message two towards User A's RCS-e client.
- 5. (Optional) User A's RCS-e client responds with a 100 TRYING.
- 6. User A's RCS-e client responds with a 180 RINGING.
- 7. User A's RCS-e client responds with a 486 BUSY HERE.
- 8. The test tool sends a 486 BUSY HERE towards User A's RCS-e client.
- 9. The test tool sends a SIP ACK message towards User A's RCS-e client.
- 10. User A's RCS-e client sends a SIP ACK message towards User B.
- 11. User A's RCS-e client sends a SIP MESSAGE (D.1.X) (message two delivered) towards the test tool.
- 12. The test tool responds with a 200 OK (D.1.X) towards User A's RCS-e client.
- 13. The test tool responds with a SIP MESSAGE (D.1.X) (message one delivered) towards User A's RCS-e client.
- 14. User A's RCS-e client responds with a 200 OK (D.1.X) towards User B.

#### C.2.9 Mobile Terminated Session Establishment: new INVITE race

- 1. Repeat steps 1 to 7 of C.2.2 Mobile Terminated Session Establishment: Video share, Image share, File share, basic 1-to-1 Chat with the first message.
- 2. The test tool sends a second SIP INVITE message (D.1.1) with the second message towards User A's RCS-e client.
- 3. (Optional) User A's RCS-e client responds with a 100 TRYING.
- 4. User A's RCS-e client responds with a 180 RINGING.
- 5. The test tool sends a SIP ACK message.
- 6. MSRP session is established (??)
- 7. User A's RCS-e client sends a SIP BYE.
- 8. The test tool responds with a 200 OK (D.1.X) towards User A's RCS-e client.
- 9. User A's RCS-e client sends a SIP MESSAGE (D.1.X) (second message delivered) towards the test tool.

- 10. The test tool responds with a 200 OK (D.1.X) towards User A's RCS-e client.
- 11. User A's RCS-e client responds with a 200 OK (D.1.2).
- 12. The test tool sends a SIP ACK message.

#### C.2.10 Mobile Originated Session: Store and Forward - Receiver offline

- 1. User A's RCS-e client sends a SIP INVITE message (D.1.1) towards User B to start the session.
- 2. The test tool responds with a SIP 183 SESSION PROGRESS towards User A's RCS-e client.
- 3. The test tool responds with a 200 OK (D.1.2) towards User A's RCS-e client.
- 4. User A's RCS-e client sends a SIP ACK message towards User B.

# C.2.11 Mobile Originated Session: Store and Forward - deferred delivery

- 1. The test tool sends a SIP INVITE message (D.1.1) towards User A's RCS-e client.
- 2. Client A auto-accepts the incoming session request.
- 3. User A's RCS-e client responds with a 200 OK (D.1.2).
- 4. The test tool sends a SIP ACK message.

# C.2.12 Mobile Terminated Session: Store and Forward - deferred delivery

1. Repeat steps 1 to 12 of C.2.5 Mobile Terminated Session Establishment: 1-to-1 Chat with two messages.

#### C.2.13 Mobile Originated Session Establishment: Group Chat

- 1. User A's RCS-e client sends a SIP INVITE message (D.1.1) towards the IMS core (test tool) to start the group session.
- 2. The test tool responds with a 200 OK (D.1.2) towards User A's RCS-e client.
- 3. User A's RCS-e client sends a SIP ACK message towards the IMS core (test tool).
- 4. (Wait ??)
- 5. User A's RCS-e client sends a SIP SUBSCRIBE message (D.1.X) towards the IMS core (test tool) to get the participants.
- 6. The test tool responds with a 200 OK (D.1.2) towards User A's RCS-e client.
- 7. The test tool sends a SIP NOTIFY (D.1.X) towards User A's RCS-e client.
- 8. User A's RCS-e client responds with a SIP 200 OK message towards the IMS core (test tool).

## C.2.14 Mobile Terminated Session Establishment: Group Chat

- 1. The IMS core (test tool) sends a SIP INVITE message (D.1.1) towards User A's RCS-e client to invite User A to the group session.
- 2. User A accepts the incoming group session request.
- 3. User A's RCS-e client responds with a 200 OK (D.1.2).
- 4. The IMS core (test tool) sends a SIP ACK message.

#### C.2.15 Group Chat automatic re-join

- 1. User A's RCS-e client sends a SIP INVITE message (D.1.1) towards the IMS core (test tool) to re-join the group session using the same Contribution ID as in the previous group session.
- 2. The test tool responds with a 200 OK (D.1.2) towards User A's RCS-e client.
- 3. User A's RCS-e client sends a SIP ACK message towards the IMS core (test tool).

#### C.2.16 Group Chat re-start: 404 Not Found

- 1. User A's RCS-e client sends a SIP INVITE message (D.1.1) towards the IMS core (test tool) to re-join the group session using the same Contribution ID as in the previous group session.
- 2. The test tool responds with a 404 Not Found (D.X.X) towards User A's RCS-e client.
- 3. User A's RCS-e client sends a SIP ACK message towards the IMS core (test tool).

#### C.2.17 Group Chat re-start: 403 Forbidden

- 1. User A's RCS-e client sends a SIP INVITE message (D.1.1) towards the IMS core (test tool) to re-join the group session using the same Contribution ID as in the previous group session.
- 2. The test tool responds with a 403 Forbidden with the warning text set to "127 Service not authorised" (D.X.X) towards User A's RCS-e client.
- 3. User A's RCS-e client sends a SIP ACK message towards the IMS core (test tool).

#### C.2.18 Group Chat auto-start

- 1. User A's RCS-e client sends a SIP INVITE message (D.1.1) towards the IMS core (test tool) to auto-start the group session using the same Contribution ID and participant list as in the previous group session.
- 2. Execute steps 2 to 8 of "Mobile Originated Session Establishment: Group Chat" (C.2.3).

## C.2.19 Group Chat re-start: Mobile Terminated

1. The IMS core (test tool) sends a SIP INVITE message (D.1.1) towards User A's RCS-e client to invite User A to the group session using the same Contribution ID as in the previous group session but a new session ID (session 2).

## C.2.20 Auto-accept Group Chat

- 1. Client A auto-accepts the incoming group session request.
- 2. User A's RCS-e client responds with a 200 OK (D.1.2).
- 3. The IMS core (test tool) sends a SIP ACK message.

## C.2.21 Auto-invite Group Chat

- 1. Client A auto-invites the new User to the Group Chat
- 2. Execute "Inviting new User to Group Chat" (C.5.2)

#### **C.3** Session Termination

# C.3.1 Mobile Originated Session Termination: Video share, Image share, File share, 1-to-1 sessions

- 1. User A's RCS-e client sends a SIP BYE message towards User B to terminate the session.
- 2. The test tool responds with 200 OK towards User A's RCS-e client.

# C.3.2 Mobile Terminated Session Termination: Video share, Image share, File share, 1-to-1 sessions

- 1. The test tool sends a SIP BYE message towards User A's RCS-e client to terminate the session.
- 2. User A's RCS-e client responds with a 200 OK

#### C.3.3 Mobile Originated Session Termination: Group chat

- 1. User A's RCS-e client sends a SIP BYE message towards the IMS core (test tool) to leave the group session.
- 2. The IMS core (test tool) responds with 200 OK towards User A's RCS-e client.

#### C.3.4 Mobile Terminated Session Termination: Group chat

- 1. The IMS core (test tool) sends a SIP BYE message towards User A's RCS-e client to terminate the group session.
- 2. User A's RCS-e client responds with a 200 OK.

## C.4 Session Rejection

#### C.4.1 Mobile Originated Session - Reject

- 1. User A's RCS-e client sends a SIP INVITE message (D.1.1) towards User B to start the session.
- 2. The test tool responds with a 180 RINGING towards User A's RCS-e client.
- 3. The test tool responds with a 603 DECLINE towards User A's RCS-e client.
- 4. User A's RCS-e client sends a SIP ACK message towards User B.

## C.4.2 Mobile Terminated Session - Reject

- 1. The test tool sends a SIP INVITE message (D.1.1) towards User A's RCS-e client to start the session.
- 2. (optional) User A's RCS-e client responds with a 100 TRYING.
- 3. User A's RCS-e client responds with a 180 RINGING.
- 4. User A rejects the incoming session request.
- 5. User A's RCS-e client responds with a 603 DECLINE.
- 6. The test tool sends a SIP ACK message.

#### C.5 Other Procedures

## C.5.1 Participant List Update

- 1. The IMS core (test tool) sends a SIP NOTIFY message (D.1.X) towards User A's RCS-e client with new participants' status.
- 2. User A's RCS-e client responds with a 200 OK (D.1.X).

## C.5.2 Inviting new User to Group Chat

- 1. User A's RCS-e client sends a SIP REFER message (D.1.X) towards the IMS core (test tool) to invite a new User to the group session.
- 2. The IMS core (test tool) responds with a 200 OK (D.1.X) towards User A's RCS-e client.
- 3. (Wait ??)

- 4. The IMS core (test tool) sends a SIP NOTIFY (D.1.X) towards User A's RCS-e client with the list of participants.
- 5. User A's RCS-e client responds with a SIP 200 OK (D.1.X) message towards the IMS core (test tool).

## C.6 Autoconfiguration Procedures

#### **C.6.1 HTTP**

#### C.6.1.1 Successful autoconfiguration

- 1. User A's RCS-e client sends a HTTP request (D.2.1) to the autoconfiguration server (test tool).
- 2. The test tool responds with 200 OK (D.2.2).
- 3. User A's RCS-e client sends a HTTPS request to the autoconfiguration server (D.2.3).
- 4. The test tool responds with 200 OK (D.2.4).

#### C.7 MSRP session

#### C.7.1 MSRP Session Message

- 1. The Originating end sends a MSRP SEND message (D.3.1) to the Terminating end with an "iscomposing" notification.
- 2. The Terminating end responds with MSRP 200 OK (D.3.2).
- 3. In the case of the test tool being the Originating end, wait 2 seconds
- 4. The Originating end sends a MSRP SEND message (D.3.1) to the Terminating end with the required message.
- 5. The Terminating end responds with MSRP 200 OK (D.3.2).
- 6. The Terminating end sends a MSRP SEND message (D.3.1) to the Originating end with a "delivered" notification.
- 7. The Originating end responds with MSRP 200 OK (D.3.2).

## C.7.2 MSRP Session Message with Display Notification

- 1. The Originating end sends a MSRP SEND message (D.3.1) to the Terminating end with an "iscomposing" notification.
- 2. The Terminating end responds with MSRP 200 OK (D.3.2).
- 3. In the case of the test tool being the Originating end, wait 2 seconds
- 4. The Originating end sends a MSRP SEND message (D.3.1) to the Terminating end with the required message.
- 5. The Terminating end responds with MSRP 200 OK (D.3.2).
- 6. The Terminating end sends a MSRP SEND message (D.3.1) to the Originating end with a "delivered" notification.
- 7. The Originating end responds with MSRP 200 OK (D.3.2).
- 8. In the case of the test tool being the Terminating end, wait 2 seconds
- 9. The Terminating end sends a MSRP SEND message (D.3.1) to the Originating end with a "displayed" notification.
- 10. The Originating end responds with MSRP 200 OK (D.3.2).

#### C.7.3 MSRP Session Store and Forward

- 1. User A's RCS-e client sends a MSRP SEND message (D.3.1) to the test tool with an "iscomposing" notification.
- 2. The test tool responds with MSRP 200 OK (D.3.2).
- 3. User A's RCS-e client sends a MSRP SEND message (D.3.1) to the test tool with the required message.

4. The test tool responds with MSRP 200 OK (D.3.2).

#### C.7.4 MSRP Session Store and Forward Message Delivered

- 1. The test tool sends a MSRP SEND message (D.3.1) to User A's RCS-e client with a "delivered" notification.
- 2. User A's RCS-e client responds with MSRP 200 OK (D.3.2).

#### C.7.5 MSRP Session Store and Forward Final Message Delivered

- 1. The test tool sends a MSRP SEND message (D.3.1) to User A's RCS-e client with a "delivered" notification.
- 2. User A's RCS-e client responds with MSRP 200 OK (D.3.2).
- 3. The test tool sends a SIP BYE message (D.X.X) to User A's RCS-e client.
- 4. User A's RCS-e client responds with SIP 200 OK (D.Y.Y).

#### C.7.6 MSRP Group Session Message

- 1. The Originating end sends a MSRP SEND message (D.3.1) to the Terminating end with the required message.
- 2. The Terminating end responds with MSRP 200 OK (D.3.2).

# **Appendix D. Default Message Content**

This Appendix provides the details of re-occurring messages.

## D.1 SIP message content

The default message content from 3GPP TS 34.229-1 Appendix A is used per default. This section just modifies or clarifies the default messages specified there.

#### D.1.1 INVITE message

Header/param	Cond	Value/remark	Rel	Reference
Accept-Contact				RFC 3841 [64]
ac-value	B1	+g.3gpp.iari-ref="urn%3Aurn-7%3A3gpp-application.ims.iari.gsma-is"		
	B2	+g.3gpp.cs-voice		
	B3	+g.3gpp.iari-ref="urn%3Aurn-7%3A3gpp-application.ims.iari.rcse.ft";+g.oma.sip-im		
	B4	+g.3gpp.iari-ref="urn%3Aurn-7%3A3gpp- application.ims.iari.rcse.im";+g.oma.sip-im		
Contact				
feature-param	B1	+g.3gpp.iari-ref="urn%3Aurn-7%3A3gpp-application.ims.iari.gsma-is"		
	B2	+g.3gpp.cs-voice		
	B3	+g.3gpp.iari-ref="urn%3Aurn-7%3A3gpp-application.ims.iari.rcse.ft";+g.oma.sip-im		
	B4	+g.3gpp.iari-ref="urn%3Aurn-7%3A3gpp-application.ims.iari.rcse.im";+g.oma.sip-im		
Content-Type				RFC 3261 [15]
media-type		application/sdp		
Message-body	B1	a=sendonly		RFC 4119 [99]
		supported video codecs.		
	B2	a=sendonly		
	В3	a=sendonly		

Condition	Explanation
B1	Video Sharing (ics_videoShare)
B2	Image Sharing (ics_imageShare)
B3	File Sharing (ics_fileTransfer)
B4	IM Chat

### D.1.2 200 OK for INVITE message

Header/param	Cond	Value/remark	Rel	Reference
Contact				
feature-param	B1	+g.3gpp.iari-ref="urn%3Aurn-7%3A3gpp-application.ims.iari.gsma-is"		
	B2	+g.3gpp.cs-voice		
	B3	+g.3gpp.iari-ref="urn%3Aurn-7%3A3gpp-application.ims.iari.rcse.ft";+g.oma.sip-im		
	B4	+g.3gpp.iari-ref="urn%3Aurn-7%3A3gpp-application.ims.iari.rcse.im";+g.oma.sip-im		
Content-Type				RFC 3261 [15]
media-type		application/sdp		
Message-body	B1	a=recvonly		RFC 4119 [99]
		supported video codecs.		
	B2	a=recvonly		
	В3	a=recvonly		

Condition	Explanation
B1	Video Sharing (ics_videoShare)
B2	Image Sharing (ics_imageShare)
B3	File Sharing (ics_fileTransfer)
B4	IM Chat

# D.1.3 OPTIONS message

Header/param	Cond	Value/remark	Rel	Reference
Request URI	B5	User-B's IMS identity (SIP-URI or TEL-URI/MSISDN)		
	В6	User-A's IMS contact-URI		
Accept-Contact				RFC 3841 [64]
ac-value	B1	+g.3gpp.iari-ref="urn%3Aurn-7%3A3gpp-application.ims.iari.gsma-is"		
	B2	+g.3gpp.cs-voice		
	В3	+g.3gpp.iari-ref="urn%3Aurn-7%3A3gpp-application.ims.iari.rcse.ft";+g.oma.sip-im		
	B4	+g.3gpp.iari-ref="urn%3Aurn-7%3A3gpp-application.ims.iari.rcse.im";+g.oma.sip-im		
Contact				
feature-param	B1	+g.3gpp.iari-ref="urn%3Aurn-7%3A3gpp-application.ims.iari.gsma-is"		
	B2	+g.3gpp.cs-voice		
	В3	+g.3gpp.iari-ref="urn%3Aurn-7%3A3gpp-application.ims.iari.rcse.ft";+g.oma.sip-im		
	B4	+g.3gpp.iari-ref="urn%3Aurn-7%3A3gpp-application.ims.iari.rcse.im";+g.oma.sip-im		
Content-Type				RFC 3261 [15]
media-type	B1	application/sdp		

Header/param	Cond	Value/remark	Rel	Reference
Message-body	B1	supported video codecs.		RFC 4119 [99]
		at least support for "H.264/MPEG-4 Part 10 // AVC" and "H.263-2000"		RCS-e 2.7.3

Condition	Explanation
B1	Video Sharing (ics_videoShare) AND in CS Call
B2	Image Sharing (ics_imageShare) AND in CS Call
B3	File Sharing (ics_fileTransfer)
B4	IM Chat
B5	Mobile originated
B6	Mobile terminated

Note: If more than one of the above conditions evaluate to true and therefore multiple IARI tags are included, these must be combined in a comma separated list, as defined in RCS-e 1.2.2. section 2.3.1.1. For example:

+g.3gpp.iari-ref="urn%3Aurn-7%3A3gpp-application.ims.iari.rcse.im,urn%3Aurn-7%3A3gppapplication.ims.iari.rcse.ft"

### D.1.4 200 OK for OPTIONS message

Header/param	Cond	Value/remark	Rel	Reference
Contact				
feature-param	B1	+g.3gpp.iari-ref="urn%3Aurn-7%3A3gpp-application.ims.iari.gsma-is"		
	B2	+g.3gpp.cs-voice		
	В3	+g.3gpp.iari-ref="urn%3Aurn-7%3A3gpp-application.ims.iari.rcse.ft";+g.oma.sip-im		
	B4	+g.3gpp.iari-ref="urn%3Aurn-7%3A3gpp-application.ims.iari.rcse.im";+g.oma.sip-im		
Content-Type				RFC 3261 [15]
media-type	B1	application/sdp		
Message-body	B1	supported video codecs.		RFC 4119 [99]

Condition	Explanation
B1	Video Sharing (ics_videoShare) AND in CS Call
B2	Image Sharing (ics_imageShare) AND in CS Call
B3	File Sharing (ics_fileTransfer)
B4	IM Chat

Note: If more than one of the above conditions evaluate to true and therefore multiple IARI tags are included, these must be combined in a comma separated list, as defined in RCS-e 1.2.2. section 2.3.1.1. For example:

+g.3gpp.iari-ref="urn%3Aurn-7%3A3gpp-application.ims.iari.rcse.im,urn%3Aurn-7%3A3gppapplication.ims.iari.rcse.ft"

# D.2 HTTP autoconfiguration message content

## D.2.1 Initial HTTP request

Header/param	Cond	Value/remark	Rel	Reference
Request Line				
Method		GET / and no parameters		
Message-Body		none		

## D.2.2 200 OK for the initial HTTP request

Header/param	Cond	Value/remark	Rel	Reference
Status Line				
		200 OK		
Status				
Set-Cookie		Random value		
Message-Body		none		

## D.2.3 Initial HTTPS request

Header/param	Cond	Value/remark	Rel	Reference
Request Line				
Method URI Parameter vers IMSI client_vendor client_version terminal_vendor terminal_model terminal_sw_version IMEI	B1	GET / Int (-1, 0 or a positive integer) 15 digit string 4 letter string Max 10 letter string 4 letter string Max 10 letter string Max 10 letter string Max 10 letter string Max 15 letter string Max 15 letter string		RCS-e 1.2.2 sect. 2.2.2.1.2
Cookie		Same as in 200 OK for HTTP		
Message-Body		None		

Condition	Explanation
B1	OS provides access to IMSI and IMEI (ics_os_supports_imsi_imei)

### D.2.4 200 OK for the initial HTTPS request

Header/param	Cond	Value/remark	Rel	Reference
Status Line				
		200 OK		
Status				
Message-Body		xml version="1.0"?		
		<wap-provisioningdoc version="1.1"></wap-provisioningdoc>		
		<characteristic type="VERS"></characteristic>		
		<pre><pre><pre><pre><pre><pre><pre><pre></pre></pre></pre></pre></pre></pre></pre></pre>		
		<pre><parm name="validity" value="1728000"></parm></pre>		
		<pre><characteristic type="APPLICATION"></characteristic></pre>		
		See TBD		

## D.3 MSRP message content

#### D.3.1 MSRP SEND

Header/param	Cond	Value/remark	Rel	Reference
[FFS]				

## D.3.2 MSRP 200 OK for MSRP SEND message

Header/param	Cond	Value/remark	Rel	Reference
[FFS]				