

## **Enabler Release Definition for Secure Content Exchange**

Candidate Version 1.0 – 26 May 2009

**Open Mobile Alliance** OMA-ERELD-SCE-V1\_0-20090526-C

Use of this document is subject to all of the terms and conditions of the Use Agreement located at http://www.openmobilealliance.org/UseAgreement.html.

Unless this document is clearly designated as an approved specification, this document is a work in process, is not an approved Open Mobile Alliance<sup>TM</sup> specification, and is subject to revision or removal without notice.

You may use this document or any part of the document for internal or educational purposes only, provided you do not modify, edit or take out of context the information in this document in any manner. Information contained in this document may be used, at your sole risk, for any purposes. You may not use this document in any other manner without the prior written permission of the Open Mobile Alliance. The Open Mobile Alliance authorizes you to copy this document, provided that you retain all copyright and other proprietary notices contained in the original materials on any copies of the materials and that you comply strictly with these terms. This copyright permission does not constitute an endorsement of the products or services. The Open Mobile Alliance assumes no responsibility for errors or omissions in this document.

Each Open Mobile Alliance member has agreed to use reasonable endeavors to inform the Open Mobile Alliance in a timely manner of Essential IPR as it becomes aware that the Essential IPR is related to the prepared or published specification. However, the members do not have an obligation to conduct IPR searches. The declared Essential IPR is publicly available to members and non-members of the Open Mobile Alliance and may be found on the "OMA IPR Declarations" list at <a href="http://www.openmobilealliance.org/ipr.html">http://www.openmobilealliance.org/ipr.html</a>. The Open Mobile Alliance has not conducted an independent IPR review of this document and the information contained herein, and makes no representations or warranties regarding third party IPR, including without limitation patents, copyrights or trade secret rights. This document may contain inventions for which you must obtain licenses from third parties before making, using or selling the inventions. Defined terms above are set forth in the schedule to the Open Mobile Alliance Application Form.

NO REPRESENTATIONS OR WARRANTIES (WHETHER EXPRESS OR IMPLIED) ARE MADE BY THE OPEN MOBILE ALLIANCE OR ANY OPEN MOBILE ALLIANCE MEMBER OR ITS AFFILIATES REGARDING ANY OF THE IPR'S REPRESENTED ON THE "OMA IPR DECLARATIONS" LIST, INCLUDING, BUT NOT LIMITED TO THE ACCURACY, COMPLETENESS, VALIDITY OR RELEVANCE OF THE INFORMATION OR WHETHER OR NOT SUCH RIGHTS ARE ESSENTIAL OR NON-ESSENTIAL.

THE OPEN MOBILE ALLIANCE IS NOT LIABLE FOR AND HEREBY DISCLAIMS ANY DIRECT, INDIRECT, PUNITIVE, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES ARISING OUT OF OR IN CONNECTION WITH THE USE OF DOCUMENTS AND THE INFORMATION CONTAINED IN THE DOCUMENTS.

© 2009 Open Mobile Alliance Ltd. All Rights Reserved. Used with the permission of the Open Mobile Alliance Ltd. Under the terms set forth above.

## **Contents**

1. SCOPE	
2. REFERENCES	5
2.1 NORMATIVE REFERENCES	
3. TERMINOLOGY AND CONVENTIONS	6
3.1 CONVENTIONS	6
4. RELEASE VERSION OVERVIEW	
4.1 VERSION 1.0 FUNCTIONALITY	
5. DOCUMENT LISTING FOR SCE 1.0	10
6. CONFORMANCE REQUIREMENTS NOTATION DETAIL	S11
7. ERDEF FOR SCE 1.0 – CLIENT REQUIREMENTS	12
8. ERDEF FOR SCE 1.0 – SERVER REQUIREMENTS	13
APPENDIX A. CHANGE HISTORY (INFORMATIVE)	14
A.1 APPROVED VERSION HISTORY	
Tables	
Table 1: Listing of Documents in SCE 1.0 Enabler	10
Table 2: ERDEF for SCE 1.0 Client-side Requirements	12
Table 3: FRDFF for SCF 1 0 Server-side Requirements	13

## 1. Scope

The scope of this document is limited to the Enabler Release Definition of Secure Content Exchange 1.0 according to OMA Release process and the Enabler Release specification baseline listed in section 5.

#### 2. References

#### 2.1 Normative References

[RFC2119] "Key words for use in RFCs to Indicate Requirement Levels", S. Bradner, March 1997,

URL:http://www.ietf.org/rfc/rfc2119.txt

[SCRRULES] "SCR Rules and Procedures", Open Mobile Alliance™, OMA-ORG-SCR\_Rules\_and\_Procedures,

URL:http://www.openmobilealliance.org/

[OMADRMv2.0] "Digital Rights Management", Open Mobile Alliance™, OMA-DRM-DRM-V2\_0,

URL: http://www.openmobilealliance.org/

[OMADRMv2.1] "Digital Rights Management", Open Mobile Alliance™, OMA-DRM-DRM-V2 1,

URL:http://www.openmobilealliance.org/

#### 2.2 Informative References

[OMADICT] "Dictionary for OMA Specifications", Version 2.6, Open Mobile Alliance™,

OMA-ORG-Dictionary-V2\_6-20070614-A, <u>URL:http://www.openmobilealliance.org/</u>

## 3. Terminology and Conventions

#### 3.1 Conventions

The key words "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "MAY", and "OPTIONAL" in this document are to be interpreted as described in [RFC2119].

All sections and appendixes, except "Scope", "Release Version Overview" and "Conformance Requirements Notation Details", are normative, unless they are explicitly indicated to be informative.

The formal notation convention used in sections 7 and 8 to formally express the structure and internal dependencies between specifications in the Enabler Release specification baseline is detailed in [SCRRULES].

#### 3.2 Definitions

Definitions that are copied from **Error! Reference source not found.** Are marked with (DRM V2.0). Definitions with the same name as in **Error! Reference source not found.** But different text are intended to overwrite the definitions from **Error! Reference source not found.** Note, in particular, that some terms may also occur in **Error! Reference source not found.** But have new definitions (e.g. Copy).

Ad Hoc Domain A group of Devices that engage in Ad Hoc Sharing that is governed by a Domain Policy.

Ad Hoc Sharing Sharing that is intended to allow a source Device to share specified Rights with a recipient Device in

spontaneous, unplanned situations (e.g. sharing a song with a new group of friends at a party or playing a

video on a hotel room TV while travelling).

Backup/Remote Storage Transferring Rights Objects and Content Objects to another location with the intention of transferring

them back to the original Device (DRM V2.0).

**Broadcast Program** A logical portion of a Broadcast Service with a distinct start and end time. In the case the Broadcast

Program is not free-to-air, it can be offered individually for purchase, such as "Pay-Per-View", or as part of a parent service (e.g. subscription service). A Broadcast Program may for example represent a movie,

news show or soccer game.

**Broadcast Service** A digital broadcast service delivered in an MPEG-2 transport stream consisting of a concatenation of

Broadcast Programs, as defined in an MPEG-2 Program Map Table (PMT).

**Content** One or more Media Objects (DRM V2.0).

Content Issuer The entity making content available to the DRM Agent in a Device (DRM V2.0).

**Content Provider** An entity that is either a Content Issuer or a Rights Issuer (DRM V2.0).

**Copy** To make Rights existing on a source Device available for use by a recipient Device, without affecting

availability on the source Device. Rights may be restricted on the recipient Device. Note: this is different

from the V2.0 definition.

**Device** A Device is the entity (hardware/software or combination thereof) within a user equipment that

implements a DRM Agent. The Device is also conformant to the OMA DRM specifications. The Device

may include a smart card module (e.g. a SIM) (DRM V2.0).

**Domain** A group of Devices defined by a Rights Issuer such that the Rights Issuer can issue Rights Objects for the

group that can be processed by all Devices within the group, and only those Devices (DRM V2.0).

**Domain Authority** The entity to specify the Domain Policy for a User Domain or an Ad Hoc Domain.

**Domain Enforcement** 

Agent

The entity to enforce the Domain Policy on behalf of the Domain Authority. It may reside in the network

as a service or in a User's device.

**Domain Policy** A collection of attributes which defines the policy determining characteristics of the membership of a User

Domain or Ad Hoc Domain, as set by the Domain Authority that the Domain Enforcement Agent will

enforce.

**DRM Agent** The entity in the Device that manages Permissions for Media Objects on the Device (DRM V2.0).

**DRM Content** Media Objects that are consumed according to a set of Permissions in a Rights Object (DRM V2.0).

**DRM Time** A secure, non user-changeable time source. The DRM Time is measured in the UTC time scale (DRM

V2.0).

**Enabler Release** Collection of specifications that combined together form an enabler for a service area, e.g. a download

enabler, a browsing enabler, a messaging enabler, a location enabler, etc. The specifications that are

forming an enabler should combined fulfil a number of related market requirements.

**Execute** To execute a software programme (DRM V2.0).

Interaction Channel A bi-directional channel used to engage in communication protocols (such as DRM v2 ROAP) with other

entities. The Interactive Channel can for example be used to request a Rights Object from a Rights Issuer.

**Imported-Content** OMA (P)DCF(s) resulting from converting Import-Ready Data.

Import-Ready Data

Content and associated Rights derived from Non-OMA DRM-sourced data that can be converted into

OMA (P)DCFs and Ros.

Imported-Rights-Object An OMA RO resulting from converting Import-Ready Data.

Imported-Data Imported-Content and associated Imported-Rights-Object(s).

**Lending** Sharing such that the Shared Rights cannot be used on the source Device as long as the recipient Device is

able to render the shared Content associated with the Shared Rights.

**Local Rights Manager** 

(LRM)

An entity that is responsible for aspect(s) of Import and it may also manage an Imported-Content for a

limited group of OMA DRM Agents.

Media Object A digital work e.g. a ring tone, a screen saver, or a Java game (DRM V2.0).

**Minimum Functionality** 

Description

Description of the guaranteed features and functionality that will be enabled by implementing the

minimum mandatory part of the Enabler Release.

**Move** To make Rights existing initially on a source Device fully or partially available for use by a recipient

Device, such that the Rights or parts thereof that become usable on the recipient Device can no longer be

used on the source Device.

Non-OMA DRM A protection system other than OMA DRM, which may include copy protection mechanisms for storage

medium and/or transport mechanisms.

Partial Rights A subset of a set of Rights, such that the Partial Rights are equally or more restrictive than those in the set.

**Permission** Actual usages or activities allowed (by the Rights Issuer) over DRM Content.

**Play** To create a transient, perceivable rendition of a resource.

**Print** To create a fixed and directly perceivable rendition of a resource.

**Proximity-Limited** 

Domain

An Ad Hoc Domain in which all member Devices must be in proximity to the device on which the

Domain Enforcement Agent resides.

**Proximity-Limited** 

Sharing

Ad Hoc Sharing that is possible only when the source and recipient Devices are in proximity.

**Render Agent** The entity in a Render Client that manages the secure rendering of Media Objects on the Render Client.

**Render Client** The entity (hardware, software or combination thereof) within a user equipment that implements a Render

Agent. The Render Client is used to transiently render DRM Content.

**Restore** Transferring the Protected Content and/or Rights Objects from an external location back to the Device

from which they were backed up (DRM V2.0).

**Rights** The collection of permissions and constraints defining under which circumstances access is granted to

DRM Content.

**Rights Issuer** An entity that issues Rights Objects to OMA DRM conformant Devices (DRM V2.0).

Rights Object A collection of Permissions and other attributes which are linked to DRM Content.

Shared Rights Rights that can be consumed on multiple Devices, where the allowed distribution and consumption of the

Rights among the Devices are specified by permissions in the Rights themselves or in the Domain Policy

of the Domain for which the Rights were obtained.

**Sharing** The act of providing Shared Rights from a source Device to a recipient Device, such that the recipient

Device is able to render the shared content associated with the Shared Rights.

State Information A set of values representing current state associated with Rights. It is managed by the DRM Agent only

when the Rights contain any of the stateful constraints (e.g. interval, count, timed-count, accumulated,

etc.).

**Superdistribution** A mechanism that (1) allows a User to distribute DRM Content to other Devices through potentially

insecure channels and (2) enables the User of that Device to obtain a Rights Object for the superdistributed

DRM Content (DRM V2.0).

**Token Agent** The entity in a User Domain Token that manages the secure mutual authentication between User Domain

Token and a Device in case of Token based access

**Token based access**The act of accessing Content with Rights for a User Domain on a Device that is not a member of that User

Domain after successful mutual authentication between the Token Agent of a User Domain Token that is

associated with that User Domain and the DRM Agent in the non-member Device.

The Domain Authority can specify in the Domain Policy the conditions under which the Device is allowed

to access the Content.

User The human user of a Device. The User does not necessarily own the Device (DRM V2.0).

**User Domain** A group of Devices defined by the Domain Enforcement Agent such that, for example Rights Issuers, can

issue Rights Objects with Permissions, Constraints and other attributes specifically for the Devices in the

group.

**User Domain Token** The entity (hardware, software or combination thereof; e.g. a SIM) within a user equipment that

implements a Token Agent. A User Domain Token can be associated with one or more User Domains, and

enables Token based access to the Content for each User Domain with which it is associated.

#### 3.3 Abbreviations

CAS Conditional Access System

CI Content Issuer

**DEA** Domain Enforcement Agent

**DCF** DRM Content Format

DRM Digital Rights ManagementDVR Digital Video Recorder

**ERDEF** Enabler Requirement Definition

ERELD Enabler Release Definition

LRM Local Rights Manager

MDCF MPEG-2 Transport Stream DRM Content Format

MP3 MPEG-1 Audio Layer 3 (public format for digital music)

OMA Open Mobile Alliance
PDA Personal Digital Assistant

RI Rights Issuer
RO Rights Object

SCE Secure Content Exchange
SIM Subscriber Identity Module

**STB** A Set Top Box.

USB Universal Serial Bus

UID User Token

WAN Wide Area Network

WiFi also Wi-fi, Wifi, or wifi from Wi reless Fi delity

#### 4. Release Version Overview

The goal of the Secure Content Exchange (SCE) Enabler is to extend OMA DRM v2 to enable seamless sharing of purchased content between multiple devices, including all the devices owned by a subscriber (phone, PC, home electronics system, car audio system, etc) and the ad hoc sharing of content with any device the user encounters in unplanned or impromptu situations. Examples of when ad hoc sharing may be applicable include users who want to render their content on a television set at a friend's house or in a hotel room while the user is travelling, or a user who wants to borrow DRM content for a period of time. The Ad Hoc Sharing part of the SCE Enabler enforces temporal and proximity based restrictions that are defined by the RI/DA e.g. content can only be shared with a Device that is in close proximity to the subscriber's Device. Because there is no single DRM system deployed across all these different devices, the SCE Enabler also enhances the interoperability between OMA and non-OMA DRM systems by defining an Import function for OMA DRM.

Another goal of the Secure Content Exchange Enabler is to extend OMA DRM with the capability of using an MPEG-2 transport stream as a container of DRM Content. In OMA DRM v2 the use of DCF and PDCF is defined as container for DRM Content. The SCE Enabler defines that also an MPEG-2 Transport Stream can be used as a container of DRM Content. The objective is to allow consumption of received digital broadcast content as DRM Content by OMA DRM Devices, presuming that a Rights Issuer provides an associated Rights Object for such consumption.

#### 4.1 Version 1.0 Functionality

The SCE 1.0 Enabler extends DRM v2 with the following:

- Flexible rights transfer and DRM domain management, which involves enhancements to OMA DRM v2 for flexible sharing of content between OMA DRM conformant devices; and
- DRM interoperability, which addresses content exchange between OMA DRM and non-OMA DRM conformant devices,
- Capability of using an MPEG-2 transport stream as a container of DRM Content.

These extensions are complementary, since they address different aspects of secure content exchange, and it is expected that some of the technical solutions developed by the SCE work will be used in multiple extensions.

The enhancements specified by the SCE Enabler provide the following benefits to subscribers, Content Providers and operators:

- Subscribers benefit from increased flexibility to share and render their content in ways that were previously not possible. They perceive a level of convenience in their digital media service which rivals the user experience offered by physical media such as CDs and DVDs, which can be played on any device available.
- Content providers benefit from an increase in content purchases, while enjoying the protection against content piracy that DRM provides.
- The added appeal of flexible sharing to subscribers makes the operator's mobile digital media service competitive with wireline-based services and physical media, resulting in an increase in the number of service subscribers and content purchases (and hence an increase in operator revenue).

# 5. Document Listing for SCE 1.0

This section is normative.

Doc Ref	Permanent Document Reference	Description		
Requirement Document				
[SCE -RD]	OMA-RD-SCE-V1_0-20081209-C	Requirement Document for SCE Enabler		
Architecture Do	Architecture Document			
[SCE AD]	OMA-AD-SCE-V1_0-20081209-C	Architecture Document for SCE Enabler		
<b>Technical Specif</b>	ications			
[SCE-GEN]	OMA-TS-SCE_GEN-V1_0-20090526-C	The Generic Mechanisms Technical Specification		
[SCE-DRM]	OMA-TS-SCE_DRM-V1_0-20090526-C	The Digital Rights Management Technical Specification		
[SCE-LRM]	OMA-TS-SCE_LRM-V1_0- 20090526-C	The Local Rights Management Technical Specification		
[SCE-DOM]	OMA-TS-SCE_DOM-V1_0- 20090526-C	The User Domain Technical Specification		
[SCE-A2A]	OMA-TS-SCE_A2A-V1_0- 20090526-C	The Agent to Agent Technical Specification		
[SCE-REL]	OMA-TS-SCE_REL-V1_0-20081209-C	The Rights Expression Language Technical Specification		
[SCE-MDCF]	OMA-TS-SCE_MDCF-V1_0-20081209-C	The MPEG-2 DRM Content Format Technical Specification		
Supporting Files	Supporting Files			
[SCE-ROAP- SUP]	OMA-SUP-XSD_SCE_ROAP-V1_0-20081209-C	The ROAP Supporting Files		
[SCE-DOM- SUP]	OMA-SUP-XSD_SCE_DOM-V1_0-20081209-C	The User Domain Supporting Files		
[SCE-GEN- SUP]	OMA-SUP-XSD_SCE_GEN-V1_0-20081209-C	The Generic Mechanisms Supporting Files		
[SCE-REL- DD-SUP]	OMA-SUP-XSD_SCE_REL_DD-V1_0-20081209-C	The Rights Expression Language Supporting Files		
[SCE-REL-EX- SUP]	OMA-SUP-XSD_SCE_REL_EX-V1_0-20081209-C	The Rights Expression Language Supporting Files		
[SCE-REL- ODD-SUP]	OMA-SUP-XSD_SCE_REL_ODD-V1_0-20081209-C	The Rights Expression Language Supporting Files		
[SCE-LRM- SUP]	OMA-SUP-XSD_SCE_LRM-V1_0-20081209-C	The Local Rights Management Supporting Files		

**Table 1: Listing of Documents in SCE 1.0 Enabler** 

## 6. Conformance Requirements Notation Details

This section is informative

The tables in following chapters use the following notation:

**Item:** Entry in this column MUST be a valid ScrItem according to [SCRRULES].

**Feature/Application:** Entry in this column SHOULD be a short descriptive label to the **Item** in question.

**Requirement:** Expression in the column MUST be a valid TerminalExpression according to [SCRRULES] and it

MUST accurately reflect the architectural requirement of the **Item** in question.

# 7. ERDEF for SCE 1.0 – Client Requirements

This section is normative.

Item	Feature / Application	Requirement
OMA-ERDEF-SCE-C-001-< <m o="">&gt;</m>	SCE Client	

**Table 2: ERDEF for SCE 1.0 Client-side Requirements** 

# 8. ERDEF for SCE 1.0 – Server Requirements

This section is normative.

Item	Feature / Application	Requirement
OMA-ERDEF-SCE-S-001-< <m o="">&gt;</m>	SCE Server	

Table 3: ERDEF for SCE 1.0 Server-side Requirements

## Appendix A. Change History

## (Informative)

### A.1 Approved Version History

Reference	Date	Description
n/a	n/a	No prior version

## A.2 Draft/Candidate Version SCE 1.0 History

Document Identifier	Date	Sections	Description
Draft Versions	28 Jan 2008	All sections	First draft
OMA-ERELD-SCE-V1_0			
	21 Feb 2008	5	Update with the SCE AD and all SCE TSs
	14 Nov 2008	5	Update with the SCE AD, RD and all SCE TSs
	17 Nov 2008	5	Update with the last versions of the SCE AD, RD and all SCE TSs
Candidate Version	09 Dec 2008	n/a	Status changed to Candidate by TP
OMA-ERELD-SCE-V1 0-20081209-C			TP ref# OMA-TP-2008-0475-
_			INP_SCE_V1_0_ERP_for_Candidate_Approval
Draft Version	12 May 2009	5	Updated with the last versions of the SCE TSs
OMA-ERELD-SCE-V1_0-20090512-D			
Candidate Version	26 May 2009	n/a	Status changed to Candidate by TP
OMA-ERELD-SCE-V1_0-20090526-C			TP ref# OMA-TP-2009-0228-INP_SCE_V1_0_ERP_for_Notification