



Enabler Release Definition for Secure UserPlane for Location (SUPL)

Candidate Version 1.0 – 27 Jan 2006

Open Mobile Alliance
OMA-ERELED-SUPL-V1_0-20060127-C

Use of this document is subject to all of the terms and conditions of the Use Agreement located at <http://www.openmobilealliance.org/UseAgreement.html>.

Unless this document is clearly designated as an approved specification, this document is a work in process, is not an approved Open Mobile Alliance™ specification, and is subject to revision or removal without notice.

You may use this document or any part of the document for internal or educational purposes only, provided you do not modify, edit or take out of context the information in this document in any manner. Information contained in this document may be used, at your sole risk, for any purposes. You may not use this document in any other manner without the prior written permission of the Open Mobile Alliance. The Open Mobile Alliance authorizes you to copy this document, provided that you retain all copyright and other proprietary notices contained in the original materials on any copies of the materials and that you comply strictly with these terms. This copyright permission does not constitute an endorsement of the products or services. The Open Mobile Alliance assumes no responsibility for errors or omissions in this document.

Each Open Mobile Alliance member has agreed to use reasonable endeavors to inform the Open Mobile Alliance in a timely manner of Essential IPR as it becomes aware that the Essential IPR is related to the prepared or published specification. However, the members do not have an obligation to conduct IPR searches. The declared Essential IPR is publicly available to members and non-members of the Open Mobile Alliance and may be found on the “OMA IPR Declarations” list at <http://www.openmobilealliance.org/ipr.html>. The Open Mobile Alliance has not conducted an independent IPR review of this document and the information contained herein, and makes no representations or warranties regarding third party IPR, including without limitation patents, copyrights or trade secret rights. This document may contain inventions for which you must obtain licenses from third parties before making, using or selling the inventions. Defined terms above are set forth in the schedule to the Open Mobile Alliance Application Form.

NO REPRESENTATIONS OR WARRANTIES (WHETHER EXPRESS OR IMPLIED) ARE MADE BY THE OPEN MOBILE ALLIANCE OR ANY OPEN MOBILE ALLIANCE MEMBER OR ITS AFFILIATES REGARDING ANY OF THE IPR'S REPRESENTED ON THE “OMA IPR DECLARATIONS” LIST, INCLUDING, BUT NOT LIMITED TO THE ACCURACY, COMPLETENESS, VALIDITY OR RELEVANCE OF THE INFORMATION OR WHETHER OR NOT SUCH RIGHTS ARE ESSENTIAL OR NON-ESSENTIAL.

THE OPEN MOBILE ALLIANCE IS NOT LIABLE FOR AND HEREBY DISCLAIMS ANY DIRECT, INDIRECT, PUNITIVE, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES ARISING OUT OF OR IN CONNECTION WITH THE USE OF DOCUMENTS AND THE INFORMATION CONTAINED IN THE DOCUMENTS.

© 2005 Open Mobile Alliance Ltd. All Rights Reserved.

Used with the permission of the Open Mobile Alliance Ltd. under the terms set forth above.

Contents

1. SCOPE	4
2. REFERENCES	5
2.1 NORMATIVE REFERENCES.....	5
2.2 INFORMATIVE REFERENCES.....	5
3. TERMINOLOGY AND CONVENTIONS	6
3.1 CONVENTIONS.....	6
3.2 DEFINITIONS.....	6
3.3 ABBREVIATIONS.....	6
4. INTRODUCTION	7
5. ENABLER RELEASE SPECIFICATION BASELINE.....	10
6. MINIMUM FUNCTIONALITY DESCRIPTION FOR SUPL 1.0	11
6.1 USERPLANE LOCATION PROTOCOL (ULP).....	11
6.2 ROAMING LOCATION PROTOCOL (RLP).....	11
7. CONFORMANCE REQUIREMENTS NOTATION DETAILS	12
8. ERDEF FOR SUPL 1.0 - CLIENT REQUIREMENTS	13
9. ERDEF FOR SUPL 1.0 - SERVER REQUIREMENTS	14
APPENDIX A. CHANGE HISTORY (INFORMATIVE).....	16
A.1 APPROVED VERSION HISTORY	16
A.2 DRAFT/CANDIDATE VERSION 1.0 HISTORY	16

Figures

Figure 1: SUPL Reference Points.....	8
Figure 2: UserPlane Location Protocol.....	11

Tables

Table 1: Listing of Documents in SUPL V1.0 Enabler	10
Table 2 ERDEF for SUPL 1.0 Client-side Requirements.....	13
Table 3 ERDEF for SUPL 1.0 Server-side Requirements.....	15

1. Scope

The scope of this document is limited to the Enabler Release Definition of SUPL (Secure UserPlane for Location) according to OMA Release process and the Enabler Release specification baseline listed in section 6.

2. References

2.1 Normative References

- [IOPPROC] “OMA Interoperability Policy and Process”, Version 1.1, Open Mobile Alliance™, OMA-IOP-Process-V1_1, [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [RFC2119] “Key words for use in RFCs to Indicate Requirement Levels”, S. Bradner, March 1997, [URL:http://www.ietf.org/rfc/rfc2119.txt](http://www.ietf.org/rfc/rfc2119.txt)
- [23.271] 3GPP TS 23.271 Release 6 http://www.3gpp.org/ftp/Specs/latest/Rel-6/23_series/
- [SUPL RD] “SUPL 1.0 Requirements Document”, Open Mobile Alliance™, OMA-RD-SUPL-V1_0
URL:<http://www.openmobilealliance.org/>
- [SUPL AD] “SUPL 1.0 Architecture Document”, Open Mobile Alliance™, OMA-AD-SUPL-V1_0
URL:<http://www.openmobilealliance.org/>
- [SUPL TS] “UserPlane Location Protocol v1.0”, Open Mobile Alliance™, OMA-TS-ULP-V1_0
URL: <http://www.openmobilealliance.org/>
- [RLP 1.0] “Roaming Location Protocol v1.0”, Open Mobile Alliance™, OMA-TS-RLP-V1_0
URL: <http://www.openmobilealliance.org/>
- [SUPL MO] “OMA Management Object for SUPL”, Open Mobile Alliance™, OMA-TS-SUPL-MO-V1_0
URL: <http://www.openmobilealliance.org/>

2.2 Informative References

None

3. Terminology and Conventions

3.1 Conventions

The key words “MUST”, “MUST NOT”, “REQUIRED”, “SHALL”, “SHALL NOT”, “SHOULD”, “SHOULD NOT”, “RECOMMENDED”, “MAY”, and “OPTIONAL” in this document are to be interpreted as described in [RFC2119].

All sections and appendixes, except “Scope” and “Introduction”, are normative, unless they are explicitly indicated to be informative.

The formal notation convention used in sections 9 and 10 to formally express the structure and internal dependencies between specifications in the Enabler Release specification baseline is detailed in [IOPPROC].

3.2 Definitions

Enabler Release Collection of specifications that combined together form an enabler for a service area, e.g. a download enabler, a browsing enabler, a messaging enabler, a location enabler, etc. The specifications that are forming an enabler should combined fulfil a number of related market requirements.

Minimum Functionality Description Description of the guaranteed features and functionality that will be enabled by implementing the minimum mandatory part of the Enabler Release.

3.3 Abbreviations

ERDEF Enabler Requirement Definition

ERELD Enabler Release Definition

OMA Open Mobile Alliance

4. Introduction

This document outlines the Enabler Release Definition for SUPL Enabler and the respective conformance requirements for clients and servers implementing claiming compliance to it as defined by Open Mobile Alliance across the specification baseline.

SUPL V1.0 describes the protocol between a SUPL Enabled Terminal (SET) and SUPL Location Platform (SLP), see the Lup reference point in Figure 1.

Communication between SET and SLP is transported over a secured IP connection, with one exception: for network initiated SUPL transactions the SUPL INIT message shall be sent as an MT SMS [TIA-637] using a dedicated Teleservice Identifier [TIA-41] for CDMA, and for GSM/WCDMA, the WDP [WAP WDP] framing SHALL be used for MT SMS. For GSM/WCDMA, a SUPL INIT message can also be sent via WAP Push, where the Push message from the PPG to SET shall follow the WAP Push specifications as per [WAP POTAP].

SUPL draws on support from RLP V1.0, a protocol specification from the OMA MLS Enabler. RLP is used such that SLP's from different SUPL providers can exchange information for positioning of roaming subscribers.

Figure 1 shows an architectural diagram of SUPL, its components and interfaces.




Figure 1: SUPL Reference Points

5. Description of Differences from Previous Version

It is the first version of the release.

6. Enabler Release Specification Baseline

SUPL Enabler handles information very personal and private in nature. Even if there are exceptions, for example in certain regions and/or use cases, all the implementations of SUPL Enabler SHALL fulfil the requirements for protecting the privacy of the user of the located device.

Doc Ref	Permanent Document Reference	Description
Requirement Document		
SUPL 1.0_RD	OMA-RD-SUPL-V1_0-20050616-C	Requirement Document for SUPL V1.0 Enabler
Architecture Document		
SUPL 1.0_AD	OMA-AD-SUPL-V1_0-20060127-C	Architecture Document for SUPL V1.0 Enabler
Technical Specifications		
SUPL 1.0_TS	OMA-TS-SUPL-MO-V1_0-20050719-C	Specification that defines the protocol for SUPL 1.0 on Management Object Specifications
SUPL 1.0_TS	OMA-TS-SUPL-Client-Provisioning-V1_0-20050719-C	Specification that defines the protocol for SUPL 1.0 on Client-Provisioning
SUPL 1.0_TS	OMA-TS-ULP-V1_0-20060127-C	Specification that defines the SUPL 1.0 UserPlane Location Protocol.
Supporting Files		
	No supporting files	

Table 1: Listing of Documents in SUPL V1.0 Enabler

7. Minimum Functionality Description for SUPL 1.0

This section is informative.

7.1 UserPlane Location Protocol (ULP)

The UserPlane Location Protocol (ULP) is a protocol-level instantiation of the Lup reference point. The protocol is used between the SLP (SUPL Location Platform) and a SET (SUPL Enabled Terminal). For more details about SUPL Requirements refer to [SUPL RD]. For more details about SUPL architecture and call-flows, refer to [SUPL AD]




Figure 2: UserPlane Location Protocol

Possible realizations of a SUPL Location Platform functionality are within the GMLC, which is the Location Server defined in GSM and UMTS, and the MPC, which is defined in ANSI standards. Since the SUPL Location Platform should be regarded as a logical entity, other implementations are possible.

Depending which SUPL Agent initiates the dialogue, a SUPL INIT message is sent to the SET (network initiated), or a SUPL START message is sent to the SLP (SET initiated).

ULP can be implemented using various transport mechanisms. Currently, the only mapping defined is a mapping to TCP, with the following exception: the SUPL INIT message is transported over WAP Push or MT SMS.

7.2 Roaming Location Protocol (RLP)

RLP is an element of the OMA MLS Enabler, and facilitates the SUPL roaming scenarios. RLP is also known as Inter-Location Server Mobile Location Protocol.

Functional Requirements for both Application to Location Server interface and inter-Location Server interface for 3GPP networks may be found in 23.271 Rel6 [23.271]. However, those parts of RLP which are used by SUPL are specified in a way that they can be used by wireless networks other than 3GPP.

RLP can be implemented using various transport mechanisms. Currently, the only mapping defined is a mapping to HTTP.

8. Conformance Requirements Notation Details

This section is informative

The tables in following chapters use the following notation:

Item:	Entry in this column MUST be a valid ScrItem according to [IOPPROC].
Feature/Application:	Entry in this column SHOULD be a short descriptive label to the Item in question.
Status:	Entry in this column MUST accurately reflect the architectural status of the Item in question. <ul style="list-style-type: none">• M means the Item is mandatory for the class• O means the Item is optional for the class• NA means the Item is not applicable for the class
Requirement:	Expression in the column MUST be a valid TerminalExpression according to [IOPPROC] and it MUST accurately reflect the architectural requirement of the Item in question.

9. ERDEF for SUPL 1.0 - Client Requirements

Item	Feature / Application	Status	Requirement
OMA-ERDEF-SUPL-C-001	Support of SET Procedures	M	OMA-ERDEF-SUPL-C-002 OR OMA-ERDEF-SUPL-C-003 OR OMA-ERDEF-SUPL-C-004
OMA-ERDEF-SUPL-C-002	SET supporting GSM/WCDMA mode, PSK-TLS authentication	O	ULP-A-C-001
OMA-ERDEF-SUPL-C-003	SET supporting GSM/WCDMA mode, alternative authentication model	O	ULP-A-C-002
OMA-ERDEF-SUPL-C-004	SET supporting CDMA mode	O	ULP-A-C-003

Table 2 ERDEF for SUPL 1.0 Client-side Requirements

10.ERDEF for SUPL 1.0 - Server Requirements

Item	Feature / Application	Status	Requirement
OMA-ERDEF-SUPL-S-001	Support of SUPL	M	OMA-ERDEF-SUPL-S-002 OR OMA-ERDEF-SUPL-S-003
OMA-ERDEF-SUPL-S-002	Support of Home SLP Procedures	O	OMA-ERDEF-SUPL-S-005 OR OMA-ERDEF-SUPL-S-006 OR OMA-ERDEF-SUPL-S-007
OMA-ERDEF-SUPL-S-003	Support of Visited SLP Procedures for Roaming	O	OMA-ERDEF-SUPL-S-008 OR OMA-ERDEF-SUPL-S-009
OMA-ERDEF-SUPL-S-004	Support of Home SLP Procedures for Roaming	O	OMA-ERDEF-SUPL-S-014 OR OMA-ERDEF-SUPL-S-015
OMA-ERDEF-SUPL-S-005	Home SLP supporting GSM/WCDMA mode, PSK-TLS authentication	O	ULP-A-S-001
OMA-ERDEF-SUPL-S-006	Home SLP supporting GSM/WCDMA mode, alternative authentication model	O	ULP-A-S-002
OMA-ERDEF-SUPL-S-007	Home SLP supporting CDMA mode	O	ULP-A-S-003
OMA-ERDEF-SUPL-S-008	Support of Visited SLP Procedures for Roaming, GSM/WCDMA mode	O	OMA-ERDEF-SUPL-S-010 OR OMA-ERDEF-SUPL-S-012
OMA-ERDEF-SUPL-S-009	Support of Visited SLP Procedures for Roaming, CDMA mode	O	OMA-ERDEF-SUPL-S-010 OR OMA-ERDEF-SUPL-S-011 OR OMA-ERDEF-SUPL-S-012 OR OMA-ERDEF-SUPL-S-013
OMA-ERDEF-SUPL-S-010	Support in Visited SLP for roaming with calculation in Home-SLP, Proxy mode	O	ULP-B-S-001
OMA-ERDEF-SUPL-S-011	Support in Visited SLP for roaming with calculation in Home-SLP, Non-Proxy mode	O	ULP-B-S-002

OMA-ERDEF-SUPL-S-012	Support in Visited SLP for roaming with calculation in Visited-SLP, Proxy mode	O	ULP-B-S-003
OMA-ERDEF-SUPL-S-013	Support in Visited SLP for roaming with calculation in Visited-SLP, Non-Proxy mode	O	ULP-B-S-004
OMA-ERDEF-SUPL-S-014	Support of Home SLP Procedures for Roaming, GSM/WCDMA mode	O	OMA-ERDEF-SUPL-S-016 OR OMA-ERDEF-SUPL-S-018
OMA-ERDEF-SUPL-S-015	Support of Home SLP Procedures for Roaming, CDMA mode	O	OMA-ERDEF-SUPL-S-016 OR OMA-ERDEF-SUPL-S-017 OR OMA-ERDEF-SUPL-S-018 OR OMA-ERDEF-SUPL-S-019
OMA-ERDEF-SUPL-S-016	Support in Home SLP for roaming with calculation in Home-SLP, Proxy mode	O	ULP-C-S-001
OMA-ERDEF-SUPL-S-017	Support in Home SLP for roaming with calculation in Home-SLP, Non-Proxy mode	O	ULP-C-S-002
OMA-ERDEF-SUPL-S-018	Support in Home SLP for roaming with calculation in Visited-SLP, Proxy mode	O	ULP-C-S-003
OMA-ERDEF-SUPL-S-019	Support in Home SLP for roaming with calculation in Visited-SLP, Non-Proxy mode	O	ULP-C-S-004

Table 3 ERDEF for SUPL 1.0 Server-side Requirements

Appendix A. Change History

(Informative)

A.1 Approved Version History

Reference	Date	Description
n/a	n/a	No prior version

A.2 Draft/Candidate Version 1.0 History

Document Identifier	Date	Sections	Description
Draft Versions OMA-ERELED-SUPL-V1_0	14 Apr 2005	All	Initial draft
	13 Jun 2005	All	Applied new ERELD template to document, & resolved CONRR comment ERELD 001, and 004
	14 Jun 2005	All	Resolved CONRR comments ERELD 002, 003, 005, 006, 007, 008, and 009
	23 Jun 2005	All	Removed change bars
	30 Jun 2005	2.1	ULP reference updated
	01 Jul 2005	2.1, 5	Added "Management Object for SUPL" to the ER Baseline
Candidate Versions OMA-ERELED-SUPL-V1_0	15 Aug 2005	All	Status changed to Candidate by TP TP ref # OMA-TP-2005-0220-SUPL-V1_0-for-Candidate-Approval
	27 Jan 2006		No change to ERELD. Class 2 & 3 CRs agreed against - OMA-TS-ULP-V1_0-20060127-C <ul style="list-style-type: none"> • OMA-LOC-2005-0582 • OMA-LOC-2005-0529 • OMA-LOC-2005-0527R01 • OMA-LOC-2005-0395 • OMA-LOC-2005-0449 • OMA-LOC-2005-0458R02 • OMA-LOC-2005-0506 • OMA-LOC-2005-0510R01 • OMA-LOC-2005-0511 • OMA-LOC-2005-0454 - OMA-AD-SUPL-V1_0-20060127-C <ul style="list-style-type: none"> • OMA-LOC-2005-0412 • OMA-LOC-2005-0384R01 • OMA-LOC-2005-0415 • OMA-LOC-2005-0442 • OMA-LOC-2005-0448 • OMA-LOC-2005-453 • OMA-LOC-2005-273R01 • OMA-LOC-2005-0303R01 • OMA-LOC-2005-0447R02 • OMA-LOC-2005-0466 • OMA-LOC-2005-0500 • OMA-LOC-2005-0525 • OMA-LOC-2005-0536 • OMA-LOC-2005-0537R01 • OMA-LOC-2005-0533R03 • OMA-LOC-2005-0546 • OMA-LOC-2005-0564R03 • OMA-LOC-2005-0579R01 • OMA-LOC-2005-0581 • OMA-LOC-2005-0586