



Service User Profile Management Requirements

Candidate Version 1.0 – 15 Sep 2009

Open Mobile Alliance
OMA-RD-Service_User_Profile_Management-V1_0-20090915-C

Use of this document is subject to all of the terms and conditions of the Use Agreement located at <http://www.openmobilealliance.org/UseAgreement.html>.

Unless this document is clearly designated as an approved specification, this document is a work in process, is not an approved Open Mobile Alliance™ specification, and is subject to revision or removal without notice.

You may use this document or any part of the document for internal or educational purposes only, provided you do not modify, edit or take out of context the information in this document in any manner. Information contained in this document may be used, at your sole risk, for any purposes. You may not use this document in any other manner without the prior written permission of the Open Mobile Alliance. The Open Mobile Alliance authorizes you to copy this document, provided that you retain all copyright and other proprietary notices contained in the original materials on any copies of the materials and that you comply strictly with these terms. This copyright permission does not constitute an endorsement of the products or services. The Open Mobile Alliance assumes no responsibility for errors or omissions in this document.

Each Open Mobile Alliance member has agreed to use reasonable endeavours to inform the Open Mobile Alliance in a timely manner of Essential IPR as it becomes aware that the Essential IPR is related to the prepared or published specification. However, the members do not have an obligation to conduct IPR searches. The declared Essential IPR is publicly available to members and non-members of the Open Mobile Alliance and may be found on the “OMA IPR Declarations” list at <http://www.openmobilealliance.org/ipr.html>. The Open Mobile Alliance has not conducted an independent IPR review of this document and the information contained herein, and makes no representations or warranties regarding third party IPR, including without limitation patents, copyrights or trade secret rights. This document may contain inventions for which you must obtain licenses from third parties before making, using or selling the inventions. Defined terms above are set forth in the schedule to the Open Mobile Alliance Application Form.

NO REPRESENTATIONS OR WARRANTIES (WHETHER EXPRESS OR IMPLIED) ARE MADE BY THE OPEN MOBILE ALLIANCE OR ANY OPEN MOBILE ALLIANCE MEMBER OR ITS AFFILIATES REGARDING ANY OF THE IPR'S REPRESENTED ON THE “OMA IPR DECLARATIONS” LIST, INCLUDING, BUT NOT LIMITED TO THE ACCURACY, COMPLETENESS, VALIDITY OR RELEVANCE OF THE INFORMATION OR WHETHER OR NOT SUCH RIGHTS ARE ESSENTIAL OR NON-ESSENTIAL.

THE OPEN MOBILE ALLIANCE IS NOT LIABLE FOR AND HEREBY DISCLAIMS ANY DIRECT, INDIRECT, PUNITIVE, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES ARISING OUT OF OR IN CONNECTION WITH THE USE OF DOCUMENTS AND THE INFORMATION CONTAINED IN THE DOCUMENTS.

© 2009 Open Mobile Alliance Ltd. All Rights Reserved.

Used with the permission of the Open Mobile Alliance Ltd. under the terms set forth above.

Contents

1. SCOPE (INFORMATIVE)	5
2. REFERENCES	6
2.1 NORMATIVE REFERENCES.....	6
2.2 INFORMATIVE REFERENCES.....	6
3. TERMINOLOGY AND CONVENTIONS.....	7
3.1 CONVENTIONS.....	7
3.2 DEFINITIONS.....	7
3.3 ABBREVIATIONS.....	7
4. INTRODUCTION (INFORMATIVE).....	8
5. SERVICE USER PROFILE MANAGEMENT (SERVUSERPROF) RELEASE DESCRIPTION (INFORMATIVE)	9
5.1 VERSION 1.0	10
6. REQUIREMENTS (NORMATIVE).....	11
6.1 MODULARISATION	11
6.2 HIGH-LEVEL FUNCTIONAL REQUIREMENTS	11
6.2.1 Access the ServUserProf data.....	11
6.2.2 Manipulating ServUserProf data.....	12
6.2.3 Service User Profile Data Model characteristics.....	12
6.2.4 Data types for Service User Profile Data Model.....	13
6.2.5 Security.....	21
6.2.6 Charging.....	22
6.2.7 Administration and Configuration	22
6.2.8 Usability.....	22
6.2.9 Interoperability.....	22
6.2.10 Privacy.....	22
6.3 OVERALL SYSTEM REQUIREMENTS	22
APPENDIX A. CHANGE HISTORY (INFORMATIVE).....	23
A.1 APPROVED VERSION HISTORY	23
A.2 DRAFT/CANDIDATE VERSION 1.0 HISTORY	23
APPENDIX B. USE CASES (INFORMATIVE)	26
B.1 USER CONTEXT INFORMATION DATA APPROACH	26
B.1.1 Short Description	26
B.1.2 Market benefits	26
B.2 USER SERVICE USAGE DATA APPROACH.....	26
B.2.1 Short Description	26
B.2.2 Market benefits.....	26

Figures

Figure 1: High level diagram of ServUserProf scope	9
--	---

Tables

Table 1: High-Level Functional Requirements	11
Table 2: Access to data Requirements	12
Table 3: Manipulating data Requirements.....	12

Table 4: Data model characteristics Requirements	13
Table 5: Generic data types Requirements.....	14
Table 6: Data types originated from CBCS V1.0 Requirements	15
Table 7: Data types originated from XDM V2.1 Requirements	16
Table 8: Data types originated from CPM V1.0 Requirements.....	19
Table 9: Data types originated from CAB V1.0 Requirements	21
Table 10: High-Level Functional Requirements – Security Items	21
Table 11: High-Level Functional Requirements – Authentication Items	21
Table 12: High-Level Functional Requirements – Authorization Items.....	21
Table 13: High-Level Functional Requirements – Data Integrity Items.....	21
Table 14: High-Level Functional Requirements – Privacy Items.....	22
Table 15: High-Level System Requirements	22

1. Scope

(Informative)

The scope of this specification is to identify the requirements (and a few informative use cases where appropriate) for the Service User Profile Management (ServUserProf) enabler. The objective is to determine the requirements for the access to, and management of, Service User Profile data. These requirements are in support of needs identified in both OMA service enablers and other resources. The objective is to determine the requirements for a data model for the Service User Profile data, and the access to and the management of such data.

2. References

2.1 Normative References

[RFC2119] “Key words for use in RFCs to Indicate Requirement Levels”, S. Bradner, March 1997,
URL: <http://www.ietf.org/rfc/rfc2119.txt>

2.2 Informative References

- [OMADICT] “Dictionary for OMA Specifications”, Version 2.7, Open Mobile Alliance™,
OMA-ORG-Dictionary-V2_7, URL: <http://www.openmobilealliance.org/>
- [CBCSF_RD_1] “Categorization Based Content Screening Framework Requirements”, Version 1.0, Open Mobile
Alliance™, URL: <http://www.openmobilealliance.org/>
- [RFC3261] IETF RFC 3261 “SIP: Session Initiation Protocol”,
<http://www.ietf.org/rfc/rfc3261.txt>
URL: <http://www.ietf.org/rfc/rfc3261.txt>
- [RFC2822] IETF RFC 2822 “Internet Message Format”,
URL: <http://www.ietf.org/rfc/rfc2822.txt>
- [RFC3966] IETF RFC 3966 “The tel URI for Telephone Numbers”,
URL: <http://www.ietf.org/rfc/rfc3966.txt>
- [RFC4646] IETF RFC 3966 “Tags for Identifying Languages”,
URL: <http://www.ietf.org/rfc/rfc4646.txt>
- [XDM_RD_21] “OMA XML Document Management Requirements”, Version 2.1, Open Mobile Alliance™
URL: <http://www.openmobilealliance.org/>
- [3GPP_UDC] 3GPP TR 22.985-900 “3rd Generation Partnership Project; Technical Specification Group
Services and System Aspects; Service requirement for the User Data Convergence (UDC)
(Release 9)”, 2008-12, URL: <http://www.3gpp.org>
- [CPM_RD_1] “Converged IP Messaging Requirements”, Version 1.0, Open Mobile Alliance™
URL: <http://www.openmobilealliance.org/>
- [CAB_RD_1] “Converged Address Book Requirements”, Version 1.0, Open Mobile Alliance™
URL: <http://www.openmobilealliance.org/>

3. Terminology and Conventions

3.1 Conventions

The key words “MUST”, “MUST NOT”, “REQUIRED”, “SHALL”, “SHALL NOT”, “SHOULD”, “SHOULD NOT”, “RECOMMENDED”, “MAY”, and “OPTIONAL” in this document are to be interpreted as described in [RFC2119].

All sections and appendixes, except “Scope” and “Introduction”, are normative, unless they are explicitly indicated to be informative.

3.2 Definitions

User’s Characteristic Description Information	User’s characteristic description information permits to describe user characterisation (e.g. user’s interest and hobbies), generally as an analysis result from user’s related data (user’s basic information, extended information, historical behaviour data, etc.). The user’s characteristic description information may be represented for example by specific “topic tags”, with each tag being a specific topic (e.g., sports, finance, music) associated with a percentage of the relevance of the user to the specific topic.
Service Provider	See [OMADICT]
Service User Profile	A Service Provider managed set of information related to a User, that may be used to create personalized and contextualized services. The set of information may include both static and dynamic information available for example from the User Profile, User’s Characteristic Description information and User Context.
Service User Profile Data Model	The data model used to represent the Service User Profile.
User Profile	See [OMADICT]
User	See [OMADICT]
User Preferences	User’s related data used for contextualization and personalization of the service.
User Context	A set of information which describes the current status of the User (e.g. location, presence, current device capabilities, body temperature, blood pressure, weather).

3.3 Abbreviations

OMA	Open Mobile Alliance
ServUserProf	Services User Profile Management

4. Introduction

(Informative)

In an even richer and richer service environment, where heterogeneous technical solutions may coexist, the set of information related to the User may result in being spread over the Service Provider resources and not optimized with respect to having to access those data across many repositories.

So, when deploying OMA enablers and other resources, the service providers would benefit from having a unique logical mechanism for providing easy access to the Service User Profile information, not strictly tied to the physical technology used to access the User's information. Such a common access may be used by several authorised resources and allows them to get access to aggregated user data.

In order for OMA enablers and other resources to personalise and contextualise services or services content for Users, consistent with the Users' preferences, these enablers/resources require access to User's Profile information.

5. Service User Profile Management (ServUserProf) release description (Informative)

The main objective of the Service User Profile Management (ServUserProf) enabler is to define a unified data model (Service User Profile Data Model) for data related to Service User Profile, and provide one unique central point to access and allow management of those data, fulfilling the need of OMA services/enablers, while avoiding the duplication of ServUserProf functionalities in different enablers. The unified Service User Profile Data Model supports contextualization and personalization of the User's mobile and/or fixed services, as well as the content handled by those services.

The RD is following the following guiding principles:

- the focus is on requirements regarding the data model, including logical definition, representation and presentation of data, and not on the physical storage of the data.
- unless explicitly required by specific requirements, the general assumption is that data accessed by ServUserProf Enabler is obtained from several physical repositories deployed under the responsibility of Service Provider, without requiring storage replication.
- definitions and/or data models from publicly available specifications (e.g. from other OMA enablers and/or other standards bodies - see [3GPP_UDC]) are re-used and referenced if appropriate with respect to the focus of the requirements, and if needed expanded.
- standard mechanisms to access data defined outside ServUserProf Enabler are re-used and referenced if appropriate with respect to the focus of the requirements.
- the way in which data related to Service User Profile are to be presented by ServUserProf Enabler may however be different from the way the original data are defined, in particular when definitions from other specifications are used. In this case, ServUserProf Enabler will specify the necessary data presentation transformations, and the way the data is presented to requesters.

Figure 1 gives a graphical representation of the ServUserProf Enabler scope with the roles/actors (e.g. User, service and applications, ServUserProf enabler).




Figure 1: High level diagram of ServUserProf scope

Services, applications and other enablers in the upper part of the figure exploit the ServUserProf Enabler, being the consumers of data made available through the Service User Profile Data Model; the ServUserProf Enabler obtains data from

several physical repositories such as service user database, network database, other enablers represented in the bottom part of the figure.

5.1 Version 1.0

The ServUserProf enabler V1.0 makes use of previously defined User services-related data and data access mechanisms (e.g. protocols, data representations), in order to achieve the following:

- definition of a Service User Profile Data Model for User data. This comprises data that is under the responsibility of the Service Provider and is useful for contextualisation and personalisation of services (e.g. user preferences related to applications/services and/or service content):
 - inclusion of underlying service-related data structures previously defined in other standards for a
 - inclusion of previously defined different types of data and related elements (such as personalisation) provided by OMA enablers or other resources
 - definition of additional (new) data to be included in the data model
 - definition of the different views for representation of data in the data model
 - definition of extensible data model for future data inclusion
- selection of data management operations (creation, modification, search, retrieval, deletion etc.) together with:
 - access interface(s)
 - conditions for usage and access to ensure controlled, secure access by authenticated or authorised entities
 - reuse (where appropriate) of data defined outside ServUserProf Enabler (e.g. via other services enablers).

6. Requirements (Normative)

6.1 Modularisation

The ServUserProf requirements can be grouped into the following major functional modules:

- 1) General Enabler Requirements: These are requirements that specify basic high-level functions of the overall enabler
- 2) Access the ServUserProf data: These are requirements that specify how the data exposed by the ServUserProf enabler may be accessed by the consumer of the data
- 3) Manipulating ServUserProf data: These are requirements that specify how the ServUserProf enabler may manipulate data before to make them available to the consumer of the data
- 4) Service User Profile Data Model characteristics: These are requirements that specify the characteristics of the Service User Profile Data Model
- 5) Data types for Service User Profile Data Model: These are requirements that specify the data types that will be defined for the Service User Profile Data Model.

6.2 High-Level Functional Requirements

Note: there may be requirements in the form of bullet lists where there is heading text followed by a list of numbered requirements. In those cases, the heading text applies to all subsequent numbered requirements.

Label	Description	Release	Functional module
ServUserProf - HLF-001	The ServUserProf Enabler SHALL support an authorized Principal to interrogate the User Preferences information for each of the user's services (e.g. read specific information)	ServUserPr of V1.0	General
ServUserProf - HLF-002	The ServUserProf Enabler SHALL support an authorized Principal to update User Preferences information for each of the user's services (e.g. enabling/disabling a service)	ServUserPr of V1.0	General

Table 1: High-Level Functional Requirements

6.2.1 Access the ServUserProf data

Label	Description	Release	Functional module
ServUserProf - ACC-001	The ServUserProf Enabler SHALL allow an authorised Principal to interrogate and/or modify any Service User Profile information specified by the Service User Profile Data Model (e.g. name, age, address) in accordance with the authorisation permissions	ServUserPr of V1.0	Access the ServUserProf data
ServUserProf-ACC-002	For accessing data included in the Service User Profile Data Model from different sources, the ServUserProf Enabler SHALL provide a common access entry point.	ServUserPr of V1.0	Access the ServUserProf data
ServUserProf – ACC-003	ServUserProf Enabler SHALL specify a common and consistent data independent interface that enables access to each and all of the data defined in the Service User Profile Data Model, via its specified set of data schemas.	ServUserPr of V1.0	Access the ServUserProf data
ServUserProf - ACC-004	ServUserProf Enabler SHALL re-use pre-existing standard data access mechanisms. Infomational Note: which pre-existing standards can be reused will be detailed during the technical specification phase.	ServUserPr of V1.0	Access the ServUserProf data

Table 2: Access to data Requirements

6.2.2 Manipulating ServUserProf data

Label	Description	Release	Functional module
ServUserProf - MAN-001	When data needs to be exposed in a different logical view than the representation of the data definitions themselves, ServUserProf Enabler SHALL enable the data transformations.	ServUserPr of V1.0	Manipulating ServUserProf data
ServUserProf - MAN-002	The ServUserProf Enabler SHALL be able to consolidate (e.g. through aggregation, federation) Service User Profile data from different sources in order to present data through the Service User Profile Data Model.	ServUserPr of V1.0	Manipulating ServUserProf data
ServUserProf - MAN-003	The ServUserProf Enabler SHALL NOT specify the physical representation and physical storage for the Service User Profile data	ServUserPr of V1.0	Manipulating ServUserProf data

Table 3: Manipulating data Requirements

6.2.3 Service User Profile Data Model characteristics

Label	Description	Release	Functional module
ServUserProf - CRT-001	The ServUserProf Enabler SHALL be able to locate data for a given user in the Service User Profile Data Model based on that user's identity (e.g. MSISDN).	ServUserPr of V1.0	Service User Profile Data Model characteristics
ServUserProf - CRT-002	The ServUserProf Enabler SHALL specify a data model, able to reflect the logical view of the Service User Profile Data Model that may be exposed to authorised requesters.	ServUserPr of V1.0	Service User Profile Data Model characteristics
ServUserProf - CRT-003	The Service User Profile Data Model specified by the ServUserProf Enabler SHALL re-use and/or expand pre-existing standard data definitions (data definitions corresponding to individual leaves and/or branches of other relevant standard data models). Informational Note: which pre-existing standard data definitions can be reused will be detailed during the technical specification phase.	ServUserPr of V1.0	Service User Profile Data Model characteristics
ServUserProf - CRT-004	The Service User Profile Data Model specified by the ServUserProf Enabler SHALL only include new data definitions when the data model requires it, and when such data definitions from other standards cannot be re-used as is or by expanding them.	ServUserPr of V1.0	Service User Profile Data Model characteristics
ServUserProf - CRT-005	ServUserProf Enabler SHALL specify a set of data schemas to support presentation in a consistent manner of each and all the data defined in its data model.	ServUserPr of V1.0	Service User Profile Data Model characteristics
ServUserProf - CRT-006	Where applicable, ServUserProf Enabler SHALL re-use and/or expand pre-existing standard data schemas.	ServUserPr of V1.0	Service User Profile Data Model characteristics
ServUserProf - CRT-007	The ServUserProf Enabler specified set of data schemas SHALL be extensible to support additional data definitions added to the Service User Profile Data Model as may be needed by the Service Provider.	ServUserPr of V1.0	Service User Profile Data Model characteristics

ServUserProf - CRT-008	The ServUserProf Enabler SHALL be able to support the Service User Profile Data Model to be extensible to represent user data belonging to any OMA enabler	ServUserPr of V1.0	Service User Profile Data Model characteristics
------------------------	--	--------------------	---

Table 4: Data model characteristics Requirements

6.2.4 Data types for Service User Profile Data Model

6.2.4.1 Generic Data types

Label	Description	Release	Functional module
	ServUserProf Enabler specified data types SHALL include:		
ServUserProf - GDT-001	1. The user's preferred mechanisms for interaction with the services (e.g. select which of the defined interactions mechanisms [email, SMS, Push etc.] is to be used to access/deliver a service)	ServUserPr of V1.0	Data types for Service User Profile Data Model
ServUserProf - GDT-002	2. User service usage data.	ServUserPr of 1.0	Data types for Service User Profile Data Model
ServUserProf - GDT-003	3. User subscription information (i.e. all the user data that is collected and recorded in his/her subscription; e.g. User service constraint such as User being in blacklist for given services, credit limit)	ServUserPr of 1.0	Data types for Service User Profile Data Model
ServUserProf - GDT-004	4. Two kinds of Date of Birth information of the User; one that delivers the real Date of Birth, set and locked by the Service Provider, and the other that delivers the Date of Birth as set by the User.	ServUserPr of V1.0	Data types for Service User Profile Data Model
ServUserProf - GDT-005	5. Business Communication address(es) (e.g. SIP URI [RFC3261], TEL URI [RFC3966], E.164 number, email address [RFC2822])	ServUserPr of V1.0	Data types for Service User Profile Data Model
ServUserProf - GDT-006	6. Title (e.g. Mr, Master, Mrs, Ms)	ServUserPr of V1.0	Data types for Service User Profile Data Model
ServUserProf - GDT-007	7. Business address (e.g. country, region, locality, area, street-name, street-number, postal code)	ServUserPr of V1.0	Data types for Service User Profile Data Model
ServUserProf - GDT-008	8. Preferred languages (e.g. preferred language, other languages [RFC4646])	ServUserPr of V1.0	Data types for Service User Profile Data Model
ServUserProf - GDT-009	9. Account type (e.g., pre-payment, post-payment, enterprise-payment)	ServUserPr of V1.0	Data types for Service User Profile Data Model

ServUserProf - GDT-010	10.Account status (e.g., regular, owing fee, paused)	ServUserPr of V1.0	Data types for Service User Profile Data Model
ServUserProf - GDT-011	11.Brand/service level (e.g., gold, silver, bronze)	ServUserPr of V1.0	Data types for Service User Profile Data Model
ServUserProf - GDT-012	12.Account credit level (e.g., high, medium, low)	ServUserPr of V1.0	Data types for Service User Profile Data Model
ServUserProf - GDT-013	13.Location information	ServUserPr of V1.0	Data types for Service User Profile Data Model
ServUserProf - GDT-014	14.Presence (e.g., online, busy, idle, on-the-call)	ServUserPr of V1.0	Data types for Service User Profile Data Model
ServUserProf - GDT-015	15.Device information (e.g., device type, specific service capability)	ServUserPr of V1.0	Data types for Service User Profile Data Model
ServUserProf - GDT-016	16.Information about current access network (e.g., WiFi, GPRS/EDGE, WCDMA)	ServUserPr of V1.0	Data types for Service User Profile Data Model
ServUserProf - GDT-017	17.Other information that can be considered as part of the User Context	ServUserPr of V1.0	Data types for Service User Profile Data Model
ServUserProf - GDT-018	18.User's Characteristic Description Information	ServUserPr of V1.0	Data types for Service User Profile Data Model

Table 5: Generic data types Requirements

6.2.4.2 CBCS V1.0 Data types

Label	Description	Release	Functional module
	ServUserProf Enabler specified data types SHALL include:		
ServUserProf - CBCS-001	1. Content screening Control [CBCSF_RD_1] (such control is used by CBCS to enable or disable content screening)	ServUserPr of V1.0	Data types for Service User Profile Data Model

ServUserProf - CBCS-002	2. Screening Options [CBCSF_RD_1] (these options are used by CBCS to know how to screen previously categorised content)	ServUserPr of V1.0	Data types for Service User Profile Data Model
-------------------------	---	--------------------	--

Table 6: Data types originated from CBCS V1.0 Requirements

6.2.4.3 XDM V2.1 Data types

Label	Description	Release	Functional module
	ServUserProf Enabler specified data types SHALL include:		
ServUserProf - XDM-001	1. Personal Communication address(es) [XDM_RD_21] (e.g. SIP URI [RFC3261], TEL URI [RFC3966], E.164 number, email address [RFC2822])	ServUserPr of V1.0	Data types for Service User Profile Data Model
ServUserProf - XDM-002	2. Display name [XDM_RD_21], containing a suggested name to display in user interfaces (e.g. in the IM buddy list)	ServUserPr of V1.0	Data types for Service User Profile Data Model
ServUserProf - XDM-003	3. Date of birth [XDM_RD_21], containing the birth date of the User	ServUserPr of V1.0	Data types for Service User Profile Data Model
ServUserProf - XDM-004	4. Name [XDM_RD_21], containing the human identity of the User, (e.g. first name, family name, middle name, name suffix, name prefix).	ServUserPr of V1.0	Data types for Service User Profile Data Model
ServUserProf - XDM-005	5. Address [XDM_RD_21], containing the personal postal address of the User (e.g. country, region, locality, area, street-name, street-number, postal code).	ServUserPr of V1.0	Data types for Service User Profile Data Model
ServUserProf - XDM-006	6. Gender [XDM_RD_21], containing the gender of the User (e.g. male, female)	ServUserPr of V1.0	Data types for Service User Profile Data Model
ServUserProf - XDM-007	7. Free text [XDM_RD_21], containing a description of the User	ServUserPr of V1.0	Data types for Service User Profile Data Model
ServUserProf - XDM-008	8. Communication abilities [XDM_RD_21], containing a list of the communication abilities of the User for human consumption	ServUserPr of V1.0	Data types for Service User Profile Data Model
ServUserProf - XDM-009	9. Hobbies [XDM_RD_21], containing a list of the User's hobbies	ServUserPr of V1.0	Data types for Service User Profile Data Model

ServUserProf - XDM-010	10.Favourite links [XDM_RD_21], containing a list of the User's favourite links	ServUserPr of V1.0	Data types for Service User Profile Data Model
------------------------	---	--------------------	--

Table 7: Data types originated from XDM V2.1 Requirements

6.2.4.4 CPM V1.0 Data types

Label	Description	Release	Functional module
	ServUserProf Enabler specified data types SHALL include:		
ServUserProf - CPM-001	1. User preferences [CPM_RD_1] set that enable messaging service customization: <ul style="list-style-type: none"> User's addresses User's devices message type Media Types the message priority 	ServUserPr of V1.0	Data types for Service User Profile Data Model
ServUserProf - CPM-002	2. User preference [CPM_RD_1] indicating on whether his/her identity can or not be disclosed to the recipient of a message sent by the user.	ServUserPr of V1.0	Data types for Service User Profile Data Model
ServUserProf - CPM-003	3. User preferences [CPM_RD_1] indicating whether a messaging service used by the user should accept or reject an incoming message or a session invitation (e.g. based on originator address (blacklist), undisclosed sender identity, or message type/content).	ServUserPr of V1.0	Data types for Service User Profile Data Model
ServUserProf - CPM-004	4. Multiple User Preferences Profiles [CPM_RD_1] (e.g. created according to different scenarios, such as Home, Office, Travel, Sleep, Meeting etc).	ServUserPr of V1.0	Data types for Service User Profile Data Model
ServUserProf - CPM-005	5. User preference [CPM_RD_1] indicating one of the multiple User Preferences Profiles as the active profile (e.g. for address and device combinations), regardless of the device used to initially create that profile.	ServUserPr of V1.0	Data types for Service User Profile Data Model
ServUserProf - CPM-006	6. User's Communication Preferences [CPM_RD_1], e.g.: <ul style="list-style-type: none"> Settings applying to all the devices that he chooses Individual settings per device Per contact or category of contacts 	ServUserPr of V1.0	Data types for Service User Profile Data Model
ServUserProf - CPM-007	7. User preferences [CPM_RD_1] indicating whether, and if so, how to expose User's Communication Capabilities to other Principals (e.g. to his contacts in the User's network address book).	ServUserPr of V1.0	Data types for Service User Profile Data Model
ServUserProf - CPM-008	8. User's Communication Capabilities and information, and related User's Communication Preferences (e.g. for disclosure to authorised contacts) [CPM_RD_1].	ServUserPr of V1.0	Data types for Service User Profile Data Model

ServUserProf - CPM-009	9. User contacts' preferred communication means, and the means and conditions under which they can be disclosed [CPM_RD_1].	ServUserPr of V1.0	Data types for Service User Profile Data Model
ServUserProf - CPM-010	10. User preference [CPM_RD_1] indicating whether, and if so, how he/she should be notified, on a per-message basis, on the delivery or non-delivery of messages he/she has sent towards the recipient(s).	ServUserPr of V1.0	Data types for Service User Profile Data Model
ServUserProf - CPM-011	11. User preference [CPM_RD_1] indicating whether he/she should be notified when a message he/she sent is read by the recipient(s).	ServUserPr of V1.0	Data types for Service User Profile Data Model
ServUserProf - CPM-012	12. User preference [CPM_RD_1] indicating the message handling mechanism used by the messaging enabler in case the user is not available for receiving the such message (e.g. not registered in the home network, user does not wish to receive it immediately), e.g.: <ul style="list-style-type: none"> • Discard the message while providing a notification to the sender based on service provider policies and sender's preferences • Defer the message • Store the message in the network-based storage • Deliver the message through other via a communication service 	ServUserPr of V1.0	Data types for Service User Profile Data Model
ServUserProf - CPM-013	13. User preferences [CPM_RD_1] regarding storing of messages based on the Media forms (e.g. store text and voice messages but delete video messages or streams).	ServUserPr of V1.0	Data types for Service User Profile Data Model
ServUserProf - CPM-014	14. User preference [CPM_RD_1] regarding the use of a pseudonym (e.g. used when participating in group messaging sessions).	ServUserPr of V1.0	Data types for Service User Profile Data Model
ServUserProf - CPM-015	15. User preference [CPM_RD_1] regarding the renegotiation of his/her Pseudonym (e.g., the renegotiation process may reject forbidden sensitive words).	ServUserPr of V1.0	Data types for Service User Profile Data Model
ServUserProf - CPM-016	16. User preference [CPM_RD_1] regarding joining a messaging session in a "hidden mode"; that is, his/her presence in the communication and identity are not to be disclosed to other Participants, subject to service provider policies.	ServUserPr of V1.0	Data types for Service User Profile Data Model
ServUserProf - CPM-017	17. User preferences [CPM_RD_1] regarding automatic acceptance/rejection of a request to add/modify/delete continuous Media to a 1-N messaging session received from the other Participants based on the Communication Capabilities and user preferences.	ServUserPr of V1.0	Data types for Service User Profile Data Model
ServUserProf - CPM-018	18. User preferences [CPM_RD_1] regarding the presentation of messages and messaging sessions belonging to the same messaging conversation in a conversational view in the messaging-enabled device.	ServUserPr of V1.0	Data types for Service User Profile Data Model

ServUserProf - CPM-019	19. User preferences [CPM_RD_1] regarding the presentation of the stored messages and messaging session histories belonging to a messaging conversation history in a threaded view.	ServUserPr of V1.0	Data types for Service User Profile Data Model
ServUserProf - CPM-020	20. User preference [CPM_RD_1] indicating the association of an expiry time to a message.	ServUserPr of V1.0	Data types for Service User Profile Data Model
ServUserProf - CPM-021	21. User preference [CPM_RD_1] regarding the handling of a message when the expiry time associated with a deferred message is reached in the messaging enabler, e.g.: <ul style="list-style-type: none"> • Discard the message • Store the message in the network-based storage • Extend the expiry time 	ServUserPr of V1.0	Data types for Service User Profile Data Model
ServUserProf - CPM-022	22. User preferences [CPM_RD_1] indicating the contacts whose presence should be watched, on a per User Preferences Profile basis.	ServUserPr of V1.0	Data types for Service User Profile Data Model
ServUserProf - CPM-023	23. User preference [CPM_RD_1] indicating whether a piece of discrete Media (e.g. audio clip or video clip) sent as part of a message is to be played immediately and automatically upon reception at the recipient end (if supported and enabled by the recipient user).	ServUserPr of V1.0	Data types for Service User Profile Data Model
ServUserProf - CPM-024	24. User preferences [CPM_RD_1] indicating offered Media Types are the preferred Media Types in a messaging session invitation.	ServUserPr of V1.0	Data types for Service User Profile Data Model
ServUserProf - CPM-025	25. User preferences [CPM_RD_1] indicating how to filter/prioritize continuous Media if two or more continuous Media are simultaneously exchanged in the same messaging session, or if there is more than one messaging conversation containing continuous Media in parallel (e.g. session priority, listen to one voice/audio stream only).	ServUserPr of V1.0	Data types for Service User Profile Data Model
ServUserProf - CPM-026	26. User preferences [CPM_RD_1] (e.g. enable/disable, filtering criteria) regarding the automatic storage of messages, messaging sessions, messaging conversations and Media, and the conditions in which to store them (e.g., when messages are received and sent) in his/her network-based storage.	ServUserPr of V1.0	Data types for Service User Profile Data Model
ServUserProf - CPM-027	27. User preferences [CPM_RD_1] (e.g. filtering criteria, enable/disable automatic synchronization) regarding the synchronization of : <ul style="list-style-type: none"> • the stored messages or session histories • the conversation histories • the Media • the list of stored messages and/or session histories and/or Media • between the local storage of the messaging User's device(s) and messaging User's network-based storage. 	ServUserPr of V1.0	Data types for Service User Profile Data Model

ServUserProf - CPM-028	28. User preferences [CPM_RD_1] regarding the delivery of messages that include Media (e.g. receive the Media content within the message or receive a link to the Media content stored the network-based storage).	ServUserPr of V1.0	Data types for Service User Profile Data Model
ServUserProf - CPM-029	29. User preferences [CPM_RD_1] regarding the delivery of a messaging session invitation to all or a subset of the devices of the User.	ServUserPr of V1.0	Data types for Service User Profile Data Model
ServUserProf - CPM-030	30. User preferences [CPM_RD_1] regarding which of his/her devices SHALL be used for the added/modified continuous Media within the current messaging session.	ServUserPr of V1.0	Data types for Service User Profile Data Model
ServUserProf - CPM-031	31. User indicated identifiers [CPM_RD_1] (i.e. a human readable name) for each of his/her devices.	ServUserPr of V1.0	Data types for Service User Profile Data Model
ServUserProf - CPM-032	32. User preferences [CPM_RD_1] regarding the use of a common set of preference settings for all or a subset of his/her messaging addresses.	ServUserPr of V1.0	Data types for Service User Profile Data Model

Table 8: Data types originated from CPM V1.0 Requirements

6.2.4.5 CAB V1.0 Data types

Label	Description	Release	Functional module
	ServUserProf Enabler specified data types SHALL include:		
ServUserProf - CAB-001	1. User contacts' information such as [CAB_RD_1]: <ul style="list-style-type: none"> • Full name (e.g. title, first, middle, last and suffix) • Display name: An optional descriptive name suggested by the user to identify him/herself (e.g. nickname) • Addressing identifiers (e.g. CPM Address [CPM], instant messaging address, email address, phone number, SIP address, presence subscription address, gaming user identifier...) • Basic personal data (e.g. birth date, description, gender, height, home address) • Extended personal data (e.g. areas of expertise, avatars data, hobbies, interests, photo or video data, title) • Web resources (e.g. homepage URL, weblog URL, publications URL) • Organisational data (e.g. business category, department name, job title, alternative contact or agent) 	ServUserPr of V1.0	Data types for Service User Profile Data Model
ServUserProf - CAB-002	2. User preferences [CAB_RD_1] regarding the keeping up-to-date of all address book(s) information (e.g. automatic or by request).	ServUserPr of V1.0	Data types for Service User Profile Data Model

ServUserProf - CAB-003	3. User settings [CAB_RD_1] for access and modification rights to all or a subset of the contact information stored in his/her address book(s).	ServUserPr of V1.0	Data types for Service User Profile Data Model
ServUserProf - CAB-004	4. User settings [CAB_RD_1] indicating the address book used for each of the user's messaging address.	ServUserPr of V1.0	Data types for Service User Profile Data Model
ServUserProf - CAB-005	5. User setting [CAB_RD_1] regarding acceptance contact information in Legacy Formats other than vCard.	ServUserPr of V1.0	Data types for Service User Profile Data Model
ServUserProf - CAB-006	6. User setting [CAB_RD_1] regarding notification when another user is adding him/her to their address book(s).	ServUserPr of V1.0	Data types for Service User Profile Data Model
ServUserProf - CAB-007	7. User setting [CAB_RD_1] regarding notification when a contact starts using the same address book capabilities that he/she is using.	ServUserPr of V1.0	Data types for Service User Profile Data Model
ServUserProf - CAB-008	8. User authorisation rules [CAB_RD_1] regarding the information in the address book(s), and the conditions in which it can be disclosed (e.g. to satisfy contact subscriptions, contact searches).	ServUserPr of V1.0	Data types for Service User Profile Data Model
ServUserProf - CAB-009	9. User default authorization rule [CAB_RD_1] to be applied to any users that are not explicitly identified within the authorization rules.	ServUserPr of V1.0	Data types for Service User Profile Data Model
ServUserProf - CAB-010	10. User's Personal Contact Card information [CAB_RD_1].	ServUserPr of V1.0	Data types for Service User Profile Data Model
ServUserProf - CAB-011	11. User's Contact Views of their Personal Contact Card and the fields [CAB_RD_1] that are associated with each Contact View.	ServUserPr of V1.0	Data types for Service User Profile Data Model
ServUserProf - CAB-012	12. User setting [CAB_RD_1] indicating the Contact View(s) to be provided to a user requesting Personal Contact Card information.	ServUserPr of V1.0	Data types for Service User Profile Data Model
ServUserProf - CAB-013	13. User preference [CAB_RD_1] regarding notification about a request for a Contact Subscription.	ServUserPr of V1.0	Data types for Service User Profile Data Model

ServUserProf - CAB-014	14. User preference [CAB_RD_1] regarding notification when changes occur to Published Contact Card information for which the address book User has a Contact Subscription.	ServUserPr of V1.0	Data types for Service User Profile Data Model
ServUserProf - CAB-015	15. User preferences [CAB_RD_1] regarding automatic update of User's address book with contact information from Contact Subscriptions.	ServUserPr of V1.0	Data types for Service User Profile Data Model

Table 9: Data types originated from CAB V1.0 Requirements

6.2.5 Security

Label	Description	Release	Functional module
ServUserProf – SEC-001	The ServUserProf Enabler SHALL allow secure access to data in the Service User Profile for an authorized Principal	ServUserPr of V1.0	General

Table 10: High-Level Functional Requirements – Security Items

6.2.5.1 Authentication

Label	Description	Release	Functional module
ServUserProf – SEC-002	The ServUserProf Enabler SHALL support mechanisms to authenticate Principals	ServUserPr of V1.0	General

Table 11: High-Level Functional Requirements – Authentication Items

6.2.5.2 Authorization

Label	Description	Release	Functional module
ServUserProf – SEC-003	The ServUserProf Enabler SHALL support mechanisms to authorize Principals attempting to perform data management operations (e.g. create, read, update, modify, etc)	ServUserPr of V1.0	General
ServUserProf - SEC-004	The ServUserProf Enabler SHALL support an authorized Principal to manage access to preferences information in the user profile (e.g. read/update/create permissions to perform operations on preferences information)	ServUserPr of V1.0	General

Table 12: High-Level Functional Requirements – Authorization Items

6.2.5.3 Data Integrity

Label	Description	Release	Functional module
ServUserProf - SEC-005	The ServUserProf Enabler SHALL support data integrity of the management operations, protecting against accidental or intentional changes to the data, by ensuring that changes to the data are journalled and detectable	ServUserPr of V1.0	General

Table 13: High-Level Functional Requirements – Data Integrity Items

6.2.5.4 Confidentiality

None identified

6.2.6 Charging

None identified

6.2.7 Administration and Configuration

None identified

6.2.8 Usability

None identified

6.2.9 Interoperability

None identified

6.2.10 Privacy

Label	Description	Release	Functional module
ServUserProf - PRV-001	The ServUserProf Enabler SHALL support a mechanism allowing the provisioning of the mapping between any authorized principal, the Service User Profile data that principal is allowed access to, and the operations allowed on that data by that authorized principal. The provisioning is performed by an authorized Principal, thus defining which user data shall not be made available and accessible depending on the requesting resource and data requested (e.g. identify that service preferences X shall not be made available to read, for example because of user data release or because of user data usage criteria).	ServUserPr of V1.0	General

Table 14: High-Level Functional Requirements – Privacy Items

6.3 Overall System Requirements

Label	Description	Release	Functional module
ServUserProf - SYS-001	The ServUserProf Enabler SHALL leverage existing technologies and specifications (e.g. protocols, data representations and encoding formats) defined within OMA and by other standards bodies as far as possible to satisfy the requirements	ServUserPr of V1.0	General
ServUserProf - SYS-002	The ServUserProf Enabler SHALL allow modularity, scalability and extensibility	ServUserPr of V1.0	General

Table 15: High-Level System Requirements

Appendix A. Change History

(Informative)

A.1 Approved Version History

Reference	Date	Description
n/a	n/a	No prior version –or- No previous version within OMA

A.2 Draft/Candidate Version 1.0 History

Document Identifier	Date	Sections	Description	
Draft Versions OMA-RD- Service_User_Profile_Management- V1_0	12 Feb2009	Scope Introduction Abbreviation Requirement Use Cases	OMA-REQ-ServUserProf-2008-0002R01-INP_ServUserProf_Scope OMA-REQ-ServUserProf-2008-0012R03-INP_ServUserProf_support_for_MobAd OMA-REQ-ServUserProf-2008-0005R03-INP_Use_Case OMA-REQ-ServUserProf-2008-0004R01-INP_ServUserProf_Introduction OMA-REQ-ServUserProf-2008-0003-INP_ServUserProf_Abbreviations OMA-REQ-ServUserProf-2009-0009-CR_User_service_usage_data_use_case	
	17 Mar 2009	6.2 High-Level Functional Requirements	Update accordingly to INP agreed on 20090312 REQ CC: - OMA-REQ-ServUserProf-2009-0010-INP_Support_for_XDM - OMA-REQ-ServUserProf-2009-0011-INP_Support_for_further_user_data_requirements	
	28 April 2009	n/a	Update accordingly to INP and CRs agreed on 20090402 REQ CC and Helsinki Face to Face Meeting: OMA-REQ-ServUserProf-2009-0013R03-CR_Collection_Requirements OMA-REQ-ServUserProf-2009-0014R03-CR_Management_Requirements OMA-REQ-ServUserProf-2009-0017-INP_Data_integrity OMA-REQ-ServUserProf-2009-0018R01-INP_Privacy OMA-REQ-ServUserProf-2009-0019R01-INP_Security OMA-REQ-ServUserProf-2009-0020R01-INP_Support_for_CBCSF OMA-REQ-ServUserProf-2009-0022-INP_System_requirements OMA-REQ-ServUserProf-2009-0024R01-CR_Introduction_Changes OMA-REQ-ServUserProf-2009-0025R01-INP_Reusing_data_definitions_and_access_mechanisms OMA-REQ-ServUserProf-2009-0027R01-INP_Support_for_messaging OMA-REQ-ServUserProf-2009-0028R01-INP_Support_for_address_book	
	24 May 2009	All		Editorial clean-up
		6.2 High-Level Functional Requirements		OMA-REQ-ServUserProf-2009-0029-INP_Enabler_user_data
		6.2 High-Level Functional Requirements		OMA-REQ-ServUserProf-2009-0030-INP_Subscriber_Account_Information_Support.zip
		6.2 High-Level Functional Requirements		OMA-REQ-ServUserProf-2009-0031-INP_User_Context_Information_Support.zip
		3.2 Definitions 6.2 High-Level Functional Requirements		OMA-REQ-ServUserProf-2009-0032-INP_User_Characteristic_Description_Support.zip
	29 May 2009	All		OMA-REQ-ServUserProf-2009-0033R01-CR_Restrucsturing_RD

Document Identifier	Date	Sections	Description
		3.2 Definitions	OMA-REQ-ServUserProf-2009-0034- INP_Service_User_Profile_Definition
		All	Editorial
	04 June 2009	4, 5 and 6	OMA-REQ-ServUserProf-2009-0036-CR_Completing_RD
	24 June 2009	3.2, 6	Update accordingly to comments closed in Boston: A006, A065, A069, A070, A071, A072, A073, A074, A075, A076, A078, A079, A080, A081, A082, A084, A086, A087, A088, A089, A090, A091, A092, A093, A094, A095, A096 (see RDRR and Boston meeting minute)
	29 June 2009	All	Updated accordingly to action assigned to Francesco in Boston "Francesco to updated RD accordingly to the agreed definition of Service User Profile Data Model"
	15 July 2009	5, 6	Update accordingly to comments closed with CRs in R&A: A097, A099, A100, A101, A102, A103, A104, A105, A106, A025, A026, A030, A031, A032, A033, A034, A035, A036, A037 CRs implemented: <ul style="list-style-type: none"> ▪ OMA-REQ-ServUserProf-2009-0048- CR_Resolution_comment_A097__CBCS_001_and_CBCS_002 ▪ OMA-REQ-ServUserProf-2009-0049- CR_Resolution_comments_A099,_A100,_A101_-_SEC_001 ▪ OMA-REQ-ServUserProf-2009-0050- CR_Resolution_comments_A103,_A104_-_PRV_001 ▪ OMA-REQ-ServUserProf-2009-0052- CR_Resolution_comments_A102_for_SEC_003 ▪ OMA-REQ-ServUserProf-2009-0053- CR_Resolution_comments_A105_A106_for_SYS_001_SYS_002 ▪ OMA-REQ-ServUserProf-2009-0054- CR_Resolution_comments_A025_A026_A030_A031_A032_A033_A034_A035_A036_A037_in_Section_5
	22 July 2009	5.1	Update accordingly to comments closed with CRs in R&A: A047, A048, A049, from A050 to A062 CRs implemented: <ul style="list-style-type: none"> ▪ OMA-REQ-ServUserProf-2009-0057- CR_Resolution_comment_A047_48_49_-_Intro_Section5_1 ▪ OMA-REQ-ServUserProf-2009-0058R02- CR_Resolution_comments_A050_to_A062
	30 July 2009	5	Update accordingly to comments closed with CRs in R&A: from A038 to A046. CRs implemented: OMA-REQ-ServUserProf-2009-0059- CR_OMA_REQ_ServUserProf_2009_CR_Resolution_comment_A038_to_A046_Intro_Section5
	31 July 2009	6, 6.2.3	Update accordingly to comments closed in REQ CC July 30: A063, A001, A085 CRs implemented: OMA-REQ-ServUserProf-2009-0062- CR_Resolution_comments_A027_28_29_for_Editorial_sect_5 OMA-REQ-ServUserProf-2009-0063R02- CR_Resolution_comments_A063_A064_for_Editorial_sect_6 OMA-REQ-ServUserProf-2009-0064- CR_RDRR_update_for_Resolution_comment_A106

Document Identifier	Date	Sections	Description
	14 August 2009	2.2, 4, 3.2, 1, 5.1, 6.2.3	Update accordingly to comments closed with CRs in R&A: A007, A008, A009, from A013 to A024, A010 and A011, from A002 to A005, A055 and A083, A001, A085 CRs implemented: OMA-REQ-ServUserProf-2009-0060-CR_Resolution_comments_A007_to_A009_for_section2_2 OMA-REQ-ServUserProf-2009-0061R01-CR_Resolution_comments_A013_A024_for_section_4 OMA-REQ-ServUserProf-2009-0066R01-CR_Resolution_comments_A010_A011_for_section3_2 OMA-REQ-ServUserProf-2009-0068R01-CR_Resolution_comments_A002_to_A005_for_section_1 OMA-REQ-ServUserProf-2009-0069-CR_Resolution_comments_A055_and_A083
	26 August 2009	6.2, 6.2.1, 3.2, 3.3, 6.2.4.1, 1, 5.1, 6.1, 6.2.1,	Update accordingly to comments closed with CRs in Singapore: A066, A067. CRs implemented: OMA-REQ-ServUserProf-2009-0067R02-CR_Action_for_comments_A066_A067_for_HLF_001_HLF_002 OMA-REQ-ServUserProf-2009-0070R01-CR_Resolution_for_User_Context_Consistency OMA-REQ-ServUserProf-2009-0071R01-CR_Resolution_for_Service_User_Profile_Data_Model_Consistency Editorial Changes
Candidate Version OMA-RD- Service_User_Profile_Management- V1_0	15 Sep 2009	N/A	Status changed to Candidate by TP ref # OMA-TP-2009-0408-INP_ServUserProf_V1_0_RD_for_Candidate_Approval

Appendix B. Use Cases (Informative)

B.1 User Context information data approach

This use case demonstrates the abilities that ServUserProf helps subscriber to book an appropriate service type for the unique person him/herself, based on the user's preference information.

B.1.1 Short Description

The user interacts with the electronic news magazine service platform to subscribe electronic magazine for himself/herself.

The electronic news magazine service platform access ServUserProf enabler storing User Context information to fetch User Context information.

The user context information includes the user's current handset brand and type, places user is visiting, etc.

The ServUserProf enabler should perform data fetching.

After this procedure, ServUserProf enabler returns the data to electronic news magazine platform.

The platform chooses the most appropriate magazines for the user and then presents them to user.

B.1.2 Market benefits

A smart and reasonable service offer mechanism function may give the subscribers a good service experience. And this may boost the market acceptance of mobile value-added services. The content provider and operators may benefit from the increased consuming from contents.

B.2 User service usage data approach

B.2.1 Short Description

There is a user's subscription in the mobile TV service platform. The user will pay for this service every month.

But the user didn't know or has forgot this subscription. He/She has never used this service. The mobile TV service platform or other service enabler/application (e.g. integrated service management platform, service usage notification application) should notify this information to him/her. This can eliminate unnecessary misunderstanding.

The ServUserProf Enabler shall be able to support user service usage data approach. The mobile TV service platform or other service enabler/application access ServUserProf enabler storing user service usage information to fetch the number of times the user use the service over a period of time.

According to the frequency of use, the mobile TV service platform or other service enabler/application chooses whether or not need to notify the user.

B.2.2 Market benefits

The user service usage data is very important information to the operator and service provider. The service provider may provide better and more services base on these informations. The user may get a good service experience. The operator and service providers may benefit from the increased service consuming.