



# **DM List of supported Management Object (ListMO)**

Candidate Version 1.0 – 11 May 2011

---

**Open Mobile Alliance**  
OMA-ER-ListMO-V1\_0-20110511-C

Use of this document is subject to all of the terms and conditions of the Use Agreement located at <http://www.openmobilealliance.org/UseAgreement.html>.

Unless this document is clearly designated as an approved specification, this document is a work in process, is not an approved Open Mobile Alliance™ specification, and is subject to revision or removal without notice.

You may use this document or any part of the document for internal or educational purposes only, provided you do not modify, edit or take out of context the information in this document in any manner. Information contained in this document may be used, at your sole risk, for any purposes. You may not use this document in any other manner without the prior written permission of the Open Mobile Alliance. The Open Mobile Alliance authorizes you to copy this document, provided that you retain all copyright and other proprietary notices contained in the original materials on any copies of the materials and that you comply strictly with these terms. This copyright permission does not constitute an endorsement of the products or services. The Open Mobile Alliance assumes no responsibility for errors or omissions in this document.

Each Open Mobile Alliance member has agreed to use reasonable endeavors to inform the Open Mobile Alliance in a timely manner of Essential IPR as it becomes aware that the Essential IPR is related to the prepared or published specification. However, the members do not have an obligation to conduct IPR searches. The declared Essential IPR is publicly available to members and non-members of the Open Mobile Alliance and may be found on the “OMA IPR Declarations” list at <http://www.openmobilealliance.org/ipr.html>. The Open Mobile Alliance has not conducted an independent IPR review of this document and the information contained herein, and makes no representations or warranties regarding third party IPR, including without limitation patents, copyrights or trade secret rights. This document may contain inventions for which you must obtain licenses from third parties before making, using or selling the inventions. Defined terms above are set forth in the schedule to the Open Mobile Alliance Application Form.

NO REPRESENTATIONS OR WARRANTIES (WHETHER EXPRESS OR IMPLIED) ARE MADE BY THE OPEN MOBILE ALLIANCE OR ANY OPEN MOBILE ALLIANCE MEMBER OR ITS AFFILIATES REGARDING ANY OF THE IPR'S REPRESENTED ON THE “OMA IPR DECLARATIONS” LIST, INCLUDING, BUT NOT LIMITED TO THE ACCURACY, COMPLETENESS, VALIDITY OR RELEVANCE OF THE INFORMATION OR WHETHER OR NOT SUCH RIGHTS ARE ESSENTIAL OR NON-ESSENTIAL.

THE OPEN MOBILE ALLIANCE IS NOT LIABLE FOR AND HEREBY DISCLAIMS ANY DIRECT, INDIRECT, PUNITIVE, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES ARISING OUT OF OR IN CONNECTION WITH THE USE OF DOCUMENTS AND THE INFORMATION CONTAINED IN THE DOCUMENTS.

© 2011 Open Mobile Alliance Ltd. All Rights Reserved.

Used with the permission of the Open Mobile Alliance Ltd. under the terms set forth above.

# Contents

- 1. SCOPE .....4
- 2. REFERENCES .....5
  - 2.1 NORMATIVE REFERENCES .....5
  - 2.2 INFORMATIVE REFERENCES .....5
- 3. TERMINOLOGY AND CONVENTIONS .....6
  - 3.1 CONVENTIONS .....6
  - 3.2 DEFINITIONS .....6
  - 3.3 ABBREVIATIONS .....6
- 4. INTRODUCTION .....7
  - 4.1 VERSION 1.0 .....7
- 5. REQUIREMENTS (NORMATIVE).....8
  - 5.1 HIGH-LEVEL FUNCTIONAL REQUIREMENTS .....8
- 6. ARCHITECTURAL MODEL .....9
  - 6.1 DEPENDENCIES .....9
    - 6.1.1 OMA Device Management [OMA-DM] .....9
  - 6.2 ARCHITECTURAL DIAGRAM .....9
  - 6.3 FUNCTIONAL COMPONENTS AND INTERFACES/REFERENCE POINTS DEFINITION.....9
    - 6.3.1 Management Object .....9
    - 6.3.2 Protocol Endpoints .....10
    - 6.3.3 Interfaces .....10
  - 6.4 FLOWS .....10
- 7. LISTMO MANAGEMENT OBJECT .....11
  - 7.1 TREE STRUCTURE .....11
  - 7.2 FIGURE OF THE MANAGEMENT OBJECT (INFORMATIVE) .....11
  - 7.3 LIST OF SUPPORTED MANAGEMENT OBJECTS PARAMETERS .....11
- 8. RELEASE INFORMATION .....14
  - 8.1 SUPPORTING FILE DOCUMENT LISTING.....14
  - 8.2 OMNA CONSIDERATIONS .....14
- APPENDIX A. CHANGE HISTORY (INFORMATIVE).....15
  - A.1 APPROVED VERSION HISTORY .....15
  - A.2 DRAFT/CANDIDATE VERSION 1.0 HISTORY .....15
- APPENDIX B. USE CASES (INFORMATIVE) .....16
  - B.1 LIST OF SUPPORTED MANAGEMENT OBJECTS RETRIEVAL .....16
    - B.1.1 Short Description .....16
    - B.1.2 Market benefits .....16
  - B.2 DYNAMIC AND AUTOMATIC UPDATE OF LISTMO .....16
    - B.2.1 Short Description .....16
    - B.2.2 Market benefits .....16
- APPENDIX C. STATIC CONFORMANCE REQUIREMENTS (NORMATIVE).....17
  - C.1 ERDEF FOR LISTMO - CLIENT REQUIREMENTS .....17
  - C.2 ERDEF FOR LISTMO - SERVER REQUIREMENTS .....17
  - C.3 SCR FOR LISTMO TREE STRUCTURE.....17
  - C.4 SCR FOR DM CLIENT .....17
  - C.5 SCR FOR DM SERVER .....17

# 1. Scope

To enhance the adoption of OMA DM Management Objects and facilitate their management, this enabler proposes to define a standardized Management Object called List of supported Management Objects (ListMO) that lists the Management Objects supported by the OMA DM Client resident on the device and exposed by the device. It would allow a Device Management Server to easily retrieve the list of the supported MOs and specific details. Management Authorities can use this information for various management operations, for example provisioning services to capable devices through creating or updating DM Tree based on MO information.

## 2. References

### 2.1 Normative References

- [OMA-DM]            *OMA Device Management, Version 1.2*,  
Open Mobile Alliance™,  
[URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [RFC2119]            “Key words for use in RFCs to Indicate Requirement Levels”, S. Bradner, March 1997,  
[URL:http://www.ietf.org/rfc/rfc2119.txt](http://www.ietf.org/rfc/rfc2119.txt)
- [SCRRULES]            “SCR Rules and Procedures”, Open Mobile Alliance™, OMA-ORG-SCR\_Rules\_and\_Procedures,  
[URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [ISO8601]            Data elements and interchange formats -- Information interchange -- Representation of dates and times  
[URL:http://www.iso.org/](http://www.iso.org/)

### 2.2 Informative References

- [DMDICT]            " OMA Device Management Dictionary", Draft Version 1.0, Open Mobile Alliance™,  
[URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [OMADICT]            “Dictionary for OMA Specifications”, Version 2.8, Open Mobile Alliance™,  
OMA-ORG-Dictionary-V2\_8,  
[URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)

## 3. Terminology and Conventions

### 3.1 Conventions

The key words “MUST”, “MUST NOT”, “REQUIRED”, “SHALL”, “SHALL NOT”, “SHOULD”, “SHOULD NOT”, “RECOMMENDED”, “MAY”, and “OPTIONAL” in this document are to be interpreted as described in [RFC2119].

All sections and appendixes, except “Scope” and “Introduction”, are normative, unless they are explicitly indicated to be informative.

### 3.2 Definitions

Kindly consult [DMDICT] and [OMADICT] for all definitions used in this document.

### 3.3 Abbreviations

Kindly consult [DMDICT] and [OMADICT] for all abbreviations used in this document.

## 4. Introduction

### 4.1 Version 1.0

This enabler provides a list of supported Management Objects in the Device. This list consists of the Management Object ID with specific information such as the list of URIs of the Management Object instances.

In addition, ListMO provides information such as what entity can create nodes for the listed MOIDs and the date of the MO specification.

## 5. Requirements (Normative)

### 5.1 High-Level Functional Requirements

Label	Description	Release
ListMO-HLF-1	The ListMO enabler SHALL list all the Management Objects supported by the DM Client	1.0
ListMO-HLF-2	The ListMO enabler SHALL list all of the instantiated Management Objects in the DM Client, subject to ACL rules	1.0
ListMO-HLF-3	The ListMO enabler SHALL ensure ListMO is up-to-date at all times	1.0

## 6. Architectural Model

### 6.1 Dependencies

The ListMO architecture diagram indicates dependencies on the OMA DM architecture.

#### 6.1.1 OMA Device Management [OMA-DM]

The described architecture depends upon the OMA Device Management enabler. While nothing in this architecture presupposes a particular version of that enabler, for clarity and ease of reference, assume all references to [OMA-DM] are to the Approved OMA Device Management v1.2 Enabler Release unless otherwise specified.

### 6.2 Architectural Diagram




Figure 1: ListMO Architecture

### 6.3 Functional Components and Interfaces/reference points definition

#### 6.3.1 Management Object

##### 6.3.1.1 List of supported Management Object

Standardized interface to a device's list of supported Management Objects Management Object. Exposed through the {DM Client} for authorized access by {Management Authorities} utilizing {DM Servers} communicating over {DM-1} using the OMA Device Management Protocol [OMA-DM].

## 6.3.2 Protocol Endpoints

### 6.3.2.1 DM Client

The DM Client is the abstract software component that conforms to the requirements for DM Clients specified in the OMA Device Management Enabler.

### 6.3.2.2 DM Server

The DM Server is the abstract software component that conforms to the requirements for DM Servers specified in the OMA Device Management Enabler.

## 6.3.3 Interfaces

### 6.3.3.1 DM-1 Device Management Client-Server Protocol

This provides an interface over which DM Servers may send device management commands to DM Clients and DM Clients may return status and alerts to DM Servers. This is an interface that is bearer neutral and offers many standardized bindings including HTTP and HTTPS.

### 6.3.3.2 DM-5 DM Exposes Management Objects

The MO schemas are exposed by the {DM Client} through its device management tree.

### 6.3.3.3 DM-Func DM Functions

The {Standard Management Objects} represent interfaces to the Device's {DM Client} configuration and the Device's DM-related information which may be targeted by a {Device Management Authority} to perform Device Management Functions. The functions available depend upon the DM Standard Object specifications (e.g. Get, Replace, Add, Delete, Atomic, and Sequence), the access rights assigned to specific parameters for a given Device Management Authority, and on the specific device implementation.

### 6.3.3.4 DMA-DMS Interface

The interfaces between a Device Management Authority's line-of-business systems and a Device Management Server are out of scope. For purposes of illustration, this interface allows the Device Management Authority to submit device management requests to the DM Server and to be apprised of results and device-generated alerts received by the server from the DM Client. For purposes of this reference architecture description, readers should assume that an implementation-specific interface to the DM Server is used by the Device Management Authority to submit DM commands and analyze results returned by the DM Client.

## 6.4 Flows

The List of supported Management Objects Management Object described in this architecture document is schematic in nature and does not imply any particular protocol or data flow. The OMA Device Management Enabler [OMA-DM] specifies the protocol and data flows that are expected for client-server communication. These object schemas are utilized by and incorporated into the normal flow descriptions in that enabler and readers are referred to the OMA Device Management Enabler for further understanding.

## 7. ListMO Management Object

The ListMO Management Object is at the root of the DM Tree.

**Protocol Compatibility:** This object is compatible with OMA Device Management protocol specifications, version 1.2 and above.

### 7.1 Tree Structure

ListMO tree has a well-defined structure, with designated Ext nodes to allow non-standard extension nodes.

### 7.2 Figure of the Management Object (Informative)




Figure 2: ListMO Management Object

### 7.3 List of supported Management Objects Parameters

List of supported Management Objects Management Object consists of the following parameters:

#### ListMO

Status	Tree Occurrence	Format	Min. Access Types
Required	One	node	Get

This interior node groups together the parameters of a List of supported Management Objects Management Object. This node MUST be located at the root of the DM Tree.

The type of this node MUST be the ListMO Management Object ID “urn:oma:mo:oma-listmo:1.0”.

**ListMO/<x>**

Status	Tree Occurrence	Format	Min. Access Types
Required	OneOrMore	node	Get

This interior node groups together the parameters of a list of supported Management Objects. The ancestor elements of this node define the position in the Management Tree of this Management Object. But the structure of the DM tree and hence positions in the tree of Management Objects are out of scope of this specification.

**ListMO/<x>/MOID**

Status	Tree Occurrence	Format	Min. Access Types
Required	One	chr	Get

This value of leaf node MUST contain the Management Object ID of the listed Management Object.

**ListMO/<x>/InstanceCount**

Status	Tree Occurrence	Format	Min. Access Types
Required	ZeroOrOne	int	Get

This leaf node specifies the number of instances that the DM Server has Get access to the root of the MO that have been instantiated in the Management Tree of the device. Absence of this node SHALL signify an instance count of 0.

**ListMO/<x>/Instances**

Status	Tree Occurrence	Format	Min. Access Types
Required	One	node	Get

This node holds all the instances of a specific MOID that the DM Server has Get access to. If there are no nodes under <x>/Instances, it means the MO is supported but not instantiated – there MAY be instances of the MO in the DM Tree but they are not visible to the DM Server.

**ListMO/<x>/Instances/<x>**

Status	Tree Occurrence	Format	Min. Access Types
Required	ZeroOrMore	chr	Get

The value of this leaf node specifies the Uniform Resource Identifier (URI) of an instance of the MOID.

This leaf node and sub-nodes SHALL only be populated if the DM Server has Get access to the root of the MO instance.

**ListMO/<x>/SubnodeCreator**

Status	Tree Occurrence	Format	Min. Access Types
Required	One	int	Get

This leaf node indicates how nodes for this MOID will be created on the DM Client. Valid values for this node are:

<u>Integer Value</u>	<u>Status</u>	<u>Description</u>
1	Client	The DM Client will create any necessary nodes.
2	Server	The DM Server will create any necessary nodes.
3	Server And Client	A hybrid situation where the DM Server will create some nodes and the DM Client will create other nodes.

**ListMO/<x>/MODate**

Status	Tree Occurrence	Format	Min. Access Types
Optional	One	chr	Get

This optional leaf node specifies the date of the MO specification. It is particularly useful for non-OMA specifications that did not update the version number in the MOID with subsequent publications (for example, 3GPP's ANDSF MO has several different documents describing their MO with different structure and data but with the same MOID). The date MUST be encoded per the UTC based [ISO8601] basic format.

**ListMO/<x>/Ext**

Status	Tree Occurrence	Format	Min. Access Types
Optional	ZeroOrOne	node	Get

This optional interior node designates a branch of the MOID sub-tree into which platform or vendor extensions MAY be added, permanently or dynamically. Ext sub trees, such as this one, are included at various places in the ListMO Management Object to provide flexible points of extension for platform or implementation-specific parameters. However, vendor extensions MUST NOT be defined outside of this Ext sub-tree.

## 8. Release Information

### 8.1 Supporting File Document Listing

Doc Ref	Permanent Document Reference	Description
<b>Supporting Files</b>		
[ListMODDF]	OMA-SUP-MO_ListMO-V1_0-20110511-C	ListMO Device Description File. Working file in DM_MO directory: <a href="http://www.openmobilealliance.org/tech/omna/dm_mo/ListMO-V1_0.ddf">http://www.openmobilealliance.org/tech/omna/dm_mo/ListMO-V1_0.ddf</a>

Table 1: Listing of Supporting Documents in ListMO V1.0 Release

### 8.2 OMNA Considerations

The OMNA registry needs to add and maintain the following in the MO registry:

MO Identifier	Description	Owner	Version	MO DDF	MO Spec
urn:oma:mo:oma-listmo:1.0	List of supported MOs	DM WG	1.0	ListMO-V1_0.ddf	OMA-ER-ListMO-V1_0-20110511-C

## Appendix A. Change History (Informative)

### A.1 Approved Version History

Reference	Date	Description
N/A	N/A	No prior version

### A.2 Draft/Candidate Version 1.0 History

Document Identifier	Date	Sections	Description
Draft Version	15 Oct 2010	All	First draft baseline as agreed in "OMA-DM-ListMO-2010-0001-INP_ListMO_1_0_baseline"
Draft Versions OMA-ER-ListMO-V1_0	14 Dec 2010	1, 4, 5, 7 and B	Applied: OMA-DM-ListMO-2010-0002R01-CR_Requirements OMA-DM-ListMO-2010-0003R01-CR_Scope_Intro OMA-DM-ListMO-2010-0004R06-CR_ListMO_structure
	10 Jan 2011	7.2, 7.3	Applied: OMA-DM-ListMO-2010-0007-CR_Changes_to_ClientAddsNodes_node
	18 Jan 2011	2, 4, 6, 7.3	Applied: OMA-DM-ListMO-2011-0001-CR_Introduction_and_bug_fix.doc OMA-DM-ListMO-2010-0006R04-CR_architecture.doc
	25 Jan. 2011	Appendix C	Applied: OMA-DM-ListMO-2011-0002R01-CR_SCR
	26 Jan 2011	All	Language set to English UK, harmonization of fonts, copyright year changed to 2011, re-numbering of figures
	11 Feb. 2011	7.3, 8.2	Applied: OMA-DM-ListMO-2011-0005-CR_OMNA OMA-DM-ListMO-2011-0006R04-CR_MO_Updates
	01 Mar. 2011	1, 2.1, 2.2, 4, 5, 6.1, 6.2, 6.3, 7, 7.3, 8.1, 8.2, B.1.2, C.4	Applied: OMA-DM-ListMO-2011-0007R01-CR_Closure_Review_results OMA-DM-ListMO-2011-0009R01-CR_Arch_Diagram OMA-DM-ListMO-2011-0010-CR_Location
	30 Mar. 2011	7.3	Applied: OMA-DM-ListMO-2011-0013-CR_Instance_Population
	04 Apr. 2011	8.1	Updated the latest version of supporting document
Candidate Version OMA-ER-ListMO-V1_0	11 May 2011	N/A	Status changed to Candidate by TP Ref # OMA-TP-2011-0161- INP_ListMO_V1.0_ERP_and_ETR_for_Candidate_approval

## Appendix B. Use Cases

(Informative)

### B.1 List of supported Management Objects retrieval

A Device Management Server (DMS) wants to know what Management Objects are being managed/supported by the Device Management Client on the device. For example, a DMS might want to deploy a service that requires a MO. ListMO is the central placeholder to easily retrieve a list containing the device supported MO and associated MO details. The authorized DMS would simply get this new MO and thus retrieve the required information.

#### B.1.1 Short Description

The DMS retrieves the ListMO subtree. ListMO provides an up-to-date list of the DM Client's supported Management Objects. The DM Client's supported Management Objects are indexed by Management Object instances.

#### B.1.2 Market benefits

Thanks to ListMO, DM Servers can easily and efficiently identify what Management Objects are supported by the DM Client. The DMS can also find out what MO are instantiated.

### B.2 Dynamic and automatic update of ListMO

More and more Management Objects are specified and can be dynamically created on a device's DM Tree. The DM Tree used to be static and this acceleration of MO definition by multiple organizations will make the DM Tree more and more dynamic. In addition, multiple authorities can manage different instances of the same Management Object. It is the reason why ListMO must be dynamically and automatically updated.

#### B.2.1 Short Description

A new Management Object is installed on a device (either through new firmware or new application). The support of this MO will be automatically/dynamically added to ListMO. Thus it allows DM Management Authorities (i.e. DM Servers) to easily and efficiently obtain this information if required. It would be the same if a new instance of an existing MO is created.

#### B.2.2 Market benefits

Thanks to ListMO, DM Servers can easily and efficiently identify what Management Objects are supported by the DM Client as ListMO is up-to-date at all times.

## Appendix C. Static Conformance Requirements (Normative)

The notation used in this appendix is specified in [SCRRULES].

### C.1 ERDEF for ListMO - Client Requirements

This section is normative.

Item	Feature / Application	Requirement
OMA-ERDEF-ListMO-C-001-M	DM Client	ListMO-HLF-1
OMA-ERDEF-ListMO-C-002-M	DM Client	ListMO-HLF-2
OMA-ERDEF-ListMO-C-003-M	DM Client	ListMO-HLF-3

Table 2: ERDEF for ListMO Client-side Requirements

### C.2 ERDEF for ListMO - Server Requirements

This section is normative.

Item	Feature / Application	Requirement
OMA-ERDEF-ListMO-S-001-M	DM Server	Support for the List of Supported Management Objects (ListMO)

Table 3: ERDEF for ListMO Server-side Requirements

### C.3 SCR for ListMO Tree Structure

Item	Function	Reference	Requirement
ListMO-T-001-M	Use of appropriate management object identifier for the ListMO root node	Section 7.3	
ListMO-T-002-M	Support for Required nodes	Section 7.3	
ListMO-T-003-O	Support for Optional nodes	Section 7.3	

### C.4 SCR for DM Client

Item	Function	Reference	Requirement
ListMO-C-001-M	Support for an always up-to-date ListMO	Section 7.3	ListMO-HLF-3
ListMO-C-002-M	Support listing all the DM Client supported MOs	Section 7.3	ListMO-HLF-1
ListMO-C-003-M	Support listing all the instantiated MOs in the DM Client, subject to the ACL rules	Section 7.3	ListMO-HLF-2

### C.5 SCR for DM Server

Item	Function	Reference	Requirement
ListMO-S-001-M	Support for the List of	Section 7.3	

Item	Function	Reference	Requirement
	Supported Management Objects (ListMO)		