



## **Enabler Test Report Data Synchronization V1.2**

OMA Test Fest(January 2005)

Version 28-Jan-2005

---

Open Mobile Alliance  
OMA-Enabler\_Test\_Report-DS-12-20050128

This document is considered confidential and may not be disclosed in any manner to any non-member of the Open Mobile Alliance™, unless there has been prior explicit Board approval.

This document is a work in process and is not an approved Open Mobile Alliance™ specification. This document is subject to revision or removal without notice. No part of this document may be used to claim conformance or interoperability with the Open Mobile Alliance specifications.

© 2005 Open Mobile Alliance Ltd. All rights reserved.

Terms and conditions of use are available from the Open Mobile Alliance™ Web site at <http://www.openmobilealliance.org/copyright.html>.

You may use this document or any part of the document for internal or educational purposes only, provided you do not modify, edit or take out of context the information in this document in any manner. You may not use this document in any other manner without the prior written permission of the Open Mobile Alliance™. The Open Mobile Alliance authorises you to copy this document, provided that you retain all copyright and other proprietary notices contained in the original materials on any copies of the materials and that you comply strictly with these terms. This copyright permission does not constitute an endorsement of the products or services offered by you.

The Open Mobile Alliance™ assumes no responsibility for errors or omissions in this document. In no event shall the Open Mobile Alliance be liable for any special, indirect or consequential damages or any damages whatsoever arising out of or in connection with the use of this information.

This document is not a Open Mobile Alliance™ specification, is not endorsed by the Open Mobile Alliance and is informative only. This document is subject to revision or removal without notice. No part of this document may be used to claim conformance or interoperability with the Open Mobile Alliance specifications.

Open Mobile Alliance™ members have agreed to use reasonable endeavors to disclose in a timely manner to the Open Mobile Alliance the existence of all intellectual property rights (IPR's) essential to the present document. However, the members do not have an obligation to conduct IPR searches. The information received by the members is publicly available to members and non-members of the Open Mobile Alliance and may be found on the "OMA IPR Declarations" list at <http://www.openmobilealliance.org/ipr.html>. Essential IPR is available for license on the basis set out in the schedule to the Open Mobile Alliance Application Form.

No representations or warranties (whether express or implied) are made by the Open Mobile Alliance™ or any Open Mobile Alliance member or its affiliates regarding any of the IPR's represented on this "OMA IPR Declarations" list, including, but not limited to the accuracy, completeness, validity or relevance of the information or whether or not such rights are essential or non-essential.

This document is available online in PDF format at <http://www.openmobilealliance.org/>.

Known problems associated with this document are published at <http://www.openmobilealliance.org/>.

Comments regarding this document can be submitted to the Open Mobile Alliance™ in the manner published at <http://www.openmobilealliance.org/documents.html>

# Contents

1. SCOPE .....	4
2. REFERENCES.....	5
2.1 NORMATIVE REFERENCES .....	5
2.2 INFORMATIVE REFERENCES .....	5
3. TERMINOLOGY AND CONVENTIONS .....	6
3.1 CONVENTIONS .....	6
3.2 DEFINITIONS .....	6
3.3 ABBREVIATIONS .....	6
4. SUMMARY .....	7
5. TEST DETAILS.....	8
5.1 DOCUMENTATION.....	8
5.2 TEST CASE STATISTICS .....	9
5.2.1 Test Case Summary.....	9
5.2.2 Test Case List.....	10
5.2.3 Problem Reports.....	14
6. CONFIRMATION .....	16
APPENDIX A. CHANGE HISTORY (INFORMATIVE) .....	17

# 1. Scope

This report describes the results from the testing carried out at OMA Test Fest(January 2005) concerning the Data Synchronization enabler version 1.2.

## 2. References

### 2.1 Normative References

[OMAIOPPROC]	OMA Interoperability Policy and Process, <a href="http://www.openmobilealliance.org/">http://www.openmobilealliance.org/</a>
[DS12EICS]	Data Synchronization version 1.2 Enabler Implementation Conformance Statement (EICS), <a href="http://www.openmobilealliance.org/">http://www.openmobilealliance.org/</a>
[ERELED]	OMA Data Synchronization version 1.2 Enabler Release Definition
[DS12_SPEC]	OMA Data Synchronization version 1.2 specifications
[EPTR]	Enabler Product Test Report
[ETP]	Enabler Test Report
[ETS]	Data Synchronization version 1.2 Test Cases OMA-ETS-DataSynchronization-V1_2-20040817-A

### 2.2 Informative References

## 3. Terminology and Conventions

### 3.1 Conventions

This is an informative document, i.e. the document does not intend to contain normative statements.

### 3.2 Definitions

None.

### 3.3 Abbreviations

DS	Data Synchronization
DSDM	Data Synchronization Device Management
EICS	Enabler Implementation Conformance Statement
EPTR	Enabler Product Test Report
ETP	Enabler Test Plan
ETS	Enabler Test Specification
OMA	Open Mobile Alliance
PR	Problem Report
SCTS	Synchronization Conformance Test Suite

## 4. Summary

This report gives details of the testing carried out during the OMA Test Fest (January 2005) for enabler Data Synchronization version 1.2.

The report is compiled on behalf of OMA by NCC Group.

The work and reporting has followed the OMA IOP processes and policies [OMAIOPPROC].

## 5. Test Details

### 5.1 Documentation

This chapter lists the details of the enabler and any documentation, tools or test suites used to prove the enabler.

<b>Date:</b>	January 2005
<b>Location:</b>	Madrid, Spain
<b>Enabler:</b>	Data Synchronization v1.2
<b>Process:</b>	OMA Interoperability Policy and Process [OMAIOPPROC]
<b>Type of Testing</b>	Interoperability Testing
<b>Products tested:</b>	Client-to-Server
<b>Test Plan:</b>	Data Synchronization Version 1.2 Enabler Test Plan [ETP]
<b>Test Specification:</b>	Data Synchronization Enabler Test Specification [ETS]
<b>Test Tool:</b>	SCTS
<b>Test Code:</b>	None
<b>Type of Test event:</b>	Test Fest
<b>Participants:</b>	FusionOne, IBM, Samsung Electronics Co.
<b>Number of Client Products:</b>	2
<b>Participating Technology Providers for clients:</b>	IBM, Samsung Electronics Co.
<b>Number of Server Products:</b>	2
<b>Participating Technology Providers for servers:</b>	FusionOne <i>1 other server participant.</i>
<b>Number of test sessions completed:</b>	4 of 4



## 5.2 Test Case Statistics

### 5.2.1 Test Case Summary

This chapter gives an overview of the result for all test cases included in [ETS].

The following status is used in the tables below:

- **Total number of TCs:** Used in the summary to indicate how many test cases there are in total.
- **Number of passed:** Used in the summary to indicate how many of the total test cases successfully passed.
- **Number of failed:** Used in the summary to indicate how many of the total test cases failed.
- **Number of N/A:** Used in the summary to indicate how many of the total test cases have not been run due to one of the implementations not supporting the functionality required to run this test case.
- **Number of OT:** Used in the summary to indicate how many of the total test cases have not been run due to no time to run the test case.
- **Number of INC:** Used in the summary to indicate how many of the total test cases have not been run due to functionality not being tested due to an error in the implementation or other functionality that is required to run this test case.

Test Section:	Number of test sessions:	Total number of TCs:	Number of Passed:	Number of Failed:	Number of N/A:	Number of OT:	Number of INC:	Total:
Client to Server TCs	4	54	70	0	140	0	6	216
<b>Total</b>	<b>4</b>	<b>54</b>	<b>70</b>	<b>0</b>	<b>140</b>	<b>0</b>	<b>6</b>	<b>216</b>

## 5.2.2 Test Case List

This chapter lists the statistics for all test cases included in [ETS].

The following status is used in the tables below:

- **No. of runs(R):** Used to indicate how many times the test cases have been run in total.
- **No. of passed(P):** Used to indicate how many times the test case has been run with successful result.
- **No. of failed(F):** Used to indicate how many times the test case has been run with failed result
- **No. of OT(O):** Used to indicate how many times the test case has not been run due to no time available.
- **No. of INC(I):** Used to indicate how many times the test case has not been run due to errors being found in other functionality required for running this test case.
- **PR:** Used to indicate if any PRs (Problem Reports) have been issued during testing.

**Note:** Used to indicate the cause of Inconclusive or Fail verdicts.

Test Case:	Test Case Description:	R	P	F	O	I	PR:	Note:
DataSynchronization-v1.2-int-001	Client authentication with no credentials	4	4	0	0	0	-	
DataSynchronization-v1.2-int-002	Client authentication with incorrect credentials	4	4	0	0	0		
DataSynchronization-v1.2-int-003	Server challenge in Basic authentication scheme	4	4	0	0	0		
DataSynchronization-v1.2-int-004	Server challenge in MD5 Digest authentication scheme	4	4	0	0	0		
DataSynchronization-v1.2-int-005	Initial Two-way Sync	4	4	0	0	0		
DataSynchronization-v1.2-int-006	Two-way Sync with Client and Server Add command	4	4	0	0	0		
DataSynchronization-v1.2-int-007	Two-way Sync with Client and Server Replace command	4	4	0	0	0		
DataSynchronization-v1.2-int-008	Two-way Sync with Client and Server Delete command	4	4	0	0	0		
DataSynchronization-v1.2-int-009	Two-way Sync with Client sending new data	4	4	0	0	0		

DataSynchronization-v1.2-int-010	Two-way Sync with deletion of a non-existent target	4	4	0	0	0		
DataSynchronization-v1.2-int-011	Two-way Sync with Server sending new data	4	4	0	0	0		
DataSynchronization-v1.2-int-012	Two-way Sync with large number of Objects	4	4	0	0	0		
DataSynchronization-v1.2-int-013	Two-way Sync with large number of Objects returned	4	4	0	0	0		
DataSynchronization-v1.2-int-014	Two-way Slow Sync with data	4	4	0	0	0		
DataSynchronization-v1.2-int-015	Two-way Slow Sync to restore client data	4	4	0	0	0		
DataSynchronization-v1.2-int-016	Large Object Handling [Optional]	2	2	0	0	0		
DataSynchronization-v1.2-int-017	Large Object Handling – incorrect size [Optional]	2	2	0	0	0		
DataSynchronization-v1.2-int-018	Large Object Handling – Client sending multiple Large Objects [Optional]	2	2	0	0	0		
DataSynchronization-v1.2-int-019	Server authentication with no credentials [Optional]	0	0	0	0	0	0018	
DataSynchronization-v1.2-int-020	Server authentication with incorrect credentials [Optional]	0	0	0	0	0	0018	
DataSynchronization-v1.2-int-021	Client challenge in Basic authentication scheme [Optional]	0	0	0	0	0	0018	
DataSynchronization-v1.2-int-022	Client challenge in MD5 Digest authentication scheme [Optional]	0	0	0	0	0	0018	
DataSynchronization-v1.2-int-023	Suspend / Resume - Accept [Optional]	0	0	0	0	0		
DataSynchronization-v1.2-int-024	Suspend / Resume – Server unable to accept Resume request [Optional]	0	0	0	0	0		

DataSynchronization-v1.2-int-025	Suspend / Resume – Client unable to accept Resume request [Optional]	0	0	0	0	0		
DataSynchronization-v1.2-int-026	Suspend / Resume – Client suspends sync repetitively [Optional]	0	0	0	0	0		
DataSynchronization-v1.2-int-027	Suspend / Resume – Client suspends One-way Refresh Sync from Client [Optional]	0	0	0	0	0		
DataSynchronization-v1.2-int-028	Suspend / Resume – Client suspends One-way Refresh Sync from Server [Optional]	0	0	0	0	0		
DataSynchronization-v1.2-int-029	One-way Sync from server only [Optional]	0	0	0	0	0		
DataSynchronization-v1.2-int-030	One-way Sync from Client only [Optional]	0	0	0	0	0		
DataSynchronization-v1.2-int-031	Refresh Sync from Server only [Optional]	0	0	0	0	0		
DataSynchronization-v1.2-int-032	Refresh Sync from Client only [Optional]	0	0	0	0	0		
DataSynchronization-v1.2-int-033	Server alerted sync – Client accept [Optional]	0	0	0	0	0		
DataSynchronization-v1.2-int-034	Server alerted sync – Client ignore[Optional]	0	0	0	0	0		
DataSynchronization-v1.2-int-035	Object record filtering[Optional]	2	1	0	0	1		
DataSynchronization-v1.2-int-036	Object record filtering – Attempt to update deleted object[Optional]	2	1	0	0	1		
DataSynchronization-v1.2-int-037	Object record filtering – compound filter [Optional]	2	2	0	0	0		
DataSynchronization-v1.2-int-038	Field Level Filtering [Optional]	2	0	0	0	2	0015	
DataSynchronization-v1.2-int-039	Field Level Filtering – compound filter[Optional]	2	0	0	0	2	0015	

DataSynchronization-v1.2-int-040	Field level changes from the client [Optional]	0	0	0	0	0		
DataSynchronization-v1.2-int-041	Field level changes from the server [Optional]	0	0	0	0	0		
DataSynchronization-v1.2-int-042	Field level changes – Multiple Fields Update [Optional]	0	0	0	0	0		
DataSynchronization-v1.2-int-043	Field level changes – Large Dataset Update [Optional]	0	0	0	0	0		
DataSynchronization-v1.2-int-044	Hierarchical Synchronization – Add to folder verification [Optional]	0	0	0	0	0		
DataSynchronization-v1.2-int-045	Hierarchical Synchronization – Add new folder verification [Optional]	0	0	0	0	0		
DataSynchronization-v1.2-int-046	Hierarchical Synchronization – Delete all items in folder [Optional]	0	0	0	0	0		
DataSynchronization-v1.2-int-047	Hierarchical Synchronization – Delete folder [Optional]	0	0	0	0	0		
DataSynchronization-v1.2-int-048	Hierarchical Synchronization – Move item from folder [Optional]	0	0	0	0	0		
DataSynchronization-v1.2-int-049	Hierarchical Synchronization – Move existing item to new folder [Optional]	0	0	0	0	0		
DataSynchronization-v1.2-int-050	Multiple DS Session – 1Way Sync Server to Client, Suspend resume, 1Way Sync Client to Server [Optional]	0	0	0	0	0		
DataSynchronization-v1.2-int-051	Multiple DS Session – Record Filter, Suspend Resume [Optional]	0	0	0	0	0		
DataSynchronization-v1.2-int-052	Multiple DS Session – Field Level Filter, Suspend Resume [Optional]	0	0	0	0	0		
DataSynchronization-v1.2-int-053	Multiple DS Session – Field Level Change, Suspend Resume [Optional]	0	0	0	0	0		

DataSynchronization-v1.2-int-054	Multiple DS Session – 1Way Sync Server to Client, Field Level Filtering, Field Level Change, record Filter update, 1Way Sync - [Optional]	0	0	0	0	0		
----------------------------------	---	---	---	---	---	---	--	--

### 5.2.3 Problem Reports

During the activities for TestFest-8, the following problem reports were generated relating to the test materials and test process:


PR Number	Affecting	Description	Test Case reference / Specification reference
0001	EICS	Editorial Errors in Client Ds v1.2 EICS Document	Client EICS
0002	EICS	Editorial Errors in Client Ds v1.2 EICS Document	Client EICS
0003	EICS	Editorial Errors in Client Ds v1.2 EICS Document	Client EICS
0004	EICS	Editorial Errors in Client Ds v1.2 EICS Document	Client EICS
0005	EICS	Editorial Errors in Client Ds v1.2 EICS Document	Client EICS
0007	EICS	Editorial Errors in Client Ds v1.2 EICS Document	Client EICS
0011	Specification	Specification does not clearly define how to handle the case where Meta information is present in both a Command and one of its Items	DataSynchronization-v1.2-int-016
0012	EICS	Editorial Errors in SERVER DS v1.2 EICS Document	Server EICS
0013	EICS	Clarification for SCR item SCR-DS-CONTENT-S-002	Server EICS
0015	Specification	Impossible to encode/decode Field level filters	DataSynchronization-v1.2-int-038 DataSynchronization-v1.2-int-039
0017	SCTS	SyncML 1.2 SCTS version 1.0 problems	0101
0018	Specification	Sync Server authentication to Client message flow	DataSynchronization-v1.2-int-019

Full details of the Problem Reports can be found at: <http://www.opengroup.org:8000/OMA-PR/>



## 6. Confirmation

This signature states that the included information is true and valid.

A handwritten signature in blue ink that reads "Stephen Higgins". The signature is written in a cursive style with a long, sweeping tail.

---

Stephen Higgins – Device Management Trusted Zone



## Appendix A. Change History (Informative)

Type of Change	Date	Section	Description